





JACOBI PETIVERI

HISTORIAM NATURALEM spectantia:

CONTAINING

SEVERAL THOUSAND FIGURES

OF

Birds, Beafts, Fish, Reptiles, Insects, Shells, Corals, and Fossils;

ALSO OF

Trees, Shrubs, Herbs, Fruits, Fungus's, Mosses, Sea-Weeds, &c. from all Parts, adapted to Ray's HISTORY OF PLANTS,

On above Three Hundred COPPER-PLATES, with English and Latin Names.

The Shells have English, Latin, and Native Names.

N. B. Above One Hundred of these Plates were never published before.

To which are now added

TRACTS. SEVENTEEN CURIOUS

Most of them so scarce as not to be purchased,

Which completes all he ever wrote upon NATURAL HISTORY; viz.

Gazophylacium Naturæ et Artis. Musei Rariora Naturæ, &c. 238 Land and Water Beetles. 26 Humble-Bees.

Fresh-Water Fishes.
Land and Water Shells.

100 E Sea-Shells, Eggs, Stars, &c.

26 Kentish

25 Sheppey

59 Gloucestershire

112 Merian's Surinam Insects.

On Snails and Worms being Hermaphrodites.

Ray's Method of Plants Illustrated.

Herbs of the same Class have similar Virtues. Virginian Cicada, Wasps, Bees, &c.

The Two Volumes containing above Ten Thousand Articles, Engraved in the most Accurate Manner, from Originals, the Gifts of the most eminent Persons in all Nations.

The ADDITIONS Corrected by the late Mr. JAMES EMPSON, of the British Museum

VOLUM II.

CONTAINING

Rudiments of Botany. Ray's English Herbal. Italian and Egyptian] Plants. American Montpellier

Silefian and Etrurian Plants. 164 British Butterflies, &c. Collectiana Petiveriana. English Grasses, Fungus's, Mosses, &c. Hortus Siccus.

LONDON,

Printed for JOHN MILLAN, Bookseller, near White-Hall.



CONTENTS.

VOL. I.	Pag.	P	ag
Directions for Travellers	I	Herbs of the same Class have similar Virtues	2
156. Gazophylacium Naturæ & Artis	181	10 Virginian Wasps, Bees, &c	3
Catalogus Clafficus & Topicus			3
22. Above 400 Amboina and East-India	1	VOL. II.	
Shells, &c	2	the same of the sa	
Musei Rariora Naturæ	12	2. Rudiments of Botany -	1
238 English Land and Water Beetles, in		82. Ray's English Herbal and Catalogue;	
	12-18	864 Plants, &c	
26 Humble-Bees, &c. in five Classes -	18	7. Hortus Peruv. Chili, &c. or South-	
28 De Animalibus Crustaceis, Echinatis,		Sea Herbal; 133 Plants	
Stellatisque Britannicis	ib.	7. Italian and Egyptian Plants, &c. 120	
19 Fresh-Water Fishes	2/ 1	23. Pteriagraphia Americana; 506 Ferns,	
42 DeCochleis Terrestribus ac Fluviat. Brit.	20	Corals, Sponges, Mushrooms	
39 De Pectinibus, Pectunculis, & Ostreis Br.	ib.	6. Papilion. Britan. about 164 English	-
26 Fossilia Cantiana; Fossils found in the		Butterflies	
Chalk-Pits of Kent	21	Monspelienses Plantæ; 460 Plants -	
25 Sheppey Fossils	ib.	Plantæ Silesiæ rariores, &c	
59 Fossils at Pyrton-Passage in Gloucestersh.	ib.	Plantæ Etruriæ rariores, &c	
112 Merian's Surinam Insects	22	Cat. Collectania Petiver. of 1080 Articles	
Snails and Worms Hermaphrodites in a		Gramin. Brit. Concordia; above 400 Eng-	
double Sense	26	lish Fungus's, Mosses, &c	
Ray's Method of English Trees and Shrubs	-	Hortus Siccus, Chirurgicus, & Pharma-	
Illustrated	26	ceuticus	1
	4		6

Printed for J. MILLAN, near WHITE-HALL.

- I. Catefby's Hortus Americanus; containing Eighty-Five of the most curious Trees, Shrubs, &c. with their Blossoms, Fruits, and Seeds, on Seventeen large Copper-Plates coloured after Nature; with Observations on their Constitution, Growth, Culture, Uses, and Virtues, adapted to the Climates of Great-Britain, Ireland, and most Parts of Europe, &c. Likewise Directions to collect them in America, and to pack up and secure the Trees and Seeds in their Passage to Europe. 21.28.
- II. Dillenius's General History of Land and Water Mosses, &c. containing all the known Species, exhibited by about a Thousand Figures on Eighty-Five large Royal Quarto Copper-Plates, their Names, Places of Growth, and Seasons, in English and Latin, referring to each Figure. Collected, drawn, and engraved, by the AUTHOR. 11. 58.
- III. Sheldrake's Herbal, on a Hundred and Eighteen large Folio Copper-Plates, drawn in the most masterly Manner from the Originals when in the highest Persection.
- IV. Sheldrake on Heat and Cold, for Green-Houses, 1s. V. Columella on Agriculture, by Gibson, Quarto, 14s.
- VI. Letters from a Persian in England to his Friend at Ispahan, 3s.
- VII. Hill's History of the Royal Society, 10s. 6d.
- VIII. Lift of his Majesty's Land-Forces and Marines at Home and Abroad, &c. by Permission, for 1767, 58.
- IX. The New Manual Exercise, with Explanations, by his Majesty's Order, 1s.
- X. Manœuvres for a Battalion of Infantry upon Fixed Principles, Command of fmall Detachments, &c. with Fifty-feven Plates, 10s. 6d.
- XI. Recruiting-Book, proper for all Officers on that Service, 2s. 6d.
- XII. Regimental Book, with proper Heads beautifully engraved, 41. 4s.
- XIII. General Returns for Reviewing Horfe, Dragoons, and Foot, as now given in to his Majesty.
- XIV. Ditto, Monthly and Weekly Recruiting, &c. &c.
 XV. The Majors or Adjutants Book; containing the different Forms of Returns for each Corps, by the Adjutant General.
- XVI. A System of Camp-Discipline, Adjutants and Garrison Duty, Regulations for Land-Forces, Kane's Campaigns and Military History from 1660. with many Copper-Plates; now reprinting, 7s. 6d. with great Additions.

P49 51

HERBARIJ BRITANNICI Clarifs D. RAIJ Catalogus Cum ICONIBUS ad Vivum delineatis, & A. RE incisis; in FOLIO. Quibus adjunguntur Singulorum Nomina, summa cum Arte sculpta, simul cum Locis Indigenis, Tempore Florendi, Coloribus Florum, Motis seu Annuis, seu Perennibus, Vulgaribus, vel Raris, cum Floribus, Seminibus, corumque Vasculis, ab ipsis Plantis Figuratis & singulis Speciebus annexis

A JACOBO PETIVER, Regiæ Societatis Socio &c. LONDIN.

SECT. I Herbæ BRITANICÆ Flore Stamineo RAY Hist. TAB.VI.1. Potamogiton comocum O. Rivis marit.R.190. 10. Plant. 154. Syn. 28 Edit. 2. p.52. MORIS. 577.
TAB.I. Fig. 1. Lupulus mas O. H. Dumens, Sepibus YA. 2. Angulus frama O. A. Fruct. Sept. RAY Hist Plant 156., 3. Cannabis mas. O. Agris ferther Y.A. 4. Cannabis fram. O. * Sem. Aug. RAY H. Pl 158.pl 1. 5. Cynocrambe mas. o.H. Sylvis Sepibus . M. Apr. 6.Cynocrambe fam.O.H.Sem.Apr.RAY 163.1 7.Mercurialis max. O.L.Hortis Olitarys. I.Y.
8.Mercurialis fam. O.+L.Hortis I.Y.RAY: 63. 4.
9.Urtica major O.* L. Sepib Ruder. YA. & c. Com. R: 60. 4.
10.Urtica minor O.L. Fimetis Hortis I.Y. & A. R: 61. 5. 11. Urtica Pilulifera . Raro I&Y. R. 1616. 12 Xanthium . L. Aquofis, latis &c. I.Y. R. 165.1 12 Aanthum © 1. Aquaju. latis & c.I.P. Rio 5.:

7AB II. Fig. I Lapathum aquat may 0 * L. Rivis & c.Y.A. R. 17.; 4.

2 Lapathum acutum criprum 0 I. Humid. Hort. Y.A. R. 17.; 6.

3 Lapathum acut. planum 0 * L. Inculus. Aq. & c.Y.A. R. 17.; 7.

4 Lapath. acut. minimum 0 I. Folisi. Aq. Y.A. R. 17.; 6.

5 Lapathum Sanguineum 0 I. Hort. Viis. Semit. Y.A. R. 17.; 10.

6 Lapathum viride 0 I. Sepib. Umbros Y.A. 7 Lapathum aureum 1 L. Aq. pigvis YAS.
8 Lapath. aur. glomer. denju 1 L. Aq. pigvis A.S. R.174.8.
9 Lapathum obtavum 1 L.+ Aveis Humid YA Com. R.1735. g.Lapathum obustum O.L.Arens. Humid.LA. Com.R. Illapathum sinuatum O.L. Agris, sveder, YA. R. 174. 9. 11Feg opyrum O.+. Agris serium YA. Fl. alb. R. 1841. 12Feg opyrum vandens O.L. Hort Cultis. & AYA. R. 184. 12FB.III. 1. Acetosa vulg. O.* L. Praris. & Ac. IY. R. 198. 1. 2Acetosa lanceolata O.L. Arenos. simis. M.I. R. 180. 14. 3 Acetosa lanceol.mas. seuSterilis O.L. Aren. sicc. A &M. 4Acetosa rotundif, Cambri 20, Clivis. aq.M.I.Y.R. Syn. 57. 10. gPersicaria acris 0.*L. Fossis aq. A.J. R. 18 2. 6 Persicaria minor 6.L. Pratis aq. Y.A. R. 18 3.3 Persicaria maulora L. A. f. feget. A.S. Carn. R. 183. 2.
Persicaria mac. incana O. L. Baro Y. A.
Persicaria argentea O. H. Seget. Y.
10 Persicaria albida ramora O. L. Rarb. 11Persicaria maj. pallida ©.L. Aren se get. Y. R. Syn. 58. 12Persicaria amphibia O.L. in & extra Aquas Y. R. 148.6. TAB. W. 1. Plantago latif. vulg. O. * L. Vijs ubiqe.Y. A.S. R. 876. L 2Plantago dentata O.L. Advias. & c.Y.A.
3Plantago incana O.L. Glareofis. vijs. M.I.Y.R. 877. 5. 3Plantago menta S.L. Spicatu O. Ravo'. R. 876.

gPlantago panicula figarva' O. Ravo'. R. 877. 4.

6Plantago angufti franca' O. S.L. Palcuis ubique. M.I.Y.R. 877.7.

7Plantago angufti Cambria O. Rapibus. R. Syn. 185.7.

8Plantago angufti prolifera O. Ravo'. R. 877. 1.

9Plantago marina O.L. Maritimis. R. 880.5.

10Plantago organiza (10 4 H. A. 480.5.) grintago marmao. L. Martimis. Rodo. 5.

10 Plantago Corongri fol. 0.4 H. Aren & Marti R. 879. 3.

11 Sang visorba major 0. + Prat. humidis. R. 40. 2. 2.

12 Sang visorba minor 0. + Cret. prat. & Mont. Y. R. 401. 1.

12 Biforta minor. 0. Pratis mont. R. 87. 4.

2 Biforta minor. 0. Pratis mont. R. 87. 4. 2Billotta minofo. Frans mont. Riot. 4.
2Billotta min. fol. vario. o. Clivis Rupium. R. 187. 6.
4 Potamogiton latifoilo L. Stagnis Pilcinis. A. J. R. 188. 1.
5 Potamogiton fol. longo acuto O.L. Fluvijs Y. R. 188. 3.
6 Potamogiton perfoliatum O.L. Fluvijs Y. R. 188. 3.
7 Potamogiton fol. cordato O.L. Fluvijs Y. R. 189. 4.
9 Potamogiton ricpumo L. Rivulis Y. R. 189. 5. 11Potamogiton Gram. latumo Aq. pagris. 11Potamogiton Gram. anguft O.Rivis. 12Potamogiton tenuifol. O.Rivis. R. 189.7. 13Potamogiton Ecniculaceumo Rivis.

5 Potamogiton pennatum O. L. Rivis Folsis R. 1911. 6 Potamogiton pennis tenuis. O. Folsis aq. 7 Potamogiton pennis mille folis O. Folsis aq. R. 1912. & Potamogiton pennat, verticill. O.L. Aq. pigris. R.13 22.1 8 Fotamogaton pennat: verticill. O.L. Aq. pigvis. R.1322.1.
9 Chryfosplenium vulg O.L. Humidis umbros. Apr.R.207.2.
10 Chryfosplenium pedic. longis O. Apr. lutyfis. R. 207.2.
11 Chryfosplenium Cornubiens 2. O. Raro. Udis &cY.A.R. 212.
12 Hydrocotyle vulg O.H. Paluthribus: Y.A. R.133.3.
14 Lydrocotyle vulg O.H. Paluthribus: Y.A. R.133.3.
15 Lydrocotyle vulg O.H. Paluthribus: Y.A. R.133.3.
16 Lydrocotyle vulg O.H. Paluthribus: Y.A. R.133.3.
2 Atriplex marit fol. deltoide O. Udis fallis. LomY.A. R.193.8.
4 Atriplex marit laciniata O. Arenos fallis: Y.A. R.193.8.
4 Atriplex marytifi dentata O. L. Udis fallis. & salis. A. S. R.193.8.
4 Atriplex Poluconi fallo O. L. Fimeris & ComY.A. R.193.8.
4 Atriplex Poluconi fallo O. L. Fimeris & ComY.A. R.193.8. Arriplex Tolygoni folio L. Timens &c Com Y.A. R192.4.
6Arriplex Graminea marit & Sallis.
7Halimus O. Agger marit Y.A. R.195.3.
8 Halimus capsula' cordata' O Marit. Ravo', R. Syn. 63.7. Blitum rubrum minus . Hortis . R 200 10 Blitum polyfpermon O. L. Hort. Arvis Fimet. R. 196. 2. 11 Blitum fældum O * L. Fimetis Ruderatis Y.A. R. 198. 11. 12 Spinachia sylvest. O. * L. Areis, compitis &c.M.I.R. 195. 1. TAB VIII. 1. Blitum Quer cus folio . I. Ruderibus &c. A. S.
2. Blitum fol candicante . I. Fimetis Com. Y.A. R. 198.8. 3 Blitum Ficus folio . L. Firnetis Y.A. 4 Blinum fol subrotundo . L. Ruderibus A.S. 5 Blitum fol. lucido crasso . L. Finetis & c. A. S. R. Syn. 64.5. 6 Blitum acutiore folio . L. Ruder Fimens . A. S. R. 197. 9. 7 Blinum Aceris folio . L. Ruderibus A. S. 8 Blinum latiore folio . I. Firmetis . A. S. oBintin dulor e jour 4.1. smetts . A. S. R. 204. 3.

g Beta martinna O. Sallis palulit. . A. S. R. 204. 3.

10 Parietaria O. *L. Mur in Rudoratis V.A. R. 206. 1.

11 Vermicularis arboroscens O. Maritimis R. 199. 1.

12 Vermicularis frutus cens O. Littor. Sallis R. 199. 16.

TABN. 1. Kali munus album Sallis marit. Com. • R. 198. 14. 2 Kali Spinosum Avenolis marit. 8.R. 212. 2. 3 Kali geniculatum Saliis marit . Com. . 4 Kali geniculat lynosum O Martimis R. 11. 1. 5 Anonymus Lini folio O Mont. Cretaceis Y.A.R. 399. c.7. 6 Knawel erectum O.H. Arenos. sterilibus Y. 7 Knawel supinum O.H. Arvis arenosis Y.R. 213. 1. 8 Gramen Piperinum 'I. Puteis Y.A. R. 13. 25. C. 10. 9 Alchimilla vulg O. * Pratis Pakuis mont R. 208. 1. 10 Alchimilla minor O Raro . R. 202. 2. 11 Alchimilla argenta () Mont Rupibus R. 409. 4.
12 Percepier Anglorum. * I. Solo refirbli fieril © R. 209. c.14.
IAB X. 1 Polygonum latiful © * I. Yijs. Semitis &cYA R. 184. 1.
2 Polygonum foi rotundo © I. Incultis I. 3 Polygonum. fol. brevi . L. Glarcolis Y. 4 Polygonum fol angusto &L. Seget steril 5 Polygonum maritimum O. Aven. sallis. R. 185. 2 6 Polygonum fol circinato. Maritimis Raro Polygonum verticillatum Pascuis Udis Palutte R. 214. 3. 8 Polygonum Valentinum Maritimis R. 215. 8. 9 Herniaria glabra Promont marit .R. 214. 6. 10 Herniaria hirsuta O Arenolie . 11 Erica maritima. Arenos & sallis marit F.A. R.1716. 15.
12 Portulaca aq. tricoccos . H. Seget Udis Palultu R.1035.26. H.Plantæ circa Hamsted cres centes

L . Pl intra X Milliaria LONDIN. nascentes M.I.Y.A . & c. Pl. Mensib. Maij. Iunij. Iul. & Flor.

R. Pagina in qua Hist. RAY Planta describitur.

2. Potamogiton cornutum O.L. Stagnis . R. 190. 13 3Stellaria *aquatica* O.L. *Folii* Stagnis *R.* 1323.06. 4Stellaria *aq. longi fol* O.L. Folsis Stagnis *R. Syn.* 280. 2.

Notæ & Liter æ Explicatæ . Planta Annua . Planta Biennis .

O. Planta Perennis

^{* .} Planta Officinalis . + . Pl. minor . Virium .

shake and shake when there's lands D. Band Catalogue sam KONTELS at From day his & W.RF, masses or FOLM Lagua at the a said of the colored North Said of the Color No. signul one Coers to some fergues from ale Colorabus I waini, Lands new Volumes, as the remaining translation and Emile and Francis and Francisco Significant comments seed to be seed of the Treature Committee

A JACORD PETRINER, Kenning Some at LUNDIN

Sectional Partition of the Section o

Vota & Inter & Expundituation of the one

ne. Rave p Arvive Elmet Rave a de le mai de la Rave m compute de la 18 May.

```
SECT. II. PLANTA. Lactes centes & Pappescentes. TAB. XVIII. Fig.1 Baccaris Monspel. 0+L.Mont sicie Vijs VA. Rose TAB. XI. Fig.1. Pilos ella officir. 0 *L. Pascuis sicies. IV. lit. RAY 2. Eupatorium Cannabbium 0. +L. Ripis rivid stagn VA. carn. Rose 2Pilos ella Cambria RAY 241. 19.

3 Gnaphalium Americanum 0 Baro KA. alb. R. 284. 15.
 3 Pilosella folio longo L.Fl. luteo.
                                                                                       4 Gnaphalium Montanum O Ericetis mont. YA.R. 28 3.12.
  4 Pilosella fol lato. Aggeribus folsarum. lut. R. 244. 2. 0.
                                                                                       5 Gnaphalium Terseianum & Muris agger albid R. 284 17.
 41 noseda foi longo glubro O Mont. summit. htt. R. 248. 8.
6 Pilosella foi longo glubro O Mont. summit. htt. R. 248. 8.
6 Pilosella flukenety. O I.V.A. htt. R. Syn. 75. 11.
7 Dens Leonis vulg. O.*I. Pascuis ubique Apr MIV & Lut. R. 244. 8 Gnaphalium Germanicum Arenosis & c. rarè. (295.5)
  & Dens Leons angultifolius O.L. Muris Siccis M.I.Y. lut. R. S. 76. 2.
g Dens Leons hirstus O.L. Pascuis & c. Com. M.I.Y. hut R. 245. 5.
                                                                                       gGnaphalium proliferum + L. Vijs siccis, steril ComY.A.
                                                                                       to Gnaphalium prolifer minus . Sterilibus siccis Y.A.
                                                                                       11 Gnaphalium minimum .H. Seget aren siccis YAR. 296.6.
  10 Dens Leonis hirsut minus Aggeribus I.Y. lut. R. 246.
 II Dens Leonis hirsut. ramosus O.L. Pascuis. Com. IXA hut R 2302.12 Gnaphalium Grammeum. Seget arenos Y.A.R.S.85.5.
 12 Dens Leon. ramos glaber. Pascuis lut.
TAB XII Fig 1 Hieracium præmorsum vulg O.I. Pascuis ComYA lut, SECT III HERBA Conjuntifera, Nuda Capitatre
  2. Hieraclum pramors laciniatum. O.L. Pascuis Y.A. lut.
                                                                                          & Nodiflora
  3 Hieracium fol acuto minus I. Sepibus YA Jut.
                                                                                      TABXIX. Fig. 1. Bellis major O.+ L. Pratis seget IY. alb R350
  4 Hieracium fol obtuso minus . I. Sepibus Y.A. lut.
                                                                                       2. Bellis minor O. * I. Pratis pascuis Com. A. state tota alb R349
Hieracium Lactuca folio. L. Pascuis &c.Y.A. lut.
6Hieracium Aphacoides. O.I. Pratis &c.Y.A. lut. R. 234. 16.
                                                                                       3 Ptarmica O + H. Pratis udis YA. alb R 344. 1.
4 Millefolium yulg O * L. Pascuis Com IYA. alb s purp R 345
                                                                                       5 Matricaria 0 % I. Sepibus, rudetis V.A. all. R. 357.1.
6 Chry santhemum segetum . L. Seget V.A. lut. R. 339.3.
  7 Hieracium Aphacoid acutum . L. Pafauis Y.A. lut.
  8 Hieracium Cafter odore . I. Pascuis &c Y.A. ht. R. 232. 6.
                                                                                        7 Buphthalmum luteum O.+Ripis aq raro YA Jut R.342.9.
  9 Hieracium Cichor fol minus @ L. Pascuis YA hut.
                                                                                        8 Buphthalmum albumo L. Pratis & c. M. I. alb
 10 Hieracium Cichor fol majus @ Pascuis &c. I. A. lut R. 236.5
 11 Hieracium asperum @L. Agror. marginibus Y.A. lut R. 233 12.
                                                                                       9 Chamemehum amarum .+ L. Cultis, Seget . alb .R. 355.2.
  12 Hierachum Echioides OL Sepibus Agris & YA lut R 233 to. 10 Chamæmelum odoratum O * L Pascuis udis YA S. alb R333
TABNIL Fig. 1. Pulmonaria maj. latifol. O Agger folsar Y. lut. R. 2397. 11 Cotula fetida . + L. Segét cultis. alb. R. 355. 3.

2Pulmonaria fol. rotundo O Raro I. Y. lut. R. S. 74. 6.

12 Cotula modora . + L. Agris. cultis. alb. R. 355.
  3Pulmonaria fol. lato dentato O Raro I.Y. lut. R. S. 74
                                                                                      TAB XX Fig.1. Absinthium vulg 0 * L. Incult. vijs ComA S.
2. Absinth marin Anglicum 0 * Maritimis YA.S.R. 370.16.
  4Pulmonaria Gallica O. H. Muris. Sylvis. &c.Y.A. lut. R 239. 9. 5Pulmonaria Gallica ang ultif. O. Rard Y.A. lut. R 240. 11.
                                                                                       3 Absinth marin Gallicum O + Maritimis Y.A. S. R. 370. 15.
  6 Pulmonaria latif. villosa O Rupibus altis Y. lut. R. 239. 8
                                                                                       4 Abrotanum campestre O. Steril vijs raro Y.A.R.370.4.
  7 Pulmonaria frut latif. hirsuta O.H. Sylvis Y.A. lut. R. 238. 2
                                                                                        5 Ar the misia 0. * L. Sepes Agrov. Marg. IYA. R. 37 2.1.
  8Pulmonaria frut longif hirsuta OH Sylvis &cYA lut
                                                                                       6 Bidens fol integro . + I. Stagnis aq A. S. lut R. 361. 2.
                                                                                       7Bidens fol trifido + L. Stagnis aq. A. S. lut. R. 360.1. 8 Cotonaria marina O Aren. marit rare lut. R. 2941.
  9 Pulmonaria frut longif glabra O Raro Y.A. lut R 2,38.1.
  10 Pulmonaria angustif hirsuta O.H. Sylvis V.A. lut. R. 238.5
                                                                                       g Tanacetum vulg O*L. Agr. margVijs. A. S. lut. R. 3 65.1.
10 Tanacetum crispum O+. Hortis &c. A. S. lut. R. 365. 2.
  11 Pulmonaria augustif glabra O H. Sylvis YA lut.
12 Pulmonaria Granuuea. O Raro YA lut.
                                                                                       11Agrimonja O. * I. Pascuis, Sepib &c YA lut R 400.1.
TABXIV. Fig. 1. Sonchus round fol. L. Segetilus. T.Y. lut.
  2. Sonchus asper latifol. O. L. Hort Fimetis IY lut R. 225. 7.
3. Sonchus angustifolius O. Raro'. IY lut.
                                                                                        12 Circe a major OL. Sylv Sepib umbrosis VA. alb R401.
                                                                                       TABXXI. Fig. 1. Carduus Moschatus @ L. Agris saxos XA R308
  4 Sonchus asper dentatus. O. L. Arvis incult Y.A. lut. 2 Cardius Crispus O. L. Sepes, Vepres KAR 309. 2. g Sonchus asper lainiatus. O. L. Ruderatis & A. L. Ruderatis & C. Y.A. lut. R. 225. 6. 3 Cardius Acanthoides O. L. Aggerruder. I.Y.R. 309. 3
  6 Sonchus segetabis major O.L.Agger Cultis. &c.Y.A. luc# 226x4 Carduus palufir @ H. Udis palust. A.S.R. 309.4.
7 Sonchus altiffimus O.L.Ripis Fluvior. Y.A. lut.#. 226.11 5 Carduus vulgatiss. O.L. Vijs arvis &c. Com.Y.A.R. 310.8.
  8 Sonchus levis latifol. C.I. Hortis Cultis & .Y.A. lut.R. 244. 2. 6 Carduus acaulis min. O.I. Mont. sicc. Y.A. R. 310. 6.
  o Sonchus lavis laciniatus. . *L. Horris &c. I.Y.A. lut.R. 2242. 7 Carduns lanceatus @ L. Sepib incult. Com Y.A. R. 310.1.
                                                                                        8 Card Eriocephalus & Camp & mont raro Y.A.R. 311. 3.
  10 Sonchus lavis laceratus . L. Hortis &c. I.Y. A. lut.
11 Circhoreum sybertre. 4. L. L. Semitis. incultis X.A. carR235.9 Cardinus Marice 8. L. Agger. marg. agrov. X.A.R. 313.1.

12 Lamplana. 4. L. Hortis, cultis. IY.A. lut.R. 25 6. c. 2.

10 Cardinus tomentos. 6. L. Vijs incult. Com Y.A. R. 313.1.

21 Lacture a Endivira fol. 4. L. Agger. axxoris. IY.A. lut.R. 221.2. 12 Cardinus stellat. 6. L. Vijs publicis A. S.R. 317.1.

21 Lacture a Endivira fol. 4. L. Agger. axxoris. IY.A. lut.R. 221.2. 12 Cardinus Sylphialis. 6. Sepes. raro. A. lut. R. 317.4.
  to Carlina sylv. . L. Ericetis Pascuris. siccis Y.A. lut.R. 288. 2.
                                                                                        8 Iacea nigravulg. 0.+ L. Pascuis . Com. LYA .R. 325.12.
  11 & 12. Petasites vulg. 0. * L. Ripis, humidis. M. Apr. carn. R. 260.
                                                                                        9 Iacea nigra lacin. O.+ I. Pascuis I.Y. purp.
10 Scabiosa Offic. O.* L. Seget. pascuis I.Y. Carn. R.374. 2.
TAB.XM. Fig. 1. Helenium. 0. * Pratis humidis. I.Y. lut. R. 273. C. 7.
  2 Conyza vulg. O. +. L. Folsis aq. Y.A. lut. R. 262.5.
                                                                                        11 Scabios a minor O Pascuis mont sicc. YAR 374 3.
   3Conyza minima L. Stagnis ficcis Y.A. lut. R. 262.6.
                                                                                        12 Succisa Offic. O. *. H. Prat palcuis A. S. can R. 38 0. 21
   4Conyza carulea O. L. Paleuris sicc Steril Y.A. purp. dil R2701TAB XXIII. Fig. 1. Bardana vulg. 0 * L. Vijs &c. Com Y.A. R332...
   5 Conyza palufris. Folsis aq. Paluftr. I.Y. luf. R. 363. 10.
6 Conyza paluft. lacerata. Folsis aq. &c. IY. lut. R. 264.12.
                                                                                        2 Bardana Rosea OL Incultis YA R. 332
                                                                                        3Bardana capite minore @L. Ruderatis YA.
                                                                                        4 Bardana cap minore incano QL Vijs ruder .Y.A.
   Virga aurea latif. serrata. O. Ripis. Raro: Y.A. lut. R. 279. 6.
   8 Virga aurea anguftif. serrata. O. Folsis, palulir. rarol lut. R. 5 Bardana cap major e meano . I. Incultis Y.A.
9 Virga aurea major. O. Sylvis, Ericet. rarol lut.
(28011) 6 Bardana cap avaneoso. . Montanis & c. Y.A. R. 332. 2.
                                                                                         Dipsacus sativvus 6.+ Agris seritur I.Y.R. 382.1.
   ToVirga aurea vuly. 0.* H. Ericet Sylvis &c. Y.A. lut. R. 278.1.
                                                                                        8 Dips acus Sylv. @+L. Humid incultis VA. R.382. 2.
   nVirga aurea Cambria. O. Pascuis mont. lut.R.S. 813.
                                                                                        9 Dipsacus minor &L. Rivulis . aq. Y.A.R. 382.4.
 12Virga aurea alba acris. . Muris Hortis. A.S. albid. R. 2714.
TAB. XVII. Fig. 1. Jacobea vulg. 0. * L. Vijs incultis. &c. Com. Y.A. lut.
                                                                                        10 Eryngrum marinum 0 * L. marit. aren. YA R. 384.3.
   2 Jacobea palubis O.L. Humidis, udis. &c.Y.A. lut. R. 285.4
                                                                                        11 Eryngirum campestre O Raro A. S. pall. R. 384.1.
   3 Jacobea Senecionis fol. O.L. Vepretis Sepib. Y.A. lut R.285.2.
                                                                                        12 Sanicula Offic O.* L. Sylvis, Sepibus M. I. alb R 475.04
   4Jacobea Cantabrigiens is O.Mornt. Iteril. & cretac. lut.R. 27 2.4

Senecio vulg. ** L. Cultis. arvis. Areis &c. Com. R. 290. 2.
                                                                                          SECT IV. HERBÆ Umbelliseræ Ray 387
   6Senecio mcanus. O.H. Arenos agger &c. I.Y.A. lut. R. 290. 2. 7.8. Tufsilago O.*. I. Aq. & humidis M. Apr. lut. R. 259. 1.
                                                                                       TAB. XXIV. 1. Sphondylium vulg. 0.+. I., Pascuis humid YA
                                                                                        2 Sphondyhum laciniatum . Pascuis Y.A. alb .R. 408. 2
   9 After marit. flavus. O. Rupibus marit. lut. R. 268. n.
                                                                                        3 Pastine a sativa @ + Hort & Agris seritur YA. alb R. 410.2.
                                                                                        4 Elaphoboscum & L.R.409.1.
5 Tordylium majus Raro YA alb.R.4111.
   10 Tripolium majus. 0.+L. Saliis marit. Y.A. purp. R. 270. 20.
11 Tripolium minus. 0. Saliis marit. Y.A. purp. R. 270. 20.
                                                                                        5 Tordylium majus Raro Y.A. alb. R.411.
6 Tordylium minus Raro Y.A. albic R.412.2.
```

12Tripolium nudum. O. Aq. Sallis. Y. A. lut. R. S. 80. 2.

the state of the s

Section of the sectio

en de la companya de la co

A Committee of the second of t

A CONTRACTOR OF THE SECOND SEC

and the state of t

A Company of the Comp

And the second section of the second second

A STATE OF THE STA

Supplied With the second control of the s

of section of an action of the section of the secti

e de la companie de l

A service of the control of the cont

Company X of M V and the second of the secon

The second secon

A part of the second of the se

Catalana on a ca

The Mills of the Control of the Cont

Peucedanum vulg. 0.+ Palutr marit A. flavesc R. 416.1. & Crithmum marinum O.+. Chivis marit A. & flaves CR. 457.2. o Angelica sativa . * Hortis & c. Y.A. alb. R. 4.34.1 to Angelica aq . H. Ad. rivul. & aq. Y.A. alb. R. 434.2. 11 Coriandrum Offic. 0 * Agris scritur . R. 470. 12 Hipposelinum 0 * Rup marit . I.Y. albejc . R. 437. 1. .TAB.XXV. Fig. 1. Scandix vulg . L. Seget M.I. alb.R. 42.8.1. 2 Cicutaria vulg. O. L. Pomarijs Sepibus. Com A.M. alb R. 4291. 2 Serpythum A. amplo O. Mont. R. S. 122. 2. 3 Cerefolium sylv. . L. Sepibus Y.A. alb R. 431.6. 4 Meum Offic O* Pratis Boreal Y.A. alb. R. 432.1. 5 Oenanthe aq. major O.L. Pratis udis R. 441.1. 60enanthe aq. minor. OL. Pratis udis R441.2. 7 Oenanthe Cicuta facie. O. L. Rivulis R. 441.4. 8 Oenanthe Staphy lini folio . O. Rard . R. 442. 6. 9 Bulbocastanum O+H. Pascuis aren Y.A. alb. R. 440.1. 10 Podag raria O.+ L. Sepib Hort alb R. 436. 4.
11 Amomum Offic & * I, Foisis lutosis . Y.A. alb.R. 443.3. 12 Selinum segetale @+L. Humid. Seget alb. R. 443. 4 TAB.XXVI. Fig. 1. Sium max. latifol O.L. Fluvijs Y.A. alb R 443. TAB.XXII. 1. Nepeta Offic. O. * L. Sepes . R. 548.1. 2 Sium angustifol O.L. Rivulis Y.A. alb R 444. 4. 3 Sium repens Folsis aq. I.Y. alb.R. 444.5. 4 Sium minimum O.L. Stagnis aq. M. I. alb.R. 444.6. 5 Saxifr ag a major. O Sylvis. Y.A. alb R. 445. 1. 6 Saxifrag a maj laciniata. O Sylvis Y.A. alb. 7 Saxifrag a minor OH. Pascuis siccis Y.A. alb. R. 445.3. 8 Saxifrag a minor laciniata O. H. Pascuis sicc. R. 445.4. 9 Saxifraga Cornubia O Raro. 10 Carui Offic . * Pratis palustr . I.Y. carn. R. 446.1. 11 Apium Scoticum O. Saxis marit alb R 447.1 12 Apium Offic. 0. * I, Udis fossis marit A.S. alb. R. 447. 2. TAB. XXVII. 1. To miculum vulg 0 * 1. Clivis marit R457.1. TAB. XXVII. 1. Heder a terrestris 0.* 1. Sepes. R567.1. ¿Peucedamun minus . Rupibus. Rarò. alb R. 460.5. 3 Apium petræumo Montosis rard alb R. 463.5. 4 Carota sativa 8 * L. Agris serituralb. R. 465.1. Dancus sylv 9 * L. Pascuis. Y.A. alb. R. 465.2. 6 Echinophora latifolia . Seget purp. R. 468.5. 7 E chinophora laciniata . Seget raro purp. 8 Echinophora tenuifolia . Seget R. 467.3.
9 Anthriscus vulg. . H. Dumet. Sepes VA. rub R. 468.6. 10 Anthriscus minor . L. Seges V.A. alb.R. 468.7. MCaucalis nodosa L. Agger agror R. 468 12 Caucalis tenuifolia . L. Ruder agger AM.R. 469.9. TABXXVIII. Fig. 1. Cicuta aq. O Rivul stagnis R. 450.1. 2 Cicuta vulg 0 * L Agger &c. Com YA. alb. R. 451. 2. 3 Cicuta minor . Hort arvis YA. alb. R. 451.3 4 Cicutaria aq. OL. Aq. conosis alb. Y.A.R. 452. 6. z Se seli pratense 0 * H. Pratis udis Y.A. lut R. 453.1. 6 Crithmum marinum O. Clivis marit . R. 469.1. Bupleurum minimum Paluftr R. 474.4. 8 Perfoliata vulg. . L. Seget . R. 471.

SECT.V. HERBÆ Asperifoliæ RAY 493. gBorrago Hort. O. Hort. Muris R. 493. 10 Buglosum sylv. minus . I. Arvis . R . 494.3. 11 Cynoglosum vulg. 8 * L. Ruder. R. 489.1 12 Cynoglosum fol virenti & I. Vijs publ R. 491.8. TAB.XXIX. 1. Echium Vidg. D. L. Vijs, Arvis. 2. Echium fl. minore D. Mirris R. S. 119. 3 Buglossum marinum Maritimis R. 500.13. 4 Pulmonaria fol Echij O. Sylvis Rard R 485.3. 5 Symphytum majus, O. * L. Rivis folsis aq R 505.1. 6 Lithospermum pwp. O. Raro. R. 503. 2. 7Lithospermum vulg. 0. *LDumetis. R. 50 3. 2. 8 Lithospermum avenje . L. Seget. R. 503. 5.
9 Echium Scorpioides aq. O.L. Fofsis. aq. R. 504. 3.
10 Echium Scorpioides arvens. L. Arvis. Hortis. R. 504.1. 11 Echium Scorp: minus . L. Ripis sice &c. R. 504. 2. 12 Afperugo o Raro. R. 50 2. c8.

SECT.VI. HERRÆ Stellatæ RAY 477. TAB XXX. 1. Cruciata hirsuta. O.H. Dumet. R. 479. 1. 2Rubia Sativa O. *. Hort. & Agris . Scritter. R. 40 8.1. Rubia sylv. O. Rupibus . R. 40 8. 2. 4 Mollugo vulg.O.L.Dumet.Sepib. R. 481.1. 5 Gallium album. O.L. Udis. R. 481. 3. 6 Gallium *alb. minus*. Mont. & Udis R. 482. 4. 7 Rubia *crecta 4 drifolia*. Mont. Rarò. R. 478. 1. 8 Gallium luteum O.* L. Pascuis sicc. R. 48 2.1.

9 Afperula 0.+. H. Sylvis. R. 483.1. 10 Rubeola repens carul. O.L. Arvis. R. 48 3.3. 11 Aparine Offic . . * L. Sepib. Com. R. 484.1. 12Rubia Cynanchica. O. L. Collib. cretaceis. R. 485.c.g. SECT.MI. Planta Verticillata. RAY. 508. TAB. XXI. 1. Serpythun vulg. O. *. L. Palc. sicc. R. 5.21. 4. 3 Serpylhum latifol. O.R. 521. 2. 4 Serpyllum Citratum. O. Mont. R. 522. 2. Mentha ag. verticillata O.L. Udis . R. 530. 10. 6 Mentha aq. vulg. O.L. Rivis. R. 533. 12. 7Mentha fufca. O. Hort. &c. R. 530. 2. 8Mentha crispa. O. Rivis. R. 531. 3. 9 Mentha Piper ata lata R .532. 7. 10 Mentha Piper ata acuta R . S .124. 5. uMentastrum longifol. ⊙. Riguis . R. 532.9. 12 Mentastrum rotundifol. O. Udis . R. 532.7 2Pulegium Offic. O.* L. Palustr. R.533.1. 3Prassium Offic. O. *. L. Vijs, ruder. R. 556. 1 4Ballote Dio/cor. O.+L. Sepes. ruder . R. 571. L. 5 Marubium aq. O.L. Rivis. R535. 1. 6 Betonica Offic. O.* H. Sylvis. R. 550. 1. 7 Galeophis vera. O. L. R. 548. 8 Horminum sylv. 9.+.L. Glareosis. R.545. 12. 9 Clinopodium majus. O.L. Vepret. R. 558.17.
20 Clinopodium minus. O.L. Mont cret. R. 553.1. uPrumella Offic. ⊙. * L. Pascuris . R. 5511 12 Stachys vulg. Q. Raro. R. 5541. 2Lamium rubrum. 0.* L.R.559.3. Com. 3 Lamium rubrum fol incisis. L. Requiens R. 560.6. 4 Lamium perfol majus . L. Hort Arvis Re 60. 10. 5 Lamium album. 0*L. Sepib. dumet. R.559.1. Com. 6 Lamium luteum. O.H. Sylvis. umbros. R. 560. n. 7 Melisophyllon, O. Sylvis, raro. R.561. 13. 8 Lamium Cannab. vulg. O.L. Arvis. R. 561.13. 9 Sideritis aq. O. + L. Thrvijs . R. 563. 3. 13 Sideritis lutea. . Seget raro. R. 566.15. n Sideritis angustifol. . L. Seget. R. 566.16. 12 Sideritis fol. subrotundo. . L. Seget. R. 505. 12. TAB. XXXIV. 1. Calamintha Offic. O. *. L. Vijs. Fossis. R. 569.1 2 Calamintha odore Pulegij. O.+.L. Vijs. agger. R. 569. 2. 3Bugula vulg. O. *.L. Sylvis Pratis udis R. 575. 1. 4Bugula Apina O. Montosis . Raro. R. 575. 2. 5 Cardiaca 0 *. Finetis. R. 571.1. 6 Scordium Offic. O.*. Palufuibus. R.576. 1. 7 Scorodonia O.+.H. Dumetis. Sylvis. R. 576. c. 29. 8 Origanum vulg. 0.* L. Sepes. Dumet. R. 539. 4. 9 Chamepytis vuly. .* Agris reftil. R. 573.1. to Calsida vuly . O.L. Folsis . aq. R.572.1. u Calsida minor. O.H. Palustribus . R. 572. 2. 12 Verbena. vulg. 0. * Vijs. public. R. 535. 1.

SECT. VIII. HERBÆ. Nasifloræ. RAY. 751. TAB. XXV. 1. Antirthinum minimum. . L. Cultis. R. 760.37. 2 Antirrhinum medium Arvis. R. 760. 31. 3Elatine fol. anguloso. . +. L. Seget. R. 759. 35. 4Elatine fol. rotundo. .* L. Seget. R. 759.34. 5 Linaria vulg. 0 x L. Pasc. steril. R. 752.1. 6 Linaria odorata O Sepibus Raro R. 756.20. Pinguicula O. Vaginosis R. 751.1. 8 Digitalis purp. 0. XL. Arenolis R. 767.1. g Scrophularia vulg. 0. * L. Dumet. Sepib. R.764.3. w Scrophularia aq O.X.L. Folsis aq R.764.1 n Scrophularia Scorodonia fol. O. Ripis ag. R. 766. x1. 12 Hyoscyamus vulg. * L. Ruder R. 711. 1 TAB. XXXII. 1. Balsamina lutea . Ripis aq raro.R. 1328. C.S. 2.Pedicularis lutea . I. Pascuis R 760.1. 3 Pedicularis rubra elatior . L. Aquolis R. 770. 6. 4 Pedicularis rubra vulg . H. Ericetis udis R. 770.5. 5 Euphrasia Offic 9 * L. Pascuis R. 771.1. 6 Euphrasia major lutea Uliginos raro R. 772.4. 7 Euphrasia pratens. rubra . H. Prat Seget. R. 772.3. & Euphrasia Ortonersis Udis raro R. 773.5. 9Melampyrum htteum .H.Dumet R. 775.4 10 Melampyrum criftatum . Sylvis R. 775. 3.

A SAN TO A THE MARK CAPTER VALUE AT A SAN TO SAN THE S

A the second of South X that I said so were to be seen to be so were to be

A second of the THE NAME OF THE PARTY

Palegran C.
Making Ch.
Zhakac Zhac.

The second of th

11 Lentibularia major O Folis aq R. 1332.2. 11.Lennbularia major O Rossis aq. R. 3.32. 2.
12.Lentbularia manor O Fosis aq. R. 3.279.3.
12.Lentbularia manor O Fosis aq. R. 3.279.3.
12.Lentbularia manor O Fosis aq. R. 3.29.3.
2.Viola fl. pleno O Hort. Sylvia raro.
3.Viola fla O Sepes agg cr. R. 1050.2.
4.Viola sylv. O H Dumet Sepes R. 1050.3.
2.Viola aq. ronudi fol. O Udis Muscosis R. 1050.4.
6.Viola rot luta O Cambria. 6 Viola rot unta 20 Cambria ... VViola hir suta major O. Durmet R. 1051.5. 8 Viola hirotor O. + Hort Seget R. 1052.2. 9 Viola bicolor O. L. Seget R. 1053.7. 10 Viola lacin. luta O. Montudis R. 1052.5. 11 Reseda vulg Arvis Cret R. 1053.2. 12 Luteola A. L. Muris ruder R. 1054.8. HERBE Sem echinato & stellato RAY 578. SECTIX. TAB.XXXVII. 1. Chelidonium minus 0.* L. Udis R. 579. 2. Ranunculus duleis O.H. Durnet R 584.1.
3. Ranunculus prak crectus O.I. Pratis Com. R 383.7.
4. Ranunculus bulbasus O.L. Pascuis Com. R 381.2.
5. Ranunculus erect pallidus • Udis R 382.4.
6. Ranunculus tryfidus • Agget
Ranunculus repens vulg O.L. Pratis udis R 581.1.
6. Ranunculus repens major O.I. Fluv. ripis
9. Ranunculus husut fl. munino. • L. Arvis R 583.10.
10. Ranunculus dus et la lunino. • L. Ag. Com. R 585.1.
11. Ranunculus paluft. lavis • L. Aq. Com. R 585.1.
12. Ranunculus alb. Hedderaccus O.Vadosis 2. Ranunculus dulcis O.H. Dumet . R. 584.1. TAB XXXIX. 1. Ramunculus aq fol. varijs © 1. Stagnis R. 586.3.

2.Ramunculus aq. tenuifol. © 1. Stagnis R. 586.4.

3.Ramunculus aq. ternutus © 1. Aq cænosis R. 8. 136.5.

4.Ramunculus aq. fol. Fænicuti © Fluvijs R. 586.6.

5.Ramunculus flameus major © 1. Vadosis R. 587.6.

6.Ramunculus flameus minor © 1. Uligin R. 887.7. 7. Eruca 8. Eruca b.Kanuncuius Janeus minor O.L. big ines A., ?Cauda Muris • L. Arvis udis R. 1332.c. g. ?Flos Adonis • Seget: R. 1961. 9.Malva Offic O.* L. Sepes ruder .R. 1991. 10.Malva minor. O.L. Semit. ruder .R. 1992. 12Malva minor. OL. Semit. ruder. K. 599.2.

11. Althea Offic: O.* Maritimis R. 602.1.

12. Area vulg OL. Uepret. Sepes. R. 604.1.

12. Bax. 1. 1. Caryophyllata vulg. O.* L. Dumet. R. 606.1.

2. Caryophyllata fl. majore O. Sylvis. R. 606.2.

3. Caryophyllata mont. purg. O. Montosis fl. 607.3.

4. Caryophyllata mont. prolifera O. Raro R. 607.4.

5. Caryophyllata penuphyllea O. Scotia. R. 608.10.

6. Caryophyllata fl. Chamædryos O. Montosis R. 608.11.

7. Fragraria vulg. O.* H. Dumetis. R. 609.1.

7. Fragraria straits OL. Stervil passers R. 604.12. 8.Fr agraria sterilis O.L. Steril pascuis R. 611-2 g.Ramunculus nem. albus O.H. Udis. dumet. R. 624.1. 10, Puls atilla A. clauso. O. Ericetis . R. 634.2. 11. Viorna. O.L. Sepibus R. 620.1. 12.Viorna fol. initgro O.L. Sepibus.

TAB.XLI. 1.Pentaphyllum rubr. palustre R. 611.1.

2.Pentaphyllum villosum Palustre R. 6.141. 2. 3. Pentaphyllum vulgare 0 + L. Semits R. 611. 2 4 Pentaphyllum minus hirsutum O. Pascuis Raro R. S. 142, 4. Fentaphyllum argenteum. O. I. Pasc: arcnos. R. 613, 14. 6 Pentaphylloides frajifrum. O. Montos. Ravo. R. 616, 1. 7 Pentaphylloides Josticum. O. Sylvis: ravo. R. 5142, 4. 8 Pentaphylloides Eboracuse. O. Fluv. ripis. R. 616, 5. 9.Tormentilla vulg. 0.* H. Dumet &c. R. 617.1. 10.Tormentilla reptans. O. Arvis. Sylvis R. 618.3. 11 Argentina 0.+L. Udis R. 617. c.16. 12.Moscatellina © I. *Umbrofis. 684*. c. 27. *TAB.* M.II. 1.Telephium *vulg* © × I. Umbros. *R. 689*. 1.

2.R. hodia *vadiv.* © Montos. *R. 690*. 7.

3.Cotyle 60n *vulg* © ×. Saxis & c. *R. 1878*. 1.

4.Sedum *majus* © × I. Tectis. *R. 687*. 2. 4. Sedum Majus © A. L. 19ctis R. 007.4.
6. Sedum Lut was minus © L. Tectis R. 691.2.
6. Sedum Lut s corpoides. © L. Tectis R. 691.3.
7. Sedum palyfre purp. • Mont. humid. R. 691.4.
8. Sedum minus Vicentij © Rupibus R. 5.152.3.
9. Illecebra lutao L. Tectis R. 1041. 12. 10.Illecebra alba mitis O Rupes R. 1041.14. 11.Helleborus A. viridi O Rario R. 697. 2.
12.Helleborus niger vulg. O Sepes rario R. 698.3.

LAB.XIM. I Caltha Palyfris O.L. Ag.R. 700.c. 9.
2.Rammculus globosus. O Mont. R. 700.1.
3. Juncus floridus O.L. Rolsis limofis R. 701. 4. Aquilegia sylv. O Dumetis R. 706.1. 5. Damasonium stellatum O.L. Stagnis R. 701. 6Plantago aq: latifol. O. I. Stag nis aq. R. 618.1. 7. Plantago aq: longifol. O. I. Stag nis &c. 8 Plantago aq: minor O.L. Stagms. R. 618. 2. 9 Sagitta 6 minea O.L. Fluvijs R. S. 619. 10 Sagitta *latifolia* O.L. Rivul. R. 619.1. 11 Sagitta angustifol. OL. R. 619.3.
12, Sagitta minor OL. Fluvijs.

Sect. X. Herbæ Bacciferæ Ray 652.

TAB XLW.1. Bryonia alba 0 * L. Sepes R. 659. 1.

2Bryonia nigra 0 + L. Dumet. R. 660. 2.

3Chriftophoriana 0 Sylvia rap R. 662. 1.

4Ruscus 0 * H. Dumet. R. 664. 5. Polygonatum vulg. O. *. Sylv. umbros. R. 664.1. 6.Polygonahum f. maj. O. Rupes Sylv. R. 664. 3. 7.Inhum Convalhum O.* H. Sylv. umbros R. 667. 1. 8.Herba Paris O.+ Sylv. umbros R. 670. 1. 9. Dulcamara O.* I. Aquos R. 672.1. 10. Solanum Hort. O.* I. Fimetis R. 672.2. 11. Solanum lethale O. Sepes. ruder. R. 679.1.
12. Asparagus Hort. O. * Prat. marit. R. 683.1. 12. Asparagus Hort O k. Prat. marit. R. 683. 1.

Sect. XI. Herbæ flore tetrapetalo R. 782. 1.

TAB. XIV. 1. Albiaria O k. 1. Agger fößar. R. 782. 1.

2. Camelina O k. Salicetic R. 8.11. 2. hut.

3. L. eucoium luteum O k. 1. Muris. R. 782. 1.

4. Leucoium marium O Marit. R. 780. 3.

5. Brasica perfol alba O R. ard. R. 797. 20.

6. Brasica mariuma O Clivis. R. 796. 13. lut.

7. Rapa rotunda O k. L. Agrifserium R. 800. 1. lut.

8. Rapa oblonga O k. L. Agrifserium R. 800. 2. lut.

10. Sinapi album O k. 1. Agrifserium R. 802. 2. lut.

10. Sinapi album O k. L. Agrifserium R. 802. 2. lut. 11 . Sinapi sativum .* L. Hort : arvis R 12. Sinapi arvorum 0.+.L. Seget. R. 802.1 TAB.XI.VI . 1 Barbarea O.L * Muris agger R. 809. 8. 2. Barbarea pracox @ Folsis R. 800. 8. Tut 2.Barbarea precot w sousia R. 180, 6. der.
3.Exysimum rulg & X.L. Ruder imuris R. 180, 9.
4.Exysimum latifol & L. Agger; ruder R. 811, 3.lut.
5. Eruca aquatica & L. Folsisaq R. 60 8, 3.lut.
6. Eruca maritma Aren marit R. 840, pwp.
7. Eruca Monenfis & marit R. 809, 5.lut.
8. Eruca mwalis & L. Ruder R. 807, 4.lut. o Raphanus hort . L. Serina R. 804 1. pwp 10. Rapish um albun L. Seget. Com. R. 805. 4. 11. Rapistrum majus. . Raro. R.806. 4. alb 12. Sophia Chirurgorum . * L. Ruder. R. 812. 10. lut. TAB. XIVI. 1. Nashurtium amarum O.L. Udis . R. 814.1 2. Nastur tium aquaticum O.* L. Vadosis . R. 816. 6. alb. 2.Naihurium aguaticum 0.4. L. Vadosis. R. 816. 6. alb Naihurium ag. pracox 0. L. Vadosis. R. 8172.7. 4.Naihurium hirsut: minus 0. L. Udis. R. 815. 5. 5.Cardamine pate 0.4 L. Udis. prat. R. 814.4. cum 6.Cardamine p. 1. plen. 0. Ravo. R. 817. 1. 7.Cardamine bypaticus. Rup. udis. R. 815. 4. alb. 8.Cardamine byhyll. 0. Ravo. R. 817. 1. 9.Cardamine Bellidis. folio. 0. Rups. varo. R. 817. 10. 10.Turriis vulg. 9. L. Murris. R. 799. 3. 1. Turriis vulg. 9. L. 820. R. av. 8. uThrritis major . Raro R. 799. 5.
14Thrritis mural minor. O. Muris Rupils R. 799. 6. TAB XIMI i Turritis monor, e.L. Aren. sicc. R. 800. 7.

Turritis monor foliosa e Muris alb. Apr.

3 Lunaria contor ta major. e Montilo. udis R. 789.6.

4 Lunaria contor ta monor. Rupes R. S. 165.2.

5 Paronychia major. e Mont. R. 790.4 alb.

6 Paronychia vulg * L. Siccis R. 789.1 alb. 7. Paronychia ti fida. S. Siccis. alb.
8. Paronychia Hibernica aq. Lacubus R. S. 281 alb. 9Glaltum sativam. Agris Ieritur. R. 842; lut-10L epidium sativam. Agris Ieritur. R. 842; lut-10L epidium satiy. O. **Aqtoos. R. 848; 1. alb. 11Myagrum fyb. Seget. R. 840; 1. lut-12Bailica monospormos Sheen marit. R. 838. alb. TAR.XIX.1. Cochlearia Hort. . *. Hort, marit. R.822.1. 10 Raphanus aq. fol lacerat: O.L.Aq. pigris. 11 Raphanus Rufticanus O.L. Folsis R. 818. 1. alb. 12 Raphanus Rufticanus fol lacerat. O.Aq. alb. TAB.L. 1. Nashurtium fylv. . Marit.R. 825, 2. 2.Nashurtium petraum.L. Arenos. R. 827.9. alb. 3 Nasturium petraum Cambria. Rupibus R. S. 174. 4. 4 Nasturium mont. parvum. Rupibus R. S. 174. 5. ANAUUTUUM mont parvum. Muphous. R. S. 174.5.
SNafturtium Valentinum. Raro. R. 826.8.
ONaturtium vervucosum. L. Vijs. udis. R. 843. alb.
Thlaipi sudy. A. L. Seget. R. 830.1.
SThlaipi slabrum. Raro. R. S. 175.5.
oThlaipi blocorid. A. Seget. & R. R. 831.5.
10Thlaipi slabri fol. Pakus mont, R. 832.10. alb. 12Thlaspi perfol. minus . Saxosis. R.832.8.

The grant of the control of the cont The first of the second of the Sand From the house Some Received

```
**AB.LI.** I. Vetonica Spican: Cambriae © R. 845.1.

2. Veronica mac Offic. 0.4 I. Palcuis sic. R. 850.7.

3. Veronica Spirate pedic. obborgo © I. Sylv. humid &c. R. 850.4.

5. Veronica Spirate pedic. obborgo © I. Sylv. humid &c. R. 850.4.

5. Veronica Spirate pedic. obborgo © I. Sylv. humid &c. R. 850.4.

5. Veronica Spirate pedic. obborgo © I. Sylv. humid &c. R. 850.4.

5. Veronica Spirate pedic. obborgo © I. Sylv. humid &c. R. 850.4.

5. Veronica spirate pedic. obborgo © I. Sylv. Sylv. 1.

5. Veronica spirate pedic. On Seget. R. 843.4.

6. Veronica machid. © I. Muc. &c. R. 847.2.

9. Veronica machid. © I. Muc. &c. R. 847.2.

9. Veronica machid. © II. Muc. &c. R. 847.2.

9. Veronica machid. © I. Muc. &c. R. 847.2.

9. Veronica machid. © II. Muc. &c. R. 847.2.

10. Lecaburga pid. longo © I. R. 852.4.

11. Lecaburga pid. longo © I. R. 852.4.

12. Becaburga pid. longo © I. R. 852.4.

13. Becaburga pid. longo © I. R. 852.4.

14. Papaver Akaze. © I. Seget. R. 856.7.

4. Papaver hazum. Cambria. © Rivulis. R. 854.4.

15. Papaver hazum. Cambria. © Rivulis. R. 856.7.

4. Papaver hazum. Cambria. © Rivulis. R. 856.7.

5. Argennone. oxp. rotundo © Seget. R. 856.6.

6. Argennone. oxp. rotundo © Seget. R. 856.6.

6. Glaucium luteum. O Aren. Marit. R. 857.4.

9. Chelidonium maju. © Ruder &c. R. 858.1.

6. Chamenerion hursult. majon © Ripis fluvior. XA. R. 864.4.

11. Chamenerion hursult. majon © Ripis fluvior. XA. R. 864.4.

12. Chamenerion hursult. majon © Ripis fluvior. XA. R. 864.4.

13. Lytimachia majurifelia. © I. Sylvis &c. I.Y.R. 864.6.

14. Lytimachia majurifelia. © I. Sylvis &c. 186.7.

14. Lytimachia majurifelia. © I. Sylvis &c. 186.7.

15. Lytimachia majurifelia. © I. Sylvis &c. 1863.1.

16. Tillymalus Sylviat vuls. © I. Hylis R. 863.2.

17. Lytimachia majurifelia. © I. Sylvis &c. 1863.1.

18. Tillymalus Sylviat vuls. © R. 871.42.

19. Septum man. Sylviat vuls. © R. 871.42.

10. Tillymalus sylviat vuls. © R. 871.42.

11. Lytimachia majurifelia. © I. Rylvis &c. 1863.1.

12. Champanula rotundi vuls. © Arenos. Marit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             22. Holosteum of Aline rulg. © L. Com R. 1030 20

IAB. L.K. 1. Aline fol. Planiagims • H. Unginos & R. 1032 5.

2. Aline multicaulis • L. Com Mur R. 1031 1.

3. Aline tenutrola • Seget R. 1031 4.

4. Aline fl. pulchro • Mont R. 1033 11

5. Aline Arenaria • Y. All. R. 1032 1.

6. Spergula Segetum • L. Seget R. 1034 19

7. Spergula Segetum • L. Seget R. 1034 19

7. Spergula Ferrapetala • H. Palcus fleril Aren R. 1025 1.

8. Spergula purp • H. Arenos R. 1034 18

9. Spergula purp • H. Arenos R. 1034 18

9. Spergula purp • H. Arenos R. 1034 18

9. Spergula purp • H. Arenos R. 1034 18

9. Spergula purp • H. Arenos R. 1034 18

9. Spergula ferrapetala • H. Palcus fleril Aren R. 1025 1.

10. Millegrana framinea • R. 1036 5.

11. Millegrana minima • L. Ericets udis R. 1026 5.

112. Millegrana minima • L. Ericets udis R. 1026 7.

113. L. Chamacillus fol. Noine • Palcus

4. Chamacillus • Al. Poly • Palcus

4. Chamacillus • Al. Poly • Palcus

4. Chamacillus • Al. Poly • Palcus

5. Hypericum vulg • A. L. Dumet Sep. R. 1015 7.

7. Hypericum bifolium • L. R. 1012 19

8. Hypericum bifolium • L. R. 1012 19

9. Androlemum rung • Pascus Aren & R. 1019 10

9. Androlemum Hypericoides • H. Dumet Septh R. 1020 16

10. Androlemum Hypericoides • OH. Dumet Septh R. 1020 11

11. Alcyron vulg • H. Rips flux & R. 1019 10

2. Geum flibernicum R. 1045 3

4. Geum Hibernicum R. 1045 3

4. Geum hirstum. Mont R. 1043 21

9. Geum hirstum. Mont R. 1043 21.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     5. Geum hirsutum. Mont humid R. 1046.8.
6. Geum byidum. Mont R. 1043.21.
8. Geum byidum. Mont R. 1043.21.
8. Geum byidum. Mont R. 1043.25.
9. Geum hol. Rutte Muris R. 1043.25.
10. Geum mont hitsum. Mont humid R. 1042.20.
11. Sedum alb. teretifolium. Mont humid R. 1042.20.
11. Sedum alb. teretifolium. Mont se R. 1040.1.
12. Parnatina vulg. Palustrib. R. 1049.6.1.
12. Parnatina vulg. Palustrib. R. 1049.3.
13. Verbaicum lut vulg. Agron Margin & R. 1094.1.
2. Verbaicum lut R. 1033.7
4. Verbaicum album. Viis. R. 1093.7
4. Verbaicum album. Viis. R. 1095.5.
5. Blattaria lutea. R. 1096.1.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               4. vet oatclin tadam, vis a. 1035. 3.

5. Blattaria lutea. R. 1036. 1.

6. Salicaria rulg. Ripis fluvior R. 1036. 1.

7. Salicaria trifolia.

9. Lyfimachia lutea. Aquos R. 1021. 1.

10. Lyfimachia globosa. R. 1022. 5.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               11 Pyrola vulg. * R. 1233 . 1.
12. Pyrola mucronata. R. 1233 . 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     12. Pyrola mucronata. R. 123. 2
13. Trientalis. R. 101. c. 19.
13. Trientalis. R. 101. c. 19.
2. Anagallis famina • * R. 1024. 2.
3. Anagallis latea • Sylv. Umbros R. 1024. 4.
4. Anagallis Aquatica • Udis I. Y. R. 1001. c. 18.
5. Nummularia vulg. • * R. 1099. 1.
6. Nummularia rulea • Udis Y. A. R. 1100. 2.
7. Oxys all. • Sylvis kc. R. 1098. 1.
8. Viola Aquatica • Vadofis. R. 101. 2.
9. Hyfsonifolia Aquatica • Aquos R. 1025. 1.
9. Hyfsonifolia Aquatica • Aquos R. 1025. 1.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        7. Oxys all. 0 x Sylvis &c R. 1098 1.

8. Viola Aquatica • Vadofis R. 1101 2.

9. Hyfsopifolia Aquatica • Aquos R. 1105 5.1

10. Ros solis fol. rotundo • Udis R. 1100 1.

11. Ros solis fol. rotundo • Udis R. 1100 1.

12. Rorella longifol. mar. R. 1100 1.

12. Rorella longifol. mar. R. 1100 1.

13. Geranium columb. • L. E. 129th &c.R. 1059 19

2. Geranium columb. all. • Fofsis &c.

3. Geranium columb. mm. • Pafcuis steril.

4. Geranium columb. Il. R. 11059 18.

5. Geranium columb. M. min • L. R. 1059 18.

5. Geranium columb. disrect fol. • Pafcuis steril. R. 1059 21.

7. Geranium columb. disrect fol. • Pafcuis fleril. R. 1059 21.

8. Geran. columb. disrect fol. paf. fl. longisis • R. 1059 22.

8. Geran. columb. disrect fol. paf. fl. longisis • R. 1059 22.

10. Geran. hamatoleo • Ericets mont &c.X. A. R. 1000 32.

10. Geran. hamat. fl. strate O. Agoger forsur

11. Geran. hamat. fl. strate O. Agoger forsur

12. Geran. lacidum • Umbros I Y. R. 1060 25.

12. H. IXV. 1. Geranium Pussillum. A ren manu R. 1056 3.

2. Geran. licuta fol. Arenos R. 1051 18.

3. Geran. licuta fol. Arenos R. 1051 18.

4. Geran. lacidus fol. Arenos R. 1058 17.

6. Geran. lacidus homat. Pratis Mont R. 1060 33.

8. Geran. lacidus mont. Pratis Mont R. 1060 34.

9. Anthyllis mart. Arenos mart. 1024 4.

9. Anthyllis mart. Arenos mart. 1024 4.
9.Limm Salvestre S. Seget R. 1073. 2.

11.Limm Salvestre S. Seget R. 1073. 2.

12.Limm Salvestre S. Seget R. 1073. 2.

13.Limm Latharticum P. Pafcuis sice Mont, R. 1074. 13.

13.Limm Latharticum P. Pafcuis sice Mont, R. 1070. 21.

13.Limm Latharticum P. Pafcuis sice Mont, R. 1070. 21.

13.Limm Latharticum P. Pafcuis Sice Mont, R. 1070. 21.

14.Limm Latharticum P. Pafcuis Sice Mont, R. 1070. 21.

15.Limm Latharticum P. R. 1081. 1.

15.Limm Latharticum P. R. 1081. 1.

16.Limm Latharticum P. 1081. 1.

17.Limm Latharticum P. 1081. 1.

18.Limm P. 1081. 1.

18.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           8 Geran, letrach, mont. Pratis Mont R 1002 34.
9 Anthyllis marit. Arenos marit. 1024. C. II.
10 Glaux marit. Salfis Palutt. R. 1102. I.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                To Glaux marit. Salfis Palulli. R. 1102.1.

11 Portulaca agiant. Udis R. 1035.25.

12 Plantaginella paluatria. R. 1077.0.12.

13 Plantaginella paluatria. R. 1077.0.12.

14 Blium Sylv. Tennifolium. R. 1118.4.

14 Allium Sylv. Tennifolium. R. 1118.4.

14 Allium Sylv. Mucleis rarierith et majorib.

15 Allium Sylv. Amphicarpon &c.

16 Allium Sylv. bicorni. &c. Seget. R. 1119.3.

17 Allium Holmense & D. R. 1125.2.

18 Allium Sylv. Lakifel. Pratis humid. R. 1112.12.

19 Orinthogalum sylvatum R. 1165.2.

10 Orinthogalum Lakifel. Pratis humid. R. 1112.12.

11 Orinthogalum Lakifel. Pratis humid. R. 1112.12.

12 Orinthogalum Lakifel. Pratis humid. R. 1112.12.

13 Orinthogalum Lakifel. Pratis humid. R. 1119.11.

14 Orinthogalum Lakifel. R. 1133.11.
                                      o. Myolotis o. J. Pacticuis &c.

Myolotis o. J. Pacticuis &c.

Myolotis fl. puchro @ Ericetis R. 1027. 5.

9. Myolotis fl. amplo @ Mont. humid.

10 Myolotis grandiflora Cambria @ Rupib.

11 Holofleum ag. majus @ J. Ripis humida Y.A. R. 1030. 19.
```



TAB. LXIII. 1. Bulbofa Alp. juncifol. Cambria

- 2. Colchicum. Pratis R.1170.1.
- 3. Crocus * R.1176.17.
- 4. Hyacinthus Angl. Dumet Sep. R. 1159.20.
- 5. Hyacinthus Stellatus Cambria R. 1155 . 1.
- 6. Hyacinthus Stell. autumalis. Rupil. R. 1157.13.
- 7. Gladiolus lacustris . R. 1325. c.12.
- 8. Narcissus pallido. lut. angl. alt. calyce magn. brev. aurao.
- 9. Narcifsus Sylvestris. R.1131.5.
- 10. Narcifsus medio-luteus vulg. R. 1135. 23.
- 11. Iris Palustris lutea Rip. fluvior. R. 1186 . 24.
- 12. Xyris. Dunet. Sep. R. 1190 . 7.

TAB.LXVIII.1.Orchis barbata fatid @R.12.12.1.

- 2. Orchis morio mas O Pascuis &c.R.1214.7.
- 3. Orchis morio fam. O Pascuis M.R. 1214.8.
- 4. Orchis purpurea . O Pascuis sice cret. R. 1215 . 14.
- 5. Orchis Pannonica. O Collib. Steril et Cret.R. 1215.12.
- 6. Orchis odorata moschata OY.R.1217.22.
- 7. Triorchis . O Pafcuis Arenos Y.A. R. 1217. 26.
- 8. Orchis anthropophora. O Glareos. R. 1217.27.
- 9. Orchis galea, &c. 0 R.1218.29.
- 10.Orchis myodes minor O Agger. foss.R. 1219.32.
- 11. Orchis hermophroditica bifol. 0.R. 1221.40.
- 12. Orchis all. bifol, min. calcari. oblongo. R. 1221.

TABLXIX.1. Orchis myodes major. 0 R. 1220.33.

- 2. Orchis fucifloralr @ Pascuis siec. R. 1220.38.
- 3. Orchis sive Testiculus Sphegodes hirsut. fl.R.1221.39.
- 4. Orchis all. odorata. O Eborac.
- 5. Orchis palmata.maj.mar. 9 Pratis humid.R.1223.1.
- 6. Orchis palmata famin. O Sylvis. I.R. 1223. 2.
- 7. Orchis palmata rub. 9 Pratis humid. R. 1224. 6.
- 8. Orchis palmata min. O Pascuis sicc. R. 1224.7.
- 9. Pleudo-Orchis. © Palustr. R. 1226.3.
- 10. Orobanche major. 0 R. 1227.1.
- 11. Orobanche ramosa. @ Seget. R. 1227.5.
- 12. Orobanche hypopitys. Sylv. umbros R. 1229. 2.

- TAB. LXX.1. Orobanche radice dentata maj. 0 R. 1229.1.
 - 2.Nidus Avis. . . Sylvis R. 1228.1.
 - 3. Nídus Avis. purp. o R. 1229. 3.
 - 4. Calceolus Maria o Sylvis . R. 1239 . 12 .
 - 5. Helleborine fl. atro-rulente. Mont. R. 1231. 5.
 - 6. Helleborine latifol. mont. o Sylvis caduis. R. 1230. 1.
 - 7. Helleborine fl. albo. o Sylvis. M.J. R. 1231.6.
 - 8. Helleborine palustris. O Udis &c. R. 1231.10.
 - 9. Helleborine augustifolio. O Sylvis &c.
 - 10. Bifolium Majus. Pratis. humid. &c. R. 1232.1.
- 11. Bifolium minimum Ericetis udis . R. 1232. 2.
- 12. Bifolium palustr. Udis. palustr. R. 1232. 4.

TAB.LXXI.1. Nymphæ alba o Fluvijs. R. 1320. 3.

- 2. Nymphæa all. minima o Aquis pigris R. 1320. 4.
- 3. Nymphæa lutea. o Fluvijs. R. 1319.1.
- 4. Nymphæa latea min. fl. fimbriato R. 1320. 2.
- 5. Aloe palustris. o Fossis palustr. R. 1324. c. 7.
- 6. Filipendula o Pratis & pascuis mont. R. 623.1.
- 7. Filipendula.min. o Pascuis steril.R. 623.2.
- 8. Ulmaria O Ripis Auvior. R. 624. c.3.
- 9. Thalictrum majus. o Ad rivul. & aq. R. 403.4.
- 10. Thalictrum minus. 0 Mont. cret. R. 404.5.
- 11 . Thalic trum mont.minus. \odot Rup. R.3.p.249.
- 12. Thalictrum mont. minim. O Rup. udis. R. 3. p. 249.
- TAB.IXXII.1. Valeriana Sylvestris major. 0*R.388.2.
- 2. Valeriana Sylv.min. o Pratis Humidis. R. 388.3.
- 3 . Valeriana Sylv. seu Palustris minor altera . R. 389. 4.
- 4. Lactuca agnina Seget &c. R. 392.1.
- 5. Lactuca agnina fol serrates o Seget. R. 392.2.
- 6. Limonium o Salsis palustr. R. 395.1.
- 7. Limonium min. o Clivir. Marit.I. R. 395.
- 8. Caryophyllus mont. min. o Palustr. marit. R. 1037.1.
- 9. Spargantum ramosum o Rip. fluvior &c. R. 1311.2.
- 10. Spargan. non ramosum.0
- 11. Spargan minimum. O Stagnis & rivul. R. 1312.3.
- 12 . Cuscuta major. © Ericetis I.Y.R. 1903. C. 23.

gety that the state of the stat

A Catalogue of M^RRAY^S ENGLISH HERBAL

Illustrated with FIGURES on Folio Copper PLATES. On

which are Engraven Their NAMES to each, as also the

Places where Growing. Colour of their Flowers and Time of

Flourishing of Annual or Perennial, Common or Rare. The Flower,

Seed, Vessell &c. Figured from y Life & added to each Different Kind,

By JAMES PETIVER Fellow of y Royall Society

LONDON.

SECT. I. ENGLISH HERBS with Sta = 9 Curld Pondweed O. L. Rivulets. mineous, Threddy or Blink FLOWERS. 10 Broad Grass Pondweed O. Slow waters. 11 Narrow Grass Pondweed O. Brooks July. TAB. I. Fig. 1 Male Hops. O. Flowers in huly KENT &c. 12Fine Grais Pondweed O. Rivers 2 Female Hops. O. * Ripe beginning of Sep! 3 Male Hemp. O. Sow'n in Fields. FL Iuly. 13 Fennel Pondweed O. Brooks TAB. VI. 1 Tallel Pondweed. O. Salt Rivulets. 4 Female Hemp. * Seeds in Aug!
5 Male Dog's Mercury. O. Fl. March woods & hedges. 2 Horned Pondweed. O. L. Shallow Ponds. Iul. 3 Water Starwort. O.L. Wet Ditches 4 Long Water Starwort. O.L. Ponds & Ditches. 5 Feather Pondweed. O.L. Rivulets. 6 Fine Feather Pondweed. O. Slow Waters. 6 Female Dog's Mercury. O. Seeds Apr. LOND. 7 Male French Mercury. . Gardens Wild. 8 Female French Mercury. . x . Iune &c. g Great Nettle. O. * L. Iuly, Ditches & Dunghills Com. 10 Small Nettle. • L. Com. Rubbish Iun. &c. Millfoil Pendweed. O. Low waters & Knotted Pondweed Water Ditches. o Golden Saxifrage. O. L. Shady bogs. Apr. Yellowijh. 10 Long Golden Saxifrage. O. With & Com. 11 Roman Nettle. . Rare. June 12 Small Burdock . L. Rare. by Roads . TAB. II. 1. Great Water Dock. O. * . L . by Slow Rivulets Ind . "Cornwal Pennywort O. Rare 2 Cwld Sharp Dock. O LWet ground 12 Marsh Pennywort O. L. Bogs & Rills. Iul. &c. 3 Smooth Sharp Dock O. R. L. Com. Wafe & Wet g. 4 Inl. 4 Small tharp Dock O. L. Wet Diches, Y. 5 Blood vein d. Dock O. L. Paths Plow'd g. 4 Y. TAB.MI. 1 Delt Orrach. . L. Gardens, Dunghills. &c. Aug. 2Delt Sea Orrach. O. L. Sea Shores. Y&c.
3 Frosty Sea Orrach. O. Sea Shores. ESSEX. &cY&c. 4 Jagged long Orrach. O.L. Jea Marshes & Aug. 5 Spear Orrach. O.L. Com Dunshills. Aug. 6 Bloodles Dock. O. L. Hedges . Y. 7 Gold Dock. Q. L. Slow Waters. Y. 8 Bir Gold Dock Q. L. Slow Waters. Y. 6 Grass Sea Orrach 🛮 Sea side 9 Broad Dock O. L. Com. Wast g. dout Howas . Y. 7 Sea Purlain, O. Salt Mayhes. Y. o Heart Sea Pur/lain. O, Bare, Sea coasts.
o Small Garden Blite. Old Gardens. Aug.
10 All feed Blite. O.L. Gardens. Hop-ground &c. 10 Fiddle Dock O. L. War Fields. Y. n Buck-wheat. O. r. L. Sown in Fields Y. & c White.
12 Trailing Buck-wheat O. L. Corn & Sowed gt Y pale. 11 Stinking Orrach. .* A. Dunghills &cY&A. TAB. M. 1 Common Sorrel O. *. L. Meadows. Inne. 2 Sheep's Jorrel. O. L. Jandy soil. May. 3 Barren Sheep's Sorrel O. L. Jand, May. 4 Welsh Jorrel. O. In Rills on Rocks. May. &c. 12 Wild Spinage O.*L. Wast g. Apr. & c.
TAB. VIII. 1 Rands Oak Blite . L. Rubish. Inl. &c. 2 Frost Blite. . L. Wast Dung &c. Com. Int. &c. 3 Buddle's Fig Blite. . L. Rubyh Int. &c. 4 Weish 30t et. O. in Kalar on Kock, May. Sc.

5 Common Assimart. ●.* L. Wet Diches. Aug.

5 Creeping Assimart. ●. L. Most Meads & Aug.

7 Spotted Assimart. ●. L. Corn & Wet g. Aug. Flesh.

8 Spotted hoary Assimart. ●. L. Rare Aug. 4Buddle's round Blite. L. Rubish. Wast &c. Iul. &c. 5 Thick thining Blite. . L. Was t Dung &c Aug. 6 Tharp pointed Blite. • L. Rubijh Dung. Aug.
7 Maple Blite. • L. Rure Dung Iul.
8 Broad pointed Blite. • L. Com. Rubijh &c. o Silver Arfmart. O. L. Corn Iul.
10 White branched Arfmart. O. L. Rare. " Bobarts Arfmart. O. L. Sand. Corn &c Iul. Pale. 9 Sea Beet O. Salt Marshes. 12 Amphibious Arimart. O. L. Fig. A. Land B. Water.

TAB. N. 1 Common Plantain. O. L. In Path. Iun to Aug. 10 Wall Pellitory. O. *. L. Walls & Ruins. Iul. &c. 11 Tree Stonecrop. O. Sea Shores. Aug. 12 Shrub Stonecrop. O. Salt Marshes Aug. TAB. N. 1 Small Glasswort. . Salt Marshes Com. 2Dented Plantain. O. L. In Paths. 3Hoary Plantain. O. L. Sandy Paths May &c. 2 Prickly Glafwort. Sea shore. Aug.
3 Joynted Glafwort. Sea side. Com.
4 Woody jointed Glafwort. O. Shepey Ye. &c.
5 Baltard Toad-flax. O. Chalk hills. Inl. &c. 4 Rose and spiked Plantain. O. Rare. 5 Besom Plantain. O. Rare. 6Common Ribwort. O. *. Pastures. Com. May &c. 7 Mountain Ribwort. O. Wales &c. OChilding Ribwort. O. Rare 6 Upright Knawell. . L. Sandy gr. d In &c. o Spright Maweel. • L. Son & Clul &c.

o Pepper Graft. L. Shallow Ponds Ind &c.

g Ladies Mantle. O. * Hilly ground &c.

10 Small Ladies Mantle. O. Rare. 9 Sea Plantain. O. L. Salt Marshes 10 Bucks -horn Plantain. O. *. Sand & Sea Shore, Inl. u Great Burnet. O. + Moist Meads 12 Small Burnet. O. * Chalk-hill Inn. TAB.V. 1 Common Bytort. O. * L. Moist Meads Y. pale. 11 Silver Ladies Mantle, O. Rare, North Mount! 2 Small Biftort O. North pale 12 Parfly Piert * L. Corn & Gravell Inn &c. 3Wellh Bytort. O. Rare 4Broad Pondweed. O.L. Boggs & Ponds. TAB. X. I Common Knotyrafi. O. *. I. Waft gr. Paths. &c Com. Aug 2 Thick fet Knotyrafs. O. L. Rubijh Aug '&c 5 Long Pondweed O.L. Thames.
6 Round Pondweed O.L. Slow Rivers. 3 Short leawed Knotyrafs. • L. Wart gr. Aug.
4 Narrow Knotyrafs. • L. Corn &c.
5 Sea Knotyrafs. O. Sandy Sea Shores.
6 Newton's Knotyrafs. On Seavern Shore. 7 Heart Pondweed O. Slow Waters. oPlain Pondweed. O. L. Rivulets.

MANY MANY SAME

The second second second is a second second

```
7 Whorld Knotyraf. D. Marshes . CORNWAIL .
  8 Valentia Knotyrafs. . Sea coaft. Rare
  o Smooth Rupture-wort. O. *. CORNWALL .
  10 Hoary Rupture-wort. Rare
  11 Sea Heath. . Salt marshes. Tul &c. Blush.
  12 Blinks, . H. Bogs. Corn. White.
   SECT. II. PLANTS with Lettuce, Dalie, and
  Naked FLOWERS . THISTLES &c.
TAB. XI. Fig. 1 Comon Mouse - ear, O. * L. Dry Pasturer I&Y. Yell.
  2 Wellh Mouse-ear. . Yellow.
  3 Narrow Mouse-ear. L. Yell.
  4 Broad Moule-ear. O. Heaths.
  5 Nurrow smooth Mouse-ear. O. WALES. Yell. 6 Pluckenett's Mouse-ear. O. Yell.
  7 Comon Dandelion O. * L. Pafures &c Com. Yell all Sumer.
  8 Narrow Dandelion O. L. Brick walls &c. Yell .
  o Comon rough Dandelion. O. L. Meads &c. May: Yell.
  10 Saridy rough Dandelion. O. Dry banks. Yell. 2 Hemp Agrimony. O. A. L. River files Y&A.
uRough branched Dandelion. O. A. L. Pafaires &c Com. IX&A Heliz American Live-long. O. Rare Y&A. White
  12 Smooth branched Dandelion. . Yell.
TAB XIL : Comon Hawk-bit O. L. Patures. Y& A. Yell.
  2 Jagged Hawk-bit O. L. Pafures. Iul &c Yell.
  3 Small jagged Hawk-bit. O. L. Yell.
  4 Dandelion Hawk-bit. . L. Yell.
  5 Buddle's Hawk-beard. O. L.Y& A. Yell.
  6 Comon Hawk-bead. O. L. Paparas. Y& A. Yell.
  Juccory Hawk-bead, L. Parares. Y&A. Yell.
  8 Cuftor Hawk-weed. O.L. Chalk pits. &c. I.Y& A. Yell.
  9 Small Succory Hawk-weed. L. Yell 9
10 Tall Succory Hawk-weed. KENT. Y&A. Yell.
  11 Cw ld Hawk-weed Q. L. Field fides Yell .
  12 Ox-tongue Hawk-weed . L. Ditch banks. Y& A Yell.
TAB, XIII. 1 Broad Hawk-lung O. Rare Yell.
  2 Round Hawk-lung. O. Rure Yell.
3 Broad dented Hawk-lung. O. Rure Yell.
  4 French Hawk-lung. O. K.L. Old Walls. Woods. &c. I & Y. Yell.
  5 Narrow Hawk-lung. . Rwe Yell.
6 Wel/h howy Hawk-lung: O. Rocks. Yell.
  7 Broad hairy Hawk-lung. O. H.Y&A. Yell. 8 Long hairy Hawk-lung. O. H.Y&A. Yell.
  gBroad smooth Hawk-lung: O. Rare. WESTMERL. Yell.
  10 Narrow havy Hawk-lung. O. H. Woods. Yell.
  u Narrow smooth Hawk-lung O.H. Woods Yell.
 12 Graf Hawk-lung O. Sondhills Yell.

74B. XV. 1 Round leaved Sowthiftle. . I. Corn. Yell. hon.
  2 Broad Sowthiftle. O. Gard Dwgh. I & Y. Yell.
  3 Narrow Sowthiftle. . Rare. Yell .
  4 Prickle dented Sowthiftle. . L. Banks & CYell. I & Y.
  5 Prickle jagged Sowthistle. . * L. Banks &c. Yell. I & Y.
  6 Corn Sowthistle. O. K.L. Banks. Corn. Y& A. Yell
   7 Tall Mar/h Sowthistle. O. L. River-banks. Aug. Vell.
   8 Smooth broad Sowthille. . L. Hedges. &c.
   9 Smooth jagged Sowthiste. ●. *L. Gardens &c. IY&c. Yell.
   10 Buddle's jagged Sowthiftle. O. L. Gardens. IY& A. Yell.
   si Wild Succory. O. r.L. Jul & Aug. Field paths Blue
   12 Nipple - Wort. O. *. L. Gard Tilled gr. d IY&A. Yell.
 TAB. XV. 1 Broad Lettice. O. L. Field banks. Y & A. Yell.
   2 Cutt Lettuce. O. L. Ditch banks. IX &c. Vell.
   3 Jugged Lettuce. . N. Stoney hedges Gard &c. Y& A. Yell.
4 Small jugged Lettuce. . L. 1&Y. Diach banks. Yell.
   5 Try Lettuce O. H. Walls. Shady banks. Y&A. Yell.
   6 Narrow Goats-beard. O. L. Meads. I.Y&c. Yell.
     Comon Goats - beard. . *. H. Mead. I.Y & c. Yell.
   & Purple Goats - beard. . Rare. Gardens.
   9 Small Swines Succory. . L. Sand Corn. Int &c. Yell.
   10 Comon Carline . L. Iul& Dry partures. & Heath. Yell. A.
   n Butter-burr. O. *. L. River fides. &c.
   12 It's Flower. Apr. & May. Flesh.
 TAB. XVI. 1 Elecampane O. * Mout Mead &c. I&Y Yell.
   2 Comon Fleabane O. +. L. Rill Ditches Y&A. Yell.
   3 Small Fleabane O.L. Dry Ponds Y&A. Vell.
   4Blew Fleabane. O. L. Dry Paftures. Y& A. Purplift.
   5 Mar/h Fleabane. O. Fens &c. Ium &Y. Yell.
   6 Jagged Fleabane. 1. Fens &c. Ium &Y. Yell.
```

```
7 Bobart's Golden-rod. O. River Sides. Rare Y & A. Vell.
  & March Golden-rod. O. ELY Fens &c Yell.
  o Narrow Golden-rod. O. Rara Yell.
  10 Comon Golden-rod O. * H. Woods Heaths . Y& A. Yell.
  " Welch Golden-rod O. Mount Yell.
  12 White Golden-rod. Gard. Walls. Aug. Pale.
TAB. XMI. 1 Comon Ragwort. O. * . Partures &c Com.Y. A &c Yell.
  2 Mayh Ragwort O. Wet gr. Meads Y& A. Yell.
  3 Grounds ell Ragwort. O. H. Hedges Fields Aug. Vell.
  4 Cambridge Ragwort O. Heath. & Lun. Yell.
5 Comon Groundfell. 9. * L. Tild gr. Wast & Com. Feb. to Nov.
  6 Cotton Groundfell. . H. Sandy Soil. I.Y&c Vell.
  7 Colts-foot. O. * L. Rills. Wet gr:
  8 It's Flower. March & Apr. Yell.
  9 Golden Samphire. O. Sea Coast Yell.
  10 Great Sea Starwort. O. V. L. Salt Mar hes. Y& A. Redish.
  11 Small Sea Starwort. O.L. Salt Marshes. Y & A. Redish.
  12 Naked Sea Starwort O. Salt Marshes BRISTOLL &c. Yell
TAB. XVIII. 1 Montpelier Fleabane. O. A. L. Dry Hills Banks Y& A.
  2 Hemp Agrimony. O. t. L. River Sides Y& A. Flesh.
  4 Cats-foot. O. Mount Heaths. Wh. & Flesh
  5 Jersey Live-long. . Banks. Walls. Rare Pale.
  6 English Live-long. . H. Broom & Sand fields. Y&A. 7 Long Cudweed. . L. Dry Ponds & c. Com. Blackish.
  8 German Cudweed. . Sandy ground &c.
  9 Childing Cudweed . K.L. Paths. dry ponds Y& A.Palc. to Low Childing Cudweed . Barren gr. Y& A.Palc.
  n Least Cudweed. O. H. Sand Heaths. Corn.Y & A. Pale.
  12 Grass Cudweed . Corn Sandy gr. Pale
TAB. XXX. 1 Great Dalie O. R. L. Field sides. &c I & Y. Wh.
   2 Comon Dalie.O. *. L. All Meads &c. Apr. to Aug. Wh.
  3 Sneezewort. O. r. H. Wet ground. Y& A. Wh.
     Yarrow, O.*. L. All Partures, Com. I.Y&c Wh. & Bluth.
  5 Feverfew. O. *. L. Wast Hodger. Y& A. Wh.
   ô Corn Marygold. . L. Corn. Y&A. Yell
  7 Yellow Ox-eye. O. r. River Sides. Rave. Y& A. Yell.
  8 White Ox-eye.Q.L. Meads &c May &c Wh.
   Bitter Camomile. Q. L. Tilld gr. Wh.
   to Sweet Camomile O. *. L. Wet Comons. Aug. &c Wh.
  11 Stirking Camomile. 0. *. L. Wast & Tilld gr. Y& A. Wh.
   12 May-weed. . R.L. Wast Fields. Y& A.Wh.
TAB. XX. 1 Comon Wormwood O. * L. Wast or. A &c. Yellsh
   2 English Sea Wormwood, O. *. Salt Marches. Aug &c Vell.th
   3 French Sea Wormwood. O. A. Salt Marshes. Aug &c Yellish
   4 Wild Southernwood. O. Way sides. Rare. Y&A
     Mugwort. O. *. L. Field sides. Hedges. IY& A Whiteifh.
   6 Burr Marygold . . L. By Ponds &c A& Sep. Vell.
   7 Trifid Burr Marygold ©. L. By Ponds &c. A. & Sept Vell.
& Sea Cottonweed. O. Sandy Shores, Rare, Yell.
   g Tanley. O. *. L. Field banks &c. Aug. &c Vell.
   to Curl'd Tanley. O. Gardens Aug &c Vell.
   " Agrimony O. * L. Hedges. Field sides Y& A. Yell.
   12 Enchanters weed O.L. Shady Woods &c.Y&A. Wh.th
 TAB. XXI. 1 Mufk Thiftle. I.I. Flinty, barren gr. Y& A. Red
   2 Welted Thiftle, O.L. Wast Ditches. Y& A.Red.
   3 Gray Thiftle. L. Wast bank. I & Y. Blush
   4 Marsh Thiltle, . H. Wet gr. Bogs. Y.A. &c. Red
   5 Comon Thille O. L. Pathe Fields . &c. Com. Y& A. Red.
   6 Dwarf Thiftle, O. L. Stoney dry hill Y& A.Red.
   7 Spear Thiftle Q.L. Wast Bank & IY& Red. O Fryers Thiftle W. Hill & Plain Rare IY& a Red.
   9 Milk Thittle . * L. Banks . Field fides . Y& A. Red .
   10 Cotton Thiftle . * L. Paths, Banks &c. Y& A. Red. Com.
11 Star Thiftle . * L. Wast Paths &c. Aug &c. Red.
    12 Yellow Thiftle. . By Hedger &c. Rare. Y& A. Yell.
 TAB. XXII. 1 Peckam Thiftle O. L. Wet Meads &c. Y& A. Red.
   2 Northern Thiftle O. Mountains Rare Y & A. Red.
   3 Saf Flower. . *. Sowed. Y& A &c Saffron.
   4 Blue Bottle. . *. L. Corn Iul & c Blue
   5 Broad Saw-wort, O. H. Wood, Y & A.Red.
    6 Comon Saw-wort. O. H. Woods. Y & A. Red.
   7 Matfellon. O. L. Corn &cY &cRed.
   8 Comon Knapweed. O.L. Pastures &c. Com. I.Y &c. Red.
   g Jagged Knapweed. O. L. Partures &c. IY&c. Red.
   20 Comon Scabious. O. * L. Corn &c. I.Y & c. Flesh.
```

Rapper of Cycle Ho Cal. 27 Sec. Level mene. Cal. 27 Sec. Level mene. Cal. 27 Sec. Level mene.

```
n Field Scabious. O. Dry hilly gradus? Flesh L.

12 Devills - bit. O. * Woody Patur es. Aug. Elem H.

72B. XIII. 1 Burdock. S. L. Y. & A. Com. Redish.

2 Rose Burdock. S. L. Y. & Aug.

3 Innall-headdBurdock. S. L. Y. & A. Com. Rubiyh.

4 Innall-headdBurdock. S. L. Y. & A. Com. Rubiyh.

4 Innall woolly Burdock. S. L. Y. & A. Com. Hedge Paths.

6 Cobweb Burdock. S. Mont. Y. & A. Com. Hedge Paths.

6 Cobweb Burdock. S. Mont. Y. & A.

7 Manured Teafel. S. * Sowen. Y. & Aug. Flesh.

8 Wild Teafel. S. L. Yet ditches. Y. & Flesh.

10 Jonall Teafel. S. L. wet ditches. Y. & A. Pale.

10 Jonall Teafel. L. C. A. Woods & H. White. Y. & A. Pale.

11 Comon Exingo. O. * Jandy Thores. Y. & A. Pale.

12 Sanicle. O. * H. Woods & Hedges. May. & White.
```

SECT. III. Umbelliferous *PLANTS*, Star-foils. &c.

```
STAIL-10115. Oc.

TAB. XIV. 1 Cow-Partinep. D. L. Moist gr. 4 Ium. & White.

2 Jagged Cow-Partinep. D. Meads. Ium. & White.

3 Garden Partinep. D. Jowh Iud. & White. W.

4 Wild Partinep. D. L. Jud. & C. Yellsh

5 Great Hartwort. D. Rave. Y. & A. White.

6 Junall Hartwort. D. Rave. Y. & A. Fleft.
                      2Rock Par fley. Rare White.
3 Mountain Stone Parfley: Rare Wh.
4 Comon Carrot O.*L. Jown. White.
5 Wild Carrot. O.*L. Lean gr. Int & Wh.
6 Broad Bur-Parfley. O. Corn. Int & Redich.
7 Broad jagged Bur-Parfley. O. Corn. Y& A. Redich.
6 Fire-leaved Bur-Parfley. O. L. Rare. Corn. Bluch.
9 Rough Purfley. O. L. Thickets, Hedges. Y & EBlush.
   9 Rough Pur fley. . L. Thickets, Hedges, Y & EBlush.
10 Corn Rough Parfley. . L. Corn Y & Wh.
12 Knotted Rough Parfley. . L. L. Eid banks. Wh.
12 Fine Rough Parfley. . L. C. Wast banks. May & Wh.
12 Fine Rough Parfley. . L. C. Wast banks. May & Wh.
14 XXVIII. 1 Great water Hemlock. O. Brooks & C.Y. & A. Wh.
14 Corn in Hemlock. . L. Com. Lul & C. Wh.
15 Lefter Hemlock. . L. Gand & Corn. Lul & Wh.
16 Meadow Saxifrage. O. & H. Mead. Lul & C. Vellsh
16 Prickley Sampire. O. Jandy Jea Jh. Wh.
17 Least Hares-ear. . Rave. Lul & C. Vellsh
17 Lleast D. L. Com. Lul & Vellsh
18 Thorowards.
7 Theorew-wax. O. L. Corn In & Seller De Comon Borage. O. K. Gerlin & G. Beller De Comon Borage. O. K. Gerlin & G. Blue.

10 Jmall wild Buglois. O. L. Corn & May & Blue.

10 Great Hounds-tongue. O. K. L. Was & Lun Purple.

12 Green Hounds-tongue. O. L. Shady Road. I. & Y. Purp.

12 Jmall Vipers Buglois. O. Corn & Marren pt. Com. Y. Purp.

2 Jmall Vipers Buglois. O. Corn & Sarren pt. Com. Y. Purp.

3 Jea Buglois. O. Jea Jhores. Blue.

4 Long Buglois. Cownlips. O. Rave. Purplish.

5 Comfry. O. * L. River bank. May & Whor Purplish.

6 Blew Gromill. O. * * Labes & Blue.

7 Jhop Gromill. O. * * L. Dry pt. Paths & Lun & Pale.

8 Bastard Gromill. O. * L. Corn Wast & May & C. Wh.

9 Water Scorpion-grafs. O. L. Mul Pond. Lun & Ellue & Vell.

10 Field Scorpion-grafs. O. L. Jealow gr. May & Elle & Vell.

11 Jmall Scorpion-grafs. O. L. Jond banks. Walls. May & Blue & L. & German Madder. O. * Rave. Purplish.

TAB. XXX. 1 Crofs-wort. or Mugweed. O. * L. Wood hadge. May & Vell. & Garden Madder. O. * Tilled. Inn & Capele.

3 Wild Madder. O. Rave. Furplish.
                      8 Thorow-wax. D. L. Corn Inn & Yellin
```

```
4 Great Smooth Madder O. L. Hodges &c. I & Y. White.
5 Small Smooth Madder O. L. By Ponds. Iun. &c. Wh.
6 Ray. & Small Madder. . H. Heaths &c. Iul. &c. Wh.
                o Ray* Small Madder. H. Heaths & Anti & AWh.

γ Crofowort Madder. NORTH White.

δ Vellow Beditraw. O. * L. Dry Sunny pl. Yell.

9 Woodruff. O. ** H. Noods. May & AWh.

10 Blew Field Madder. Φ. L. Corn. Purplifth.

11 Cleavers or Gooile-grafs. • * L. Hodgas. Com. Wh.

12 Squinancy-wort. O. L. Chalk-hills. Inl & Flesh.
                       SECT. IV. Verticillate or Whirl PLANTS. &c
      TAB. XXI. 1 Comon Mother of Thyme. O.*L. Dry gn. Y&cPur.
2 Large flowred Mother of Thyme. O. Dry bill. Y&cPurp.
3 Upright broad Thyme. O. Rove. Aug. Purp.
4 Lemon Thyme. O. ** Billy gn. I un &c Purp.
                  5 Water Whirl-Mint. O. L. By Ponds. Y& Redish. 6 Comon Water Mint. O. I. Wet ditches. Rills.
                  7 Red Mint. O.* Inl & Redift.
8 Crofs Whirl-Mint. O. Inl & Redift.
9 Essex Pepper Mint. O. Aug. Redift.
   g Ellex Pepper Mint: O.A.y. Redilh.

to Eales Pepper Mint: O.*A.y. Redilh.

to Lorg Horle - Mint: O.*A.y. Pale. By Brook.

12 Round Horle - Mint: O. A.y. Pale. By Brook.

12 Round Horle - Mint: O. River fides. Aug. Pale.

12 Penny-Royal, or Pudding graf. O.*A. I. Wet Ponds. Aug.

3 White Horehound. O.*A. By Ways. Wast gr. I lul & Wh.

4 Sinking Horehound. O.*A. L. Hebye. Com Y&A. Purp.

5 Water Horehound. O. L. Brooks ides & Y&E. Wh.

6 Wood Bitony. O.*A. H. Woods & Lin & L. Redigh.

7 Hedge Nettle. O. L. Hedges & L. May & Purp.

6 English Clary. O.*A. L. Stens & Gravel, Y&A. Blue.

9 Great Wild Bafil. O. L. Thickes & Y&A. Rup.

10 Small Wild Bafil. O. L. Dry Chalk hills & Jun & Purp.

12 Base Horehound. O. Mills. Paths. I m & Purp.

12 Base Horehound. O. Mills. Paths. I m & Purp.

12 Rad Arch. - Angel. O.*L. Com. Hedges & C. Apr. May & C. Red.
   TAB. XXXII. 1 Ground Bry, or Ale hoof. O.*L. C. Hodgor. Blue. Apr. 2 Red Arch. -Angel. O.*L. Com. Hodgor. &c. Apr. May & & Red. 3 Red. actt. leav d Arch. -Angel. O. L. Grade & &c. Apr. May & & Red. 4 Great Henbit. O. L. Fields. & Gardens. Purp. 5 White Arch. -Angel. O. &L. C. Hodgor. &c. Apr. &c. Wh. 6 Yellow Arch. -Angel. O. H. Jhady Hodgor. Woods. May &c. Yell. 7 Big/tard Balm. O. Woods. Rare. Redifn. O Purp le Nettle. -Hemp. O. H. Corn &c. Y. Aug. Purp. to Yellow Ironwort. O. Corn. Rare. Ful. Yell.

IN Nurvow Ironwort. O. Corn. Rare. Ful. Yell.

IN Nurvow Ironwort. O. L. Corn. I & Y. Red.

12 Round Ironwort. O. L. Corn. I & Y. Red.

13 Pield. Calamint. O. *L. Path. Hodgor. &c. Y. &A. Flesh.

2 Comon. Burgle. O. *L. Woods. Wet Meads. May &c. Blue.

4 Mourtain Burgle. O. & Rare. WALES. Blew.

5 Mother wort. O. * Wart & Gardene Y. &A. Purp.
                5 Motherwort. O. * Wast Gardens Y&A. Purp. 6 Scordium. O. * Fens. Rare. Purp. 7 Wood Sage. O. r. H. Wood. Y&A. Pale.
                8 Wild Marjoram . O. * Hedges. Thickets. Blush Y & A.
               or car Maryot and Ostrogas I missos him
of Ground-Pine. • *Corn &c.I &Y.
10 Hood-Mint. O. H. Bogs. Aug. Bluch.
12 Vervain. O.* L. Paths. Walks Y & A. Flech.
     12 Vervain O. L. Land. Wals. 1 & L. Figh.

2 Small Snap-Dragon. O. L. Corn & Cl & Y. Redyh.

3 Pointed Fluellin. O. L. Corn & CYell & Purp. I & Y.

4 Round Fluellin. O. L. & Corn & CYell & Purp. I & Y.
               5 Comon Toad - Flax. O. * L. Barren fields. Aug. Yell.
6 Blewiftsweet Toad - Flax. O. Hedges. Rare Y & A.
              6Blewijh.swect Toad-Flax. O. Hedges. Rarel & A.
7 Butterwort. O. Bogs & C. I & Y. Blewijh.
8 Purple Fox glove. O. * H. Warren & C. Y. & Aug.
9 Brown Fig-wort. O. * L. Thickets & Y. & A. R.d.
10 Water Fig-wort. O. * L. Water sides. I & Y. Red.
11 Jage Fig-wort. O. Rare.
12 Comion Henbane. O. * L. Wast Rubijh & C. I & Y. Pale.
12 Comion Henbane. O. * L. Wast Rubijh & C. I & Y. Pale.
   TAB. XXXI. 1 Quick in hand. Touch me not. . Rare. Y& A. Yell.
              B. MAN. Totale & L. Pafarrer Inn &c.

3 Vellow Rattle . S. L. Pafarrer Inn &c.

3 Tall Red Rattle . S. L. Marcha &c Inl. Red.

4 Comon Red Rattle . S. H. Wet Heath &c. Inn. Y&A.

5 Comon Red Rye - bright . S. L. Pafarrer &c Y to Oct White.

6 Vellow March Eye - bright . S. Rare.
o Fellow Marsh Eye-bright. (A. Rare.
7. Rcd Eye-bright. (H. Corn. Wetgen? 1 & Y.
8 Orton Red Eye-bright. . Rare.
9 Comon Cow-wheat. (H. Wood & & L & Y.
10 Crested Cow-wheat. (M. Wood & Penn Yell.
11 Great Bladder-inout. (D. L. Bogs & Fenn Yell.
12 Small Bladder-inout. (O. Rare. Moors & Vell.
TAB. XXXVI. 1 Purple Violet. (M. R. Gardens & March.
12 Small Violet. (M. R. C. & March.)
            13. XXVII., Purple Violet. O. *A.L. Gardens

2 Double Violet. O. Rare Gardens &c.

3 White Violet. O. H. Woods &c Apr. &c.

4 Dogs Violet. O. H. Woods &c Apr. &c.

5 Bog Violet. O. March &c.

6 Vellus Rock Violet. O. WALES &c I & Y.

7 Havry Wood Violet. O. Wood sides.

8 Garden Pantie. . X. Corn &c I & Y. Mixt.
                                                                                                                                                                                                                                                                                     0
```



o Corn Pansie. . L. Corn &c I & Y. Vell & Purple.
10 Great Yellow Pansie O. WALES: high Bogs May &c.
11 Base Dyers-weed. . Chalky gr? Inl &c Pale.
11 Conton Dyers-weed. . L.X. Walls & Y & Aug. Yelleh

SECT. V. Bur & Starheaded PLANTS.
TAB. XXXVIII., Pilewort: O.* L. Wet Wood: &c M & Apr. Yell.
2 Sweet Wood Crowfoot O.H. Woods Apr. Yell. 2 Sweet Wood Crowfoot O.H. Woods. Apr. Vell.
3 Upright Meadow Crowfoot O.L. Mads. Com. May &c Yell.
4 Bulbous Crowfoot O.L. Meads &c Com. May En. Yell.
5 Pale upright Crowfoot O.L. Banks &c May. Vell.
6 Doody & brifil Crowfoot O.L. Banks &c May. Vell.
7 Creeping Crowfoot O.T. Buttercups O. Wet Meads. Com. May.
6 Thames Crowfoot O.T. Butter Com. May &c Yell.
19 Ray Hairy Crowfoot O.L. Dith banks. May. Vell.
10 Corn Crowfoot O.L. Corn. May &e Vell.
11 Janalage Crowfoot O.L. Pich.
12 Bry Crowfoot H. Shallow waters. May &c White.
TAB. XXXX. 1 Water Crowfoot With various Leaves O.L. Wh.
2 Fine Water Crowfoot O.L. Mas &c White. 2 Fine Water Crowfoot .O.L. May &c. White 3 Fine Trimed Water Crowfoot O.L.Muddy Pend. May & Wh. 4 Fennel Water Crowfoot O.Pends & MIX. Wh. 4 Great Spear—wort O.L. Fens & Cl & Y. Yell. 6 Small Spear—wort O.L. Wet Maud & L. Y. Xell. o Small Spear-wort.O.L. Wet Mead & LIXA. Yell.
7 Moufe Tail. O.L. Corn. Wet gr. 8 & A&May. Yell.
7 Moufe Tail. O.L. Corn. Wet gr. 8 & A&May. Yell.
Adon's Flower. Red Maither. O. Corn. Inn. 8 &.
9 Conton Mallow.O. Sandy Wast gr. 7 & A. Flgh.
10 Mary Mallow.O. Sandy Wast gr. 7 & A. Flgh.
12 Vervaine Mallow.O. S. Jell. & E. Y. A. Purplip.
13 Vervaine Mallow.O. L. Field. & L. X. A. Purplip.
14 Great flowred Avens.O. Ruse May & Vell.
3 Mountain Avens.O. WALES & C. Redigh. May & C.
4 Childing Avens.O. Ruse May & Vell.
6 Change for Avens.O. WELLED Ruse Yell.
6 Change for Avens.O. WELLED Ruse Yell. 4 Childing Avens. © RaveM & I.Redjh.
5 Cinquefoil Avens. © SCOTLAND. Rave. Yell.
6 Germander Avens. © INSH. Mount. "Wh.
7 Comon Strawberry. © **I. Wood. May & Wh.
9 Barren Strawberry. © H. Banke & Apr. Wh.
9 Wood Anemony. © H. Mc Apr. Bluch.
10 Palque Flower. © Heathe & M& I. Purple.
11 Travellers Joy. © I. Wood Hedge. Aug to Dec. Wh.
12 Dec. Travellers Joy. © I. J. Jame & C. 12 Plain Travellers Joy . O. I. Same &c.
TAB. XII . 1 Comon March Cinquefoil . O. Bogs. Purp.
2 Irith March Cinquefoil . Bogs. Rare. 2 Irin March Cinquefoil . O. & L. Bank & & Y. & A. Yell.
3 Comfon Cinquefoil . O. & L. Bank & & Y. & A. Yell.
4 Irall rough Cinquefoil . O. York SHIRE. Yell.
5 Tormentil Cinquefoil . O. L. Jany yr. Inn & Yell.
6 Upryth Welch Cinquefoil . O. Moune Yell.
7 Jootah Cinquefoil . O. Wood. Bare. Yell. 7 Scotch Cinquefoil. O. Wood. Bare. Yell.
8 Jhrub Cinquefoil. O. York. JH & LIRY. Yell.
9 Jornmentil. Septfoyl. O. *H. Heath. Wood. Ye. Yell.
10 Plots Tormentil. O. Com & Yek. Yell.
11 Silver weed wild Taniey. O. *L. Dry Ponds & Ye A. Yell.
11 Silver weed wild Taniey. O. *L. Dry Ponds & Ye A. Yell.
12 Mofeatel. O. L. Nhades & Man & Apr. Greenifh.

TAB. M.N. 10 Orpine, or Live-long. O. *L. Shadey Hedge. I & Y.
2 Rofe-Root. O. *Mount: Bare. I & Y. Rediyh.
3 Navel. -wort. O. * Loll Mall. Rod. Ye A. Pale.
4 Houfeleek. O. *L. On Houses & L. I. Y. A. Bleyh.
5 Comon Yellow Sengreen. O. Houses. Wall. I & Y. Yell.
7 Purple march. Sengreen. O. Mall. & L. I & Y. Yell.
7 Purple march. Sengreen. O. Mall. & L. I & Y. Yell.
9 Briftol Sengreen. O. Rock. Rare Y. & A. Yell.
10 Stone Crop. or Wall Pepper. O. Houses. Wall. Ium. Yell.
11 Green Bares-foot. O. CAMBR. & SUSSEA, Apr. & Camp. Green.
12 Setter wort. O. Hedge. Bare. Febr. & Greenith. io Mild white Stonecrop O. Rock, Apr & Blyn.

11 Green Bares-foot O. CAMBRY, TUNDEXApr. Green.

12 Setter wort O. Hedga Rave Febr. & Greenith.

12 Better wort O. Hedga Rave Febr. & Greenith.

13 Water Gladiole O. Middy Rill. & L. & Y. Flesh.

4 Columbines O.* Wood & Blive.

5 Star water Plantain O. L. Pond. & L. Y. Flesh.

6 Broad water Plantain O. L. Pond. & L. Y. Flesh.

7 Narrow water Plantain O. L. Pond. & L. Y. Flesh.

8 Umall water Plantain O. L. Rover & L. Y. Flesh.

8 Umall water Plantain O. L. Rover & L. Y. Flesh.

9 Grass Arrowhead O. Rovilet.

10 Broad Arrowhead O. Rovilet.

12 Imall Arrowhead O. L. Rivers & L. Y. Wh.

13 Imall Arrowhead O. L. Rivers & L. Y. Wh.

14 Imall Arrowhead O. L. Rivers & L. Y. Pale.

2 Black Briony O. X. L. Hedge & & Pale.

3 Herb Chritopher O. Wood & E. Whitin.

6 Sveet Solomons-feal O. * Wood & Wood. May & C. Pale.

5 Solomons-feal O. * Wood & Wood. May & C. Pale.

5 Solomons-feal O. & Wood & Wood. May & C. Pale.

6 Sveet Solomons-feal O. Berry O. May & C. Parenish. Woods & C.

9 Bitter fweet O. * L. By Pond. 14 Y. Blue.

10 Convon Nightihade . * L. Domphill & W. Luly.

10 Dwale Decalley Nightihade O. Rubish & Brownish.

12 Wild Sparagus O. SeaMarcher Pale.

SECT. VI. PLANTS with 4 Leav'd Flowers.

TAB. XLV. 1 Jack by & Hedge . * * L. Bank. I & Y. White. 2 Treacle Wormie ed . * N. Fen. Ind & Gell. 3 Wall-Flower, or Stock . O.* L. Wall, Apr. & Yell. 3 Wall-Flower, or Stock. O.*I. Wall-Aps &2/24.

4 Sea Stock Gylly Flower. • Welfh coafe &c Y&A Purp.

5 White Thorow Colewort. • Reve. Jun. &c Wh.

5 Sea Colewort. • Dever Chiff. Yell.

7 Round Turnep. • *I. Field. Sowen Yell.

8 Long Turnep. • *I. Field. Sowen Yell.

9 Will Navew. • *I. J. Bank. Com. Apr. M & I Yell.

10 Walte Muffard. • *I. J. Ditche &c I&Y Yell.

11 Wild Muffard. • *I. Ditche &c I&Y Yell.

12 Wild Muffard. • *I. Corn Com. Int. &c Xell.

13 Wild Muffard. • *I. Corn Com. Int. &c Xell.

14 Wild Muffard. • *I. Corn Com. Int. &c Xell.

15 M. Winter Crefs. • I. *Wet Ditche M & I Yell. no White Charlock. © L. Corn Com. I&Y. Fale.

11 Great White Charlock. © Rare.

12 Flixweed. © X L. Old Wall. Rains Y&A. Yell.

TAB. XLVII. 1 Bitter Crefs. © L. Wet Ditches I&Y. Wh.

2 Water Crefs. © X L. Rivulets Com Y&A. Wh.

3 Early water Crefs. © L. Rivulets Iune Wh.

4 Hairy Crefs. © L. River side &c. Apr May. Wh.

5 Lady /mock or Crefs. © X L. Wet Meads Apr. &c Blufh.

6 Double Lady Crefs. © Rave. Blufh.

7 Impatient Crefs. © Rave. Blufh.

9 Datay Crefs. © Rave. Blufh.

9 Datay Crefs. © Rave. Blufh.

10 Tower Muffard. © L. Wall. &c. I&Y. Pale. 9 Daisy Crefs. O. Rocks & C. Rare Wh.
10 Tower Muthard. 9 L. Walls & C. L&Y. Pale.
11 Great Tower Muthard. • Rave Pale.
12 Daish Tower Muthard. • Sandy dry grd Wh.

ZB. XVIII. 1 Thale Crefs. • L. Walls, Sandy grd Apr. & c. Wh.
2 Broad Thale Crefs. • Walls Apr & c. Wh.
3 Wreathed Crefs. • Walls & C. L. & Y. Wh.
4 Snall wreath Crefs. • Malls Apr & M. Wh.
5 Speedwell Crefs. • Hill sides Apr & c. Wh.
6 Whitlow Crefs. • All, Walls & c. Mar & Apr. Wh.
7 Notched Whitlow Crefs. • Ranks & Walls Apr. Wh. n Gold of Pleasure . • Flaz field. Y & C Yel.

12 Jea grape Colewort O. Sandy Shores. Wh.

TAB. XLIK. 1 Garden Schryy-grafs. • X Gard & c Apr. Wh.

2 Jea Schryy-grafs. • X Salk Mar/hes Wh.

3 bry Schryy-grafs. • San Shores. Wh.

4 She aperds - pur fe. • XL. Waft grd Com. Mar to Nov. Wh.

5 Ragged She aperds-purfe. • Banks & c. A.M. & Lin. Wh.

6 Jinall Sheaperds-purfe. • L. Banks Walk Apr. & Wh.

6 Broad Water-Radifh. • L. Show Waters I & Y. Yell.

9 Jinall jagged Water Radifh. • A.L. Wet ponder I & Y. Yell.

10 Great 1 way ed Water Radifh. • L. Watery vlaues I & Y. Yell. 9 Omall jagged Water Radilh. O.N.J., Wet pendelke Y. Yell.
10 Great jagged Water Radilh. O.L. Water placelk Y. Yell.
11 Broad Horse Radilh. O.* Gard & Wet Dishes Wh.
12 Jagged Horse Radilh. O.* Gard & C. Wh.
12 Jagged Horse Radilh. O. * Gard & C. Wh.
2 Sheaperds - Crefs. O.L. Sandy gr. May & c. Wh.
3 Wellh Rock Crefs. Mount Rare. 3 Welth Rock Crefs . Mount Bare.
4 Fine Crefs . Stylinents Rock Wh.
5 Valencia Crefs . Salfbury Plain Pale.
6 Wart or Swines Crefs . I. Wetbanks & L&Y.Wh.
7 Comon Cow-Crefs . X.L. Corn & C. L&Y.
8 Smooth Cow-Crefs . Rev.
9 Penny Crefs . M. Corn L&Y.Wh.
10 Hoary Crefs . Males & C. Mount Wh.
11 Small Thorow Crefs . Since pits & C. Wh.

MARKS & LETTERS Explained.
Signifies an ANNUAL Plant with diss Yearly.
A Biennial Plant on Tree.
A Perennial Plant of Tree.
A Plant of Noved PERTUE. A A Plant of Less.
H. Plants growing ab Hamfred Heath & c.
L. Plants growing within 10 Mile of London.
M&I. Plants Flowring in May & Lune.
I & Y. In Inne & Luly Y&A. In Iuly & August.

This, or a Latine Catalogue , and if Dry Samples of f Plants themselves may be had, if desired from J humble Servant

with the second of the second

Commission Race and the control of t


halk LETTRE, and Late And Andrew Although Although Although Although Although Although Andrew Andrew Although Andrew Andr


ENGLISH PLANTS with BLINK Flowers. TAB. I.



g. Male Dogs MERCURY. 6 Female Dogs MERCURY. 7. Male French MERCURY. 8. Temale Fr. MERCURY. RAY 163. 1. Syn. 29. edit. 2. p.53 1. RAY 163. 1. Syn. 29. ed. 54. RAY 163. 2. S. 29. ed. 54. RAY 163. 2. S. 29. ed. 54.







TAB. II. ENGLISH PLANTS with BLINK Flowers. 1. Great Water DOCK. 2. Curl'd Sharp DOCK. 3. Smooth Sharp DOCK. 4. Small Sharp DOCK. RAY 177. 4. Syn30.1.ed551. RAY 173.6. Syn30.3. RAY 173.7. Syn30.4. ed. RAY 174. Syn31.edit 2.56. 66.4. LOND. Commo Wet grov Iuly & 5 Blood-vein'd DOCK 6. Bloodles Dock. 7. Gold DOCK. 8. Bur Gold Dock RAY 174.10.5yn31.7.ed56. RAY 174.8. Syn 31.6. ed.56.6. Гомпом Гиђу 9. Broad Dock. 10. Fiddle Dock. 12. Trailing BUCK-WHEAT. 2. RAY 174.9. Syn. 31.5. ed 565 RAY 182.2. Syn 32. ed 57 LONDON. 01:001


Signifies ANNUAL

Signif. PERENNIAL

S.W Sculp

ENGLISH PLANTS with BLINK Flowers. TAB: III.


L. Common SORREL. 2. Sheeps SORREL. 3. Barren SORREL. 4. Welch SORREL RAY 178.1.5.31.8.ed56.8. RAY 180.14.531.9ed56.9. RAY 5yn.31.10.ed57.10.



5. Common ARSMART. 6 Creeping ARSMART. 7 Spotted ARSMART. 8. Spotted houry ARSMART. RAY 182. S. 32. ed 58. 1. RAY 183. 3. S. 32. ed. 58. 2. RAY 183. 2. S. 32. 3. ed 58. 3.




9. Silver ARSMART. 10. White branchid ARSMART. x1 BOBARTS Arsmart. 12. Amphibious ARSMART.
RAY Syn. ed 2. P.58. RAY 184. 6 Syn 32. 4 ed 58. 4.






ENGLISH PLANTS with BLINK Flowers TAB: MI

1. Common PLAN TAIN. 2. Dented PLAN TAIN. 3. Hoary PLANTAIN. 4 Rose & Spiked PLANTAIN. RAY 876.1. Syn. 1251.ed 184.1. RAY 879.5. Syn. 126.2.ed 184.1. RAY 876.




5-Besom PLAN TAIN. 6. Common RIBWORT. 7. Mountain RIBWORT. 8. Childing RIBWORT. RAY 877.4.Syn 126.3.ed 185.3. RAY 877.7.Syn 126.4.ed. RAY Syn 126.7.ed 185.7. RAY 877.1.



9 SeaPLANTAIN. 10 BUCKS-HORN PLANTAIN. x1 Great BURNET. 12 Small BURNET.
RAY880.5 Syn1265 ed.1855. RAY879.3 Syn.126.6. RAY402.2 Syn.162.1 ed.100. RAY4011 Syn.162.2 ed.100.








Sutton Nicholls sculp


ENGLISH PLANTS with BLINK Flowers TAB VI.

1. Tafsel PONDWEED. 2. Horned PONDWEED. 3. Water STARWORT. 4. Long Water STARWORT.
RAY 190. 10. Syn35. w.ed62. to. RAY 190. 13. Syn35. w.ed281. RAY 323. cap.6. Syn 208. 1. RAY Syn 208. 2. ed280. 2.





5 Feather PONDWEED. 6 Fine Feather PONDWEED. 7 Milfoil PONDWEED. 8 Knotted PONDWEED.

RAY 191. c. 2. 1. Syn. 35. ed 2805. RAY 1322. 1. Syn. 207. ed 279.



RAY 207.C.X. I. Syn 38.1 ed66. RAY 207.2. Syn 39. ed. 66. X. I. CORNWAL PENNY WORT.






ENGLISH PLANTS with BLINK Flowers TAB. VII.


2. Delt Sea ORRACH. Frosty Sea ORRACH 1. Delt ORRACH. 4. Jagged long ORRACH. RAY 192. 3. Syn 36.1. ed 62.1. RAY 193. 10. Syn 36.4 ed 63.4. RAY 193.8. Syn 36.5 ed 63.5. RAY 192.6. Syn 36.3 ed 62.3.



6. Grass Sea ORRACH. 7. Sea PURSIAIN. 8. Heart Sea PURSIAIN. 5. Spear ORRACH. RAY 192.4. S. 36.2, ed



9. Small Garden BLITE. 10. Allseed BLITE. XI. Stinking ORRACH. 12. Wild SPINAGE. RAY 196.2. Syn. 38. 9. ed 65. x 1. RAY 198. x 1. Syn 37. 4. ed 64. 6. RAY 195. 1. \$37. 6. ed 64. 8. RAY 200




Sutton Nicholls sculp

ENGLISH PLANTS with BLINK Flowers TAB. VIII.

1. RAND'S Oak BLITE. 2. Frost BLITE. 3. BUDDLE'S Fig BLITE. 4. BUDDLE'S Round BLITE.

RAY 198.8. Syn. 36. ed 63. 1.




5. Thick Shining BLITE. 6. Sharp pointed BLITE. 7. Maple BLITE. 8. Broad pointed BLITE.

RAY Syn.ed. 64.2. RAY 197.9. Syn.37.3. ed. 64.3.



g Sea BEET. 10. Wall PELLITORY. x1. Tree STONECROP. 12. Shrub STONECROP.

RAY 204. 3. Syn 38. ed. 65. RAY 206. 1. Syn 38. ed. 66. RAY 199. 17. Syn 38. 8. ed. 65. 10. RAY 199. 16. S387. ed. 65. g.



ENGLISH PLANTS with BLINK Flowers. TAB. IX.

L. Small GLASSWORT: 2. Prickley GLASSWORT: 3. Small joynted GLASSWORT: 4Woody joynted GLASSWORT: RAY 198. 4. Syn 375, ed. 64.7. RAY 212. 2. Syn 39. 3. ed. 67. 3. RAY Syn 39. t. ed. 67. 1. RAY 211. Syn 39. ed. 67. 2.




5 Bafurd ToAD-FLAX. 6 Upright KNAWELL. 7 Spreading KNAWELL. 8. PEPPER Grafs.

RAY 399. 7 Symboled 99. TABERN 505. RAY 213.1. Sym40.1 ed. 68.1. RAY 1225. c. w. Sym209. ed. 281.



9. LADIES MANTIE. 10. Small LADIES MANTIE. XL Silver LADIES MANTIE. 12 PARSLEY PIERT.
RAY 208.1. Synzg. 1. ed66. RAY Hyt Plantar. 202.2. RAY 209.4. Synzg. ed 66. RAY 209. C. 14. Synzg. ed 67.






ENGLISH PLANTS with BLINK Flowers TAB X.


1. Common.KNO TGRASS. 2. Thick-set KNOTGRASS. 3. Short leav'd KNOTGRASS. 4. Narrow KNOTGRASS.
RAY 184. 1. Syn 33. ed59.
TABERN. Vol. 2. 202. L. 833. TABERN. V. 2. 203 Fig.



5. SeaKNOTGRASS. RAY 185. 2. Syn.33. ed.59.2. 6NEW TONSKNOTGRASS. 7WhorldKNOTGRASS. 6VALENTIA Knotyrajs.
RAY 214.3. Syn 40. ed. 68. RAY 215.8.




9. Smooth RUP TURE-WORT. 10. HOWY RUPTURE-WORT XI Sea HEATH 12. BLINKS.



Sutton Nicholls sculp.




ENGLISH PLANTS with LETTUCE FLOWERS. TAB. XI. Common Mouse-EAR. 2. WELCH MOUSE-EAR. 3. Narrow Mouse-EAR. 4. Brad Mouse-EAR. RAY 242.1. Sun 46. ed. 75. RAY. 241. 19. RAY 244.2.



5. Narrow Smooth MOUSE-EAR. 6 PLUKENETS MOUSE-EAR. 7. Common DANDELION. 8. Narrow DANDELION. RAY 245. 8. Syn. 45. ed. 4. RAY Syn. ed. 2. p. 75. x1. RAY 244. 3. Syn. 45. led. 76. 12. RAY Syn. 46. 2. ed. 76. 2.




9. Common rough DANDELION. 10. SANDY rough DANDELION. XIROV & Branched DANDELION. 12. Smooth branched Dannelion.
RAY 245. 5. Syn. 46. 3. ed 76. 3. RAY 246. Syn. ed 73. 10. RAY 230. 2. Syn. 42. 2. ed. 72. 2.





ENGLISH PLANTS with LETTUCE FLOWERS. TAB. XII. 1. Comon. HAWKBIT. 2. Jagged HAWKBIT. 3. Small Jagged HAWKBIT 4. Dandelion HAWKBIT.

RAY 230.1. S.42. Led 72.1.



5. Budde HAWK BEARD. 6. Comon HAWK BEARD 7. Succory HAWK-BEARD. 8. Caftor HAWK-WEED

RAY 234.16.5.43.4.ed. 72.4. RAY 232.6.5.43.3.ed.72.3.



Charlton
Greenwich & C.

Yell.

KENT
Aug*

Aug*

Aug*

Love

Sell.

Sell



ENGLISH PLANTS with LETTUCE FLOWERS.

TAB. XIII.


1. Broad HAWK-LUNG 2. Round HAWKLUNG 3. Broad dented HAWK-LUNG 4. French HAWK-LUNG
RAY 239.7.5.45.6.ed73.xi. RAY Syn. edit 2.p.74.6. RAY Syn. ed. 2.pag. 74.7. RAY 239.9.5.44.4.ed74.4.




Narrow HAWK-LUNG 6. WELCH hoary HAWK-LUNG 7 Broad hairy HAWK-LUNG 8 Long hairy HAWK-LUNG RAY 240 XLS 45 5 ed 74 5. RAY 239 8. Syn 45 ed 75 8. RAY 238 2. S. 44 Led 74 L.



g Broad smooth HAWK-IUNG to Narrow hairy HAWKLUNG Xt Narrow smooth HAWK-IUNG 12 Grafs HAWKLUNG




Sutton Nicholls sculp




ENGLISH PLANTS with LETTUCE Flowers. TAB. XIV.

1. Round leav'd Sow THIS TLE. 2. Broad Sow THIS TLE. 3. Narrow Sow THIS TLE Prickle denad Sow THIS TLE.
PLUKENET. Tab. 61. Fig. 5. RAY 225. 7. Syn. 42. 4. ed. 71. 4. PLUK. Tab. 62. fig. 4. Donos Pempt 643. fig. 3.




5. Prickle jagged SOW THIS TIE. 6. Corn SOW THIS TIE. 7. Tall Marsh SOW THIS TIE. 8 Smooth Broad SOW THISTIE.

RAY 225.6 Syn 42.3. ed 70.3. RAY 226 to Syn 42.5. ed 71.5. RAY 226 to Syn 42.6. ed 71.6. RAY 224.2. Syn 42.2. ed 70.2.



9. Smooth Jagged SOW THIS TIL. 10 BUDDLE'S Jagged SOW THIS TLL. x1 Wild SUCCORY. 12 NIPPLE WOR T.
RAY 224.1. Syn 42.1. ed 70.1.
RAY 255.4. Syn 47.ed 77.
RAY 256.6.2. Syn 47.ed 77.





.

ENGLISH PLANTS with LETTUCE Flowers &cc. TAB. XV.



g. hyletttue. 6. Narrow GOATS-BEARD. 7. Comon GOATS-BEARD. 8. Purple GOATS-BEARD.


RAY 223.7. Syn41.5. ed 70.5. RAY 252.1. Syn45. ed 76. RAY 252.3. Syn47. ed 77.



9. Smalls WINES SUCCORY. 10. Common CARLINE. x1 BUTTLR-BUR Leaves 12 BUTTER-BUR in Flower. RAY 229. 2. Syn. 44. 12. ed. 78. RAY 288. 2. Syn. 247. ed. 80. RAY 260. Syn. 47. ed. 78.




Sutton Nicholls sculp:





. 1924 1824 in

HERSH Golden Red . Holes G. . N. Sanga diller.



Sutton Nicholls sculp


A standard and the stan

ENGLISH PLANTS with naked FLOWERS & Downey SEED. TAB. XVIII.


4. CATS-F00T. RAY 283.12. Syn50.ed.82.1. 1 Mont Pelier FLEABANE. 2, Hemp Agrimony 3 AMERICAN Live-long. RAY 292. L Syn 5 Led 83. RAY 283. 1. Syn 5 Led 83. RAY 284.15. Syn ed 82.



Sutton Nicholls sen



ENGLISH PLANTS with DAISIE FLOWERS TAB. XIX.




r except on the

ENGLISH PLANTS with BALD or NAKED FLOWERS. TAB. XX.

LCommonWORMWOOD LENGLISHSeaWORMWOOD FRENCHSeaWORMWOOD WildSOUTERNWOOD RNY366.2.Syn48.1.ed 94.1. RNY370.16.S.58.2.ed.94.2. RNY370.15. RNY370.15. RNY371.4S58.ed 94.



5.MUGWORT. 6.BUR MARYGOLD 7. Fried BURMARYGOLD. 8 Sea COTTONWEED. RAY372.1.8.58.ed. 95 RAY361.2.8.57.ed. 93.2 RAY360.1.8.57.1. ed. 93.1. RAY294.1.



9.TANSY. 10.Curled TANSY. 11.Agrimony. 12.Enchanter s.NIGHT SHADE. RAY.365.1.5ymops.58ed93.RAY.365.2. RAY.400.1.Syn.61.ed.99. RAY.401.c.10.S.247.ed.99.



- Y STEPLANTS with BALD or MEDICARDINAL COM-

Temperation of Note point of the object of the construction of the

ENGLISH CAPITATED PLANTS with JAGGED HOLLOW Flowers TAB.XXI.

1. Mush Thistle. 2. Welted Thistle. 3. Gray Thistle. 4. Marsh Thistle.


RAY 308. 1. Syn. 53. 1. ed86 1. RAY 309. 2. S53. 2. ed862. RAY 309. 3. S53. 2. ed863. RAY 309. 4. S53. 4. ed86. 4.




5. CommonTHISTLE. 6. Dwarf. THISTLE. 7. Spear. THISTLE. 8. Fryars. THISTLE. RAY.310.6853.5.ed.87.5. RAY.310.68.53.5.ed.87.6. RAY.310.18547.ed.87.7. RAY.313.5 548.ed.87.8.



9. Milke. THISTLE. 10. Cotton THISTLE. 11. Star. THSTLE. 12. Yellow THISTLE. RAY312.15.54. 9. ed. 87. 9. RAY313.1.5. 5411. ed. 87.11. RAY317.15. 5412. ed. 87.12. RAY317. 45. ed. 88. 13.



ENGLISH CAPITATED PLANTS with LAGGED HOLLOW Flowers TAB.XXII



1 . d

1971年1月 - 東京の 1941年1日 - 1931年7日 - 1931年7日






ENGLISH PLANTS with UMBELLIFEROUS Flowers TAB.XXIV.

LCOW PAR SNEP. |2 Lagged Cow PAR SNEP | 3. Garden PAR SNEP. | 4. Wild. PAR SNEP. RAY. 400. 15 yr 63. ed. to 2. 8. RAY. 400. 25 yr 63. ed. to 2. RAY. 400. 25 yr 63. ed. to 2.



6 Small HARTWORT 7 HOGS FENNEL 8 SAMPIRE. RAY.412.2. Sozedio2. RAY.416.1. Sym. 63. ed. 102. RAY.457.2. S. 69. ed. 111.



9.ANGELICA. 10. Water. ANGELICA. 11. CORIANDER.
RAY. 434. 1. RAY. 434. 25.64.ed. 104. RAY. 470.5. ed. 114. LALEXANDERS. RIY.434.1. RAY. 437.2.5.65.cd. 204.






ENGLISHUMBELLS with long and round SEED.

TAB. XXV.

IV ENUS Comb 2.COW WEED. 3. Wild. CHERVIL. 4. SPIGNEL or MEU.


RAY 428.15yn.64.ed.103. RAY 429.15yn.64.ed.103. RAY 432.1.5yn.64.ed.104.



5. Water DROPWORT 6. Small Water DROPWORT. 7. Hemlock DROPWORT. 8. Narrow DROPWORT. RAY.441. S. 65. ed. 105. RAY.441. 2 Syn. 66. ed. 106. RAY.441. 4. Syn. 66. ed. 106. 3. RAY.442. 6. S. ed. 106. 4.



9. EARTH NUT. 10. GOUTWEED. 11. Bayand some PARSLEY 12. HONEWORT.
RAY. 440. 1. Syn. 65.ed. 105. RAY. 435. 4. Syn. 65. 2. ed. 1042. RAY. 443. 3. 5. 66.ed. 106. RAY. 443. 4. Syn. 66.ed. 106.



THE RELIGIOUS CONTRACTOR

and the first of demanders of the policy of the second


Maria Coruma Cara Cara Cara Cara

> A MATERIA CONTRACTOR CONTRACTOR

> > Aller Hady Commencer

ENGLISH UMBELLS with small round SEED TAB. XVI.

1BROAD WATER PARSNEP Narrow WATER PARSNEP Geeping WATER PARSNEP Least WATER PARSNEP RAY 443.5.5 Syn. 663. ed 107.3. RAY 444.4.5.664.ed 107.4 RAY 444.5.5665. ed 107.8. RAY 444.6.5.67.6. ed 107.6.




5 Great broad SAXIFRAGE. | 6. Great Cut SAXIFRAGE. | 7. Small broad SAXIFRAGE. | 8. Small Cut SAXIFRAGE. | RAY445.1. S67.2. ed. 108. 2. | RAY445.4. S67.3. ed. 108. 3.






ENGLISH UMBELLS with ROUGH SEED. TABXVIL

1 Common FENNEL. 2ROCK PARSLEY. 3 Mountain STONE PARSLEY. 4 Common CARROT RAY 4571. SYN. 69. edm. RAY 460. 5.SYN 69 edm. RAY 465.1 SYN 701 ed.




ENGLISH UMBELLS & PLANTS with Rough Leaves. TAB. XXVIII


1 Great Water HEMLOCK 2 Common HEMLOCK. 3 Lesser HEMLOCK 4 The Water HEMLOCK RAY 4501. SYN68ed 10 9. RAY 451.2 SYN68 sed 110. RAY 451.2 SYN68ed 110.



5 Meadow SAXIFRAGE 6 Prickly SAMPIRE 7 Least HARES EAR & THOROW WAX
RAY4531SYN69 ed 110. RAY4691SYN 69 ed 111. RAY4744 SYN 72 ed 116.



9 Common BORAGE 10 Small Wild BUGLOSS x1. Great HOUNDS FONGUE 12 Green Houres TONGUE RAY 493 SYN.76.ed.120. RAY 4943 SYN.752ed.119 RAY 489 1. SYN.751.ed.119.1 RAY 491.8 SYN.752.ed.119.2



THE ENGLAND OF STREET SHIPS WITH THE WAY


ENGLISH PLANTS with Rough LEAVES, & comonly 4 SEED TABXXIX.

Noter's BUGLOSS. 2. Small Vipers BUGLOSS. 3. Sea BUGLOSS. 4. Long BUGLOSS Cowslips.

RAY 498. LSyn-75. edug. RAY Syn. edit. 119. RAY 500. 13. S. 76. 2. edug. RAY 489. 3. Syn-75. edu8.



5. COMFREY. 6. Blew GROMILL. 7. Shop GROMILL. 8. Bastard GROMILL.
RAY 505. 15.77.ed 121. RAY 503. 25.76.ed 120.2. RAY 503. 1. Syn.76. 1. ed 120.1. RAY 503. 5. Syn.76. 3. ed 120.3.




9. Mater SCORPIONGRASS. 10. Field SCORPION-GRASS. 11. Small SCORPION-GRASS. 12. German MADWORT.
RAY 504.3.S. 77.3. ed. 121.3. RAY 504.1.S. 77.1. ed. 121.1. RAY 504.2.S. 77.2. ed. 121.2. RAY 502. c8.S. 76. ed. 120.






ENGLISHHERBS with STARRY Leaves.

TAB. XXX.



5. Small Smooth MADDER 6. RAY. Small MADDER 7. Crofswort MADDER 8. Yellow BED STRAW RAY481.3. Syn.73.2.edu17.2. RAY482.4. Syn.74.2. du17.4. RAY498.13. Syn.73.2. edu17.3. RAY482.1. Syn.74. edu17.




9.WOODRUFF
RAY403.1.Syn.74.ed117.

10.Blue Feld MADDER u.CIFAVERS.or.GOOSEGRASS.12.SQUINANCYWORT.
RAY403.1.Syn.74.ed117.


RAY403.1.Syn.74.ed110.
RAY404.1.Syn.74.ed110.1.RAY405.c.g.1.Syn.74.ed118.





ENGLISH Whirl PLANTS with Hooded & Lipt FLOWERS. TAB XXXI


16 nonnon MOTHER of THYME 1 Large flowred MOTHER of THYME 15 pright broad THYME 4 LEMON THYME.



5 Water WHIRL-MINT 6. Common Water MINT 7. Red MINT 8. Crofs Whirl MINT RAY 530. LSyn 78. Led 123. 1. RAY 533. 12. Syn 78. 3. ed. 123. 4. RAY 530. 2. Syn 78. 2. ed. 123. 3. RAY 531. 2. Syn 78. 1. ed. 124. 6.



oESSEXPepperMINT 10FALESPepperMINT 11Long HORSEMINT 12Round HORSEMINT RAY5327-Syn179.5.ed124.2. RAY Syn.edit.124.5. RAY532.9-Syn179.6.ed124.3. RAY532.7-Syn179.6.ed124.4.



The state of the s

ENGLISH Whirl PLANTS with hood & lipt FLOWERS. TAB. XXXII.


LNEP or CAT-MINT. 2Penny-Royal Pudding grafs. 3. White HOREHOUND. 4. Stinking HOREHOUND.
RAY.548. 1. Syn80. ed. 125. RAY.533. LSyn.79. ed. 125. RAY.556. LS. 81. ed. 128. RAY.571. LSyn.84. ed. 132.



5. Water HOREHOUND. 6. Wood BETONY. 7. HEDGE NETTLE. & ENGLISH CLARY.
RAY. 535. LS. 79. ed. 125. RAY. 550. LS. 80. ed. 127. RAY. 548. Syn. 80. ed. 127. RAY. 545. 12. Syn. 80. ed.



9. Great Wild BASIL 10. Small Wild BASIL 11. Common SELF-HEAL. 12. Baje HOREHOUND. RAY.558. ed. 129. RAY.553. 1. S. 81. ed. 128. RAY.551. 1. Syn. 80. ed. 128. RAY.552. 1. Syn. 81. ed. 128.



South Read FIANNES and hood


The state of the s

10000

1 2 - 1 1 1 1 1 1 1 1 1

ENGLISH PLANT Swith Hood & Lipt FLOWER S. TAB XXXIII.


1. Ground Jry. or ALEHOOF . 2. Red ARCHANGEL . 3. Red cut leaved ARCHANGEL 4. Great HENBIT.
RAY 567.1. Syn. 131. et. 83. RAY 559.3. Syn. 129. et. 82. 2. RAY 560. 6. Syn. 129. 3. et. 82. 3. RAY 560. 10. S. 1.29. 4. et. 824.




5. White ARCHANGEL. 6 Yellow ARCH-ANGEL: 7. Bafturd Balm 8. Purple NETTLE HEMP. RAY569.1. S.129.1. est. 82.1. RAY560.11. Syn. 129.5, est. 82.5, RAY561.13. Syn. 129. 6 S. 82.6. RAY561.13. S. 129. 7 Syn. 82.7.




9. Clowns ALL HEAL: 10. 2010 IRONWORT: 11. Narrow IRON WORT: 12. ROWN IRONWORT: RAY 563. 3. S. 130. 1. e.t. 83. 1. RAY 566. 15. S. 130. 3. e.t. 83. 3. RAY 566. 16. S. 130. 4 et. 83. 4






ENGLISH Whirl PLANTS with Hood or Lipt FLOWERS. TAB XXXIV.


1. Common CALAMINT. 2 Field CALAMINT. 3. Common BUGLE. 4. Mountain BUGLE.
RAY509. Wyn. 83. cd. 131. 1. RAY509. 2 Syn. 83. cd. 132. RAY575. 1. Syn. 84. cd. 133. 1. RAY575. 2. Syn. 85. 2. cd. 133. 2.



5.MOTHERWORT 6. SCORDI.UM. 7.Wood SAGE. 8.Wild MARJORAM: RAY571.LS. 05.ed. 134. RAY576.c.308.05.ed.133. RAY576.c.29.Syn.05.ed.133. RAY539.4.Syn.00.ed.126.1.




9. GROUND-PINE · 10. HOOD-MINT · 11. Small HOOD MINT · 12. VERVAIN · RAY573.15.84.ed.132 · RAY572.15.84.ed.132 · RAY573.15.84.ed.132 · RAY573.15.84.ed.132 · RAY535.1. Syn. 79. ed. 135 ·






ENGLISH CAPSULES with SNOUT FLOWERS. TABANY

1. Small TO AD -FLAX Stratt SNAPDRAGON. 3 Printed FLUELLIN. 4Round FLUELLIN.
RAY 760. 32 Strate 6. 6. 6. RAY 760. 31 S. 105. 1. ads 63. 1. RAY 759. 35 Sto 5. 3. ads 60. 3. RAY 759. 34 Sto 5. 4. ads 60. 4.




5.Comon TOADFLAX. 6.Blwifh.Sweet TOADFLAX. 7.BUTTERWORT. 8.Hurple FOXGLOVE.
RAY7521.5.105.1.edx60.1.RAY756.20.5.105.2.edx60.2. RAY7511.5.yn.104.1.edx59.1.RAY767.1.5.yn.106.edx61.




Section 1 of the section of the sect

Allender with the second of th


A Contraction




2. Quick in Hand Touch me note Yellow RATTLE 3Tall Red RATTLE 4Comon Red RATTLE RAY 1328.cv. S. 209. ed 282. RAY 769. v. 5. 106. v. ed 162. 1. RAY 770. 6. Synna o 6. 3. ed 162. 3. RAY 770. 5. 5. 106. 2. ed 162. 2.



slomon EXE-BRIGHT & Vellow Marsh EXE-BRIGHT-Red EXE-BRIGHT & ORION red EXEBRIGHT RAY 772.4 Syn. 107.4 ed. 163.4 RAY 772.3 S. 107.2 ed. 162.2 RAY 773.5 S. 107.3 ed. 162.3.



9 Comon COW-WHEAT. 10 Crefted COW-WHEAT 11 Great BLADDERS NOUT 2 Small BLADDERS NOUT RAY 775, 45, 100, 2 cd, 164, 2 RAY 775, 35, 164, 2 RAY 775, 45, 100, 2 cd, 164, 2 RAY 775, 35, 164, 2 RAY 775, 25, 164, 2 RAY 775, 2 RAY




A PROTESSION OF REVENUE AND A STREET


rahal (mix di

17.7

ENGLISH HERBS with Heel'd FLOWERS.&c. TAB.XXXII



5. Bog VIOLET. 6Yellow Rock VIOLET. 7. Hairy Wood VIOLET. 8. Garden PANSIE. RAY1050.4. S. 52.4. ed 214.4. RAY1052.6. S. 153. 10. ed 215. 10. RAY1051.5. S. 6. ed 215. 6. RAY1052.2. S. 152.7. ed 215.7.



9. Corn PANSIE. 10. Great Yellow PANSIE. 11. Base DYERS-WEED. 12. Comon DYERS-WEED. RAY 1053.7. Sig3. 9. ed 215. 9. RAY 1052. 5. Sig 3. 8. ed 215. 9. RAY 1053. 2. Sig3. 1. ed 216. 1. RAY 1054. 8. Sig3. 2. ed 216. 2.







ENGLISH PLANTS with Rough HEADS, as CROWFEET.

TAB. XXXVIII.


1. PILE WORT. 2. Sweet Wood CROWFOOT. 3. Upright Meadow CROWFOOT. 4. Bulbous CROWFOOT RAY. 579. Wyn. 85. ed. 134. RAY. 584. 1. Syn. 86. 6. ed. 135. RAY. 583. 7. Syn. 86. 6. ed. 135. RAY. 581. 2. 862. ed. 135.2.




5. Rate upright CROWFOOT. 6. Doodys Trifal CROWFOOT. 7. Creeping CROWFOOT or Butter cups. 8. Thames CROWFOOT RYS. 8. 6. 2. ed. 13. 6. 1.




6.RAY. Hairy CROWFOOT. 10. Corn CROWFOOT. 11 SMALAGE CROWFOOT. 12 Jeg CROWFOOT.
RAY. 883. 10. S. 86. 3. ed. 13.5.5. RAY. 88. 1.5. 87. 7. ed. 13.6. RAY. 88. 1.5 ym. 87. 8. ed. 13.6. 1. RAY. 86. 2. Syn. 87. 9. ed. 13.6. 2.






ENGLISH PLANTS with Rough Heads &c. TAB XXXX

1. Water CROWFOOT with various Leaves. 2. Fine Water CROWFOOT. 3. Fine trimed Water CROWFOOT.
RAY: 506.3 Syn. 87. 10. ed. 136.3. RAY: 586.4 S. 87. 11. ed. 136.4. RAY: Syn. 24. 2. ed. 136.5: 4. Fennell Water CROWFOOT.



5. Great SPEAR-WORT. 6. Small SPEAR-WORT. 7. MOUSE TAIL. 8. ADONIS Hower Red Miches RAY 587. 8. Syn. 88. 14. ed. 137. 8. RAY 587. 7. S. 88. 13. ed. 1377. RAY 1332 C. V. S. 209. ed. 282. RAY 59 6. 1. Syn. 88. ed. 137.



9. Common MALLOW. 10. Dwarf MALLOW. 11. March MALLOW. 12. Vervane MALLOW. RAY 599. 1. Syn. 88. 1. ed. 38. 1. RAY 599. 2. Syn. 88. 2. ed. 38. 2. RAY 60 2. 15. 89. ed. 138. RAY 60 4. 15 yn. 89. ed. 139.






ENGLISH PLANTS with Rough HEADS & Naked SEED. TAB. XL.

LAVENS Hert BENNET. 2. Great flowred AVENS. 3. Mountain AVENS. 4. Childring AVENS.

RAY 606.1.5.89.1.edu 3.9.1. RAY. 606.2.5.89.2.edu 3.9.2.RAY. 607.3.5.89.3.edu 3.9.3. RAY. 607.4.5yn.89.4.edu 3.9.4.



5. Cinque foil AVENS. 6 Germander AVENS. 7. Common STRAWBERRY. 8. Barren STRAWBERRY. RN. 60 8.10.5. ed 2.p.139. 6.RAY. 608.5.89.5. ed 139.5 RAY. 609.1. Syn. 90. 1. ed 140.1RAY. 61. 2. Syn. 90. 3. ed 140.



9.Wood ANEMONY. 10.PASQUE Flower 11.TRAVELLERS JOY.12.PlainTRAVELLERS JOY.
RAV. 624.1.5.93.1.ed.144.1.RAV.634.23.593.ed.144.RAV.630.1.5yn.92.ed.143.



the state of the s

ENGLISH PLANTS with Rough Heads & Naked SEED. TAB. XII.


1PurpleHar/ACINQUEFOIL. 1RISHMar/ACINQUEFOIL. 3. Common CINQUEFOIL. 4. Smalls ough CINQUEFOIL. RAY. 60. cd. 14. 2. RAY. 612. 7. Syn. cd. 12. RAY. 612. 7. Syn. cd. 12. 2. RAY. 612. 7. Syn. cd. 12. RAY. 612. 7. Syn. cd. 12.



5. Wormentell CINQUEFOIL. 6. Upright WEIH CINQUEFOIL. 7. SCOTCH CINQUEFOIL. 6. Shrub CINQUEFOIL.
RAY 613.14.5.90.3. cd.141.4 RAY 616.1. Syrugu. cd.141.1 RAY 54n.91.4. cd.142. 4 RAY 616.5.5.5.91.2. cd.1422.



gTORMENTIL SEPTFOIL. 10PLOT STORMENTIL .11. SILVERweed.wild TANSEY. 12. MOS CAT ELL.
RAY 617. 1. Syn. 91. ed. 14.2. RAY 618. 3. S. 91. 2. ed. 14.2. 2 RAY 617. C16. Syn. 91. ed. 14.2. 3 RAY 684 C27. S. 98. ed. 15. 1.



n i Markov kon krist e modelek Novi i most e s

ENGLISH HERBS with 5 leaved TLOWERS & Star Heads. TAB. XLII.

ORPINE or Live-long. 2. ROSE-ROOT. 3. NAVEL-WORT 4. HOUSELEEK.


RAY 689. Logn. 99. ed. 15.2. RAY. 690.7. J. 99. ed. 15.2. RAY. 1878. 1. Syn. 99. ed. 15.3. RAY. 687. 2.




g. Comon Yellow SENGREEN. 6. Gooked Vollow SENGREEN, Propletting SENGREEN. 0.Br. Hol SENGREEN. RAY 69 1. 2. S. 99. 1. ed. 15 2. 1. RAY. 69 1. 3. Syn. 99. 2. ed. 15 2. 2. RAY 69 1. 2. S. 99. 2. ed. 15 2. 4. RAY. Syn. 99. 3. ed. 15 2. 2.




gSTONEGROPor Wall Pepper, 10. Mild White STONECROP. 11. Green BEAR'S FOOT. 12. SETTER-WORT.
RAW 104113. Sigo 3. ed. 15 3. 5. PAY 104114. Sigo. 4. ed. 15 3. 6 PAY 1097. 2. S. 100. 1. ed. 15 3. 1. PAY 1098. 3. S. 100. 2. ed. 15 3. 2.






ENGLISH PLANTS with STAR & ROUGH HEADS, TAB. XIII


1. Ma/h-Marigold. 2. Globe CROW-FOOT. 3. Water GLADIOLE. 4. COLUMBINES.
RAY.700.cg. 5.100.ed. 54. RAY.700. wyn.100.ed. 154. RAY.701.c.12. 5.101.ed. 155. RAY.706.1 Syn.101.ed. 155.



5. STARWater PLANTAIN. 6. Broad water PLANTAIN. 7. Nav row Water PLANTAIN. 8. Small water PLANTAIN.



9.6 rufe ARROW- HEAD. 10 Broad ARROWHEAD. 11. Marrow ARROW-HEAD. 12. Small ARROW-HEAD. RAY 519. 192. ed. 143. RAY 619. 1. 5. 92. ed. 143. RAY 619. 1. 5. 92. ed. 143. RAY 619. 2. 501. 192. ed. 143. RAY 519. edit 2. p. 143.





White BRIONY 2Black BRIONY 3Herb CHRISTOPHER 4. Butchers - Broom
RAY 650. Wyn. 95. ed. 46. RAY 660. 2. S. 95. ed. 46 RAY 662. 1. Syn. 95. ed. 47. RAY 664. 612. S. 95. ed. 47




5. SOLOMONS SEAL O. Sweet SOLOMONS-SEAE, 7 LITY CONVALLY & HERBPARIS. ONE BERRY RAY 664. 2. 3. 5. 6. 2. 6. 2. 6. 2. 6. 2. 8. 2. 8. 48. 6. 7. 2. 8. 48. 6. 7. 2. 8. 48. 6. 7. 2. 8. 8. 2. 8. 48. 6. 7. 2. 8. 6. 7.




BITTER-SWEET 10.CommonNIGHT SHADE 11DWALE Deadly Night/hade 12. Wild SPARAGUS
RAY 672.1.5.96.1.ed.149.1. RAY 672.2. Syn. 97.2. ed.149.2. RAY 679.1. Syn. 97. ed.149.2. RAY 679.2. RA





ENGLISH HERBS with 4 Leaved FLOWERS & Long Pods IAB XIV.

1.JACK by the HED GE 2 TREACLE WORMSEED 3.WALL HOWER, or STOCK 4. SeaSTOCK GYTLY HOWER.
RAY 792.c. 9.S. 10 9. ed 165 RAY 611. 2. Syn. 13. 1. ed 170. 1 RAY 782. 2. Syn. 108. ed 164 RAY 780. 3. S. 108. ed 164.




5. White Thorow COLEWORT 6. Sea COLEWORT. 7. Round TURNEP. 8. Long TURNEP. RAY797. 20. RAY796.13. S. 109. ed. 166, RAY 800.1. S. 110. ed. 167, RAY800.2. S. 110. 2. ed. 167.2



9.Wild NAVEW. 10.White MUSTARD. 11 Comon MUSTARD. 12.Wild MUSTARD. RAY802.2.S.110.ed.167.RAY802.2.S.111.3.ed.168.3.RAY803.3.S.111.ed.167.RAY802.1.Syn.11.ed.168.2.





ENGLISH PLANTS with 4 Leaved FLOWERS & Long Pods. TAB. XIXI.


1. Winter CRESS. 2. Early Winter CRESS. 3. Hedge MUSTARD. 4. Broad Hedge MUSTARD. RAY 809.8. Syn. u. 2. 2. edu 69.2. RAY 809.8. RAY 810.9. S. u. 2. 3. edu 69.3. RAY 811.3. S. u. 3. 2. edu 70.2.




5. Water ROCKET. 6 Sea. ROCKET. 7. Man. ROCKET. 8 Wall ROCKET.
RAY 808.3. S. 11.2.1.ed 169.1. RAY 840. C.14. S. 118. ed 176. RAY 809.5. S. 11.2.2. ed 169.2. RAY 807.4. S. 11.2.1. ed 169.1.



9. Garden RADISH 10. White CHARLOCK. 11. Great White CHARLOCK. 12. FLIX-WEED.
RAY804.1. S.111.ed.168.1. RAY805.2. S.111.2.ed.168.2. RAY806.4. RAY812.10. S.113.3.ed.170.3.







ENGLISH HERB Swith 4 Leaved FLOWERS & flender Pods. TAB. XIVII.

1.Bitter CRESS. 2.Water CRESS. 3.Early Water CRESS. 4. Harry CRESS.

RAY 814.1.Syn.114.1.ed.1711. RAY 816.6.S.115.6.ed.172.6. RAY 3.413.1.S.115.7.ed.172.7. RAY 815.5.S.114.4.ed.171.4.



5. Lady Smock or CRESS. 6 Double Lady CRESS. 7. Impatient CRESS. 8. Trefoil CRESS. RAY 814.2. Sn4.2.ed171.2. RAY. Syn. 114.2.ed171.2. RAY 815.4.S. 114.3. ed171.3. RAY 817.11.



9 Daisy CRESS. 10. Tower MUSTARD. 11. Great Tower MUSTARD. 12 Daisy Tower MUSTARD. RAY 517.10. S. 114. 5-ed. 17.2.5. RAY 799.3. S. 110. 1. ed. 166. RAY 799.5. RAY 799.6. S. 110.2. ed. 166.






ENGLISH HERB Swith 4 Leaved FLOWERS, Short Pods & Husks.

TAB. XIVIII

1Thale CRESS. 2. Broad Thale CRESS. 3. Wreathed CRESS. 4 Small wreath CRESS.

RAY 800.7. Syn. 110. ed. 166. RAY Syn. 241. ed. 166. 2. RAY 789. 6. Syn. 109. ed. 164. RAY Syn. 109. 2 edit 2. p. 165. 2.




5. Speedwell CRESS. 6. Whitlow CRESS.
RAY 790.4. Syn. 109.3. ed. 165. 3. RAY 789.1. S. 109.1. ed. 165.

7.NotchedWhitlow CRESS.8.Iri/hRu/h CRESS.

RAY Syn. ed 2. p. 281.



9. WOAD. w.PEPPR-WORT.DITTANDER. u. GOLD of Pleasure. 12. Sea Grape COLEWORT. RAY 842. Syn. 113. ed. 176. RAY 828. 1. Syn. 117. ed. 174. RAY 820. 1. S. 113. ed. 174. RAY 83. 6. c. 10. S. 118. ed. 176.



of that & P.R.S.O. Smood What Side

 $N_{\rm cons} = 0$

and the second second

* 12-4

.

South State of the State of the Control of the State of t


1. W.

357613


Carlo Mark

ENGLISH HERBS with 4 leaved FLOWERS & Short Cods. TAB.XLX


1. Garden SCURVY-GRASS. 2. Sea SCURVY-GRASS. 3. Tvy SCURVY-GRASS. 4. SHEAPERDSPURSE.
RAY822. L.S.115. edi73.1. RAY823.2. Syn.116. edi73.2. RAY824.6. Syn.edi73.4. RAY83.8. 4. S.118. 6. edi76.7.




g_RaggedSHEAPERDsPURSE. 6.SmallSHEAPERDsPURSE. 7.WholeSHEAPERDsPURSE. 8.Broad WATER-RADISH.
RAY819.3.S.115.ed.17.2.1.



9. Small lagged WATERRADISH. 10. Great lagged WATERRADISH. 11. Broad HORSE RADISH. 12. lagged HORSE RADISH. RAY 818.1. S. 15. 2. ed. 172.2.






ENGLISH HERBS with 4 Leaved Flowers & round flat Cods. TAB. 1.


1.Narrow Wild CRESS. 2. Shepherds CRESS. 3.WEL HRock CRESS. 4. Fine CRESS. RAY 825.2. Synu6.1.ed1741. RAY 827.9.S.116.2. ed174.2. RAY 3p.413.3.S117.4.ed174.4. RAY S.236.ed.174.5.



5. Valencia CRESS. 6. Wart or Swines - CRESS. 7. Common Cow CRESS. 8. Smooth Cow CRESS. RAY 826.8. Sur. 3. ed. 74. 3. RAY 843. c. 20. Syn. 19. cd. 177. RAY 830. 1. S. 117.1. ed. 175.1. RAY Syn. 11 8. 5. ed. 175. 5.



9. Penny CRESS. 10 Hoary CRESS. 11. Woad CRESS. 12. Small thorow CRESS. RAY 831.5. S. 117. 3. ed. 175. 3. RAY 831. 2. S. 117. 2. ed. 175. 2. RAY 832. 10. S. 117. 4. ed. 175. 4. RAY 832. 8. S. 236. ed. 176. 6.






ENGLISH HERBS with 4 Leaved FLOWERS & small Cordated Pods. TAB. 51.

1. Broad vpright SPEEDWEL. 2. ComonMale SPEEDWEL. 3. Meadow SPEEDWEL. 4. Stalkt SPEEDWEL.


RAY845. L. Syn. 119. 1. RAY851.7. S. 121.13. ed. 179.13. RAY850. 3. S. 121.1. ed. 179.12.

RAY845. L. Syn. 119. 12. RAY850. 4. St. 121.12. ed. 179.13. RAY850. 3. S. 121.12. ed. 179.12.



5_Ltaft spikedSPEEDWEL 6. SmoothSPEEDWEL 7. Garden SPEEDWEL 8. Wall SPEEDWEL 9. Ruc SPEEDWEL

RAY 846 3. Stig. 2. cd177.2. RAY 848 6. Stig. 3 cd178.3 RAY 847, 3. Stig. 4. cd178.4. RAY 847, 2. Stig. 5 cd178.5 RAY 848.5. Stig. 6. cd178.6.




10. Jvy SPEEDWEL. 11. ComonBROOKLIME. 12. Long BROOKLIME. 13. NarrowBROOKLIME. RAY848.4. \$1.20.7. ed. 178.7. RAY852.1.\$1.20.8. ed. 178.8. RAY852.4. \$1.20.9. ed. 179.9. RAY852.5.\$1.20.10. ed. 179.10.




en de la companya de la co ENGLISH Plants with Four-leaved FLOWERS. TAB. LII.

1. Wild POPPY. 2. Corn POPPY 3. Long POPPY. 4. Yellow POPPY. RAY 854. 3. S. 121. 1. cd180. 1. RAY 855. 4. S. 121. 2. cd180. 2. RAY 850. 7. S. 122. 5. cd. 180. 5. RAY 856. 9. S. 122. 6. cd. 180. 6.




Rough round POPPY. 6. Rough long POPPY. 7. Yellow HORN POPPY. 8 Purple HORN-POPPY. RAY 855.5. 5. 122.4. ed. 180.4. RAY 856.6.5. 122.3. ed. 180.3. RAY 857.12.5.12.7. ed. 180.7. RAY 857.14.5. 122.8. ed. 181.8.






ENGLISH HERBS with Fore-leaved FLOWERS. TAB. LIE.

1. oreat SmoothWIII.0W HERB. 2.R. ays WIII.0W HERB. 3.Midle SmoothWIII.0W HERB. 4.Small SmoothWIII.0W HERB RAY 861.6.5.1.23.4. ed.182.4. R. 862.9.Syn.124 fed.182.7.RAY 861.7.Syn.123.5. ed.182.5.RAY 862.8.Syn.124.6.ed.182.6.




FNGLISH HERBS with BELL-FLOWERS. TABLEN.

1. Great BINDWEED. 2. Small BINDWEED. 3. Narrow BINDWEED. 4. Sea BINDWEED. RAY 725. 6. S102.1. ed. 157. 1. RAY 725. 7. S. 102.2. ed. 157. 2. R. 725. 8. Syn. 102.3. ed. 157. 3. R. 726. 12. S. 102.4. ed. 157.4.



5. RAMPIONS. 6. Round BEIL-FLOWER. 7. Tall round BEIL-FLOWER. 8. by BEIL-FLOWER. RM 739. n. S. 103. 4. edu 58. 1. R. 740. 12. S. 103. 5. edu 58. 2. R741.17. S. 103. 6. edu 59. 3.



9. Giant THROAT-WORT. 10. Small THROAT-WORT. 11. Great THROAT-WORT. 12. Small VENUS LOOKING-GLASS.
RAY 732.1. S. 103.1. cd. 158. 1. R.735.18. S. 103. 2. cd. 158. 2. R.743.4. S. 104. 7. cd. 159.






ENGLISH HERBS with y Leaved hollow FLOWERS.


TAB. IV.

1 Horned RAMPIONS. 2. Scabious RAMPIONS. 3. Marsh GENTIAN. 4. Dwarf GENTIAN.

RAY744. 2. Syn. 104. 9. edi 50. 1. R. 744. 2. S. 104. 10. edi 50. 2. R. 719. 6. S. 101. 1. edi 50. 1. R. 719. 7. S. 102. 2. edi 56. 2.





5. BUCK-BEANS. 6. Greek VALERIAN. 7. Small CENTORY. 8. Vellow CENTORY. R. 1099. c. 14. Syn. 161. cd. 226. R. 1102. 20. S. 163. cd. 228. R. 1092. 1. Syn. 159. cd. 224. R. 1093. c. 10. S. 160. cd. 224.



9. Manured FLAX. 10. Wild FLAX. 11. Narrow FLAX. 12. Twging FLAX.

R. 107 2. 1. S. 157. ed. 220. R. 107 3. 2. S157. 2. ed. 220. 2. R. 107 4. 13. S. 157. 4. ed. 221. 5. R. 107 6. 21. S157. 5. ed. 221. 6.





ENGLISHPLANT Swith 5 Leaved FLOWERS. TAB. 56.


1. Wall PINK. 2. Wild PINK. 3. Single PINK. 4. Moss PINK. R. 988.5. S. 138.2. ed. 199.2. R. 199.2. 1. Syn. 242. ed. 199. R. 1004.11. S. 141. 6. ed. 202.15



5. Deptford PINK. 6. Lagged PINK. 7. Great PERIWINCKIES. Small PERIWINCKIE R. 9914. S. 139.3. ed 199.3. R. 1000. 6. S. 139.3. ed 200.3 R. 1091. 2. S. 242. ed 223. 2. R. 1091. 1. S. 159. ed. 223.




9. Yellow PRIMROSE.10. OX-SLIPS. 11. COW-SLIPS or PAGILS. 12. BIRDS-EYN.
R1080.1. S158.1.ed. 222.1. R1081.4. S.158. 2. ed. 222. 2. R1081.5. S158. 3. ed. 222.3. R1084.9. S159. ed. 223.




tory with their

ENGLISH Plants with 5 leaved Flowers. TAB. 57.


1. Sea CAMPION. 2. Bladder CAMPION. 3. SOPE-WORT. 4. Hollow SOPE-WORT.
RN 998.3. S. 13.9.1. ed. 199.1. R. 998.1. Syn. 13.9.2. ed. 199.2. R. 999.2. S. 140.6. ed. 200.5. R. 999.2. S. 140.7. ed. 200.6.



5. White CAMPION. 6. Red CAMPION. 7BroadWhite CATCHFLY. 8 Red German CATCHFLY. R994. 2. S. 140. 8. ed. 200. 7. R994. 3. S. 140. 9. ed. 200. 8. R. 1001. 5. S. 140. 11. ed. 201. 13.




9 DENT'S Small CAMPION. 10 Night CAMPION. 11 Spanish CATCH-FLY. 12. COCKLE.
R.996:13.5.140. 10.cd. 201.9. R.994.5. 5.141.13.cd. 201.12. R1002.9.5.141.15.cd. 201.14. R.998.1.5.139.4.cd. 200.4.



The first of the first of the control of the contro

ENGLISH PLANTS with 5 Leaved, Forked FLOWERS. TAB. 58.

1. 6 reat STITCH-WORT | 2. Middle STITCH-WORT | 3. Lefter STITCH-WORT | 4. Bogg STITCH-WORT | R1027-2. S.146.1.cd. 207. 1. RAC. S. 245. pl. 3. ed. 207. 2. R1027-2. Syn. 146. 2. ed. 207. 2. R1020. 21. S147. 8. ed. 209. 10.



5 Broad Havy STITCH-WORT 6 Navvow Havy STITCH-WORT Buddles Havy STITCH-WORT 8 Mouse car STITCH-WORT. Rso 29.14.5.146.3.ed.208.5. Rso 29.15.5.146.4.ed.208.6. R. R. 2027.5.5.248p. 2.ed.208.4.




9 Snowdon STITCHWORT. 10 Welfh STITCHWORT. 11 Marsh CHICKWEED. 12. Comon CHICKWEED. R. Syn. 147. 5. ed. 209. 11. R. 1030.19. S. 147. 6. ed. 209. 11. R. 1030.19. S. 147. 6. ed. 209. 12. Comon CHICKWEED.






ENGLISH Chick-weeds, Spurreys Pearl-worts &c. TAB. 59.


1. Plantam CHICKWEED. 2. Wall CHICKWEED. 3. Grafs CHICKWEED. 4. Mount CHICKWEED. R. 1032, 5. S. 148.2. ed. 209. 2. R. 1031.1. S. 147.1. ed. 209.1. R. 1031.4. S. 1983. ed. 209.3. R. 1033. x. 1. S. 148.4. ed. 209.4.



5 Sand CHICKWEED. 6. Corn. SPURRY. 7. Sea. SPURRY. 8. Purple SPURRY. R. 1032-9. S. 1485 ed. 2105. R. 1034-19. S. 148. 6. ed. 210. 8. R. 1034-20. S. 148. 8. ed. 210-10. R. 1034-18. S. 1487 ed. 210. 9.




9.RAY Stitch-wort. 10.PEARL-WORT. x1.Plots PEARL-WORT. 12.Leaft RUPTURE-WORT. R.1025.1.S.145.1.ed.2061. R.1026.5.S.145.2.ed.2062. R.1026.6.S.145.3.ed.2073. R.10267.S.146.5.ed.2075.






ENGLISH PLANTS with 5 Leaved FLOWERS. TAB. 60.


1.Comon DWARF Ciftus. 2.Kendal DWARF Ciftus. 3.Brent DWARF Ciftus. 4.Iersey DWARF Ciftus. R4Y1033.1.5.142.1.ed.202.1.R.1015.7.5yn.142.2.ed.203.2.RAY.5yn.143.3.ed.203.3. R.1012.2.5.238.ed.203.



5.Comon Stohnswort. 6.Upright Stohnswort. 7 Bray blade Stohn WORT. 8.Ground Stohnswort. R1018.5. S.143.1. ed. 203 1 R1019.11. S.143.2. ed. 203.2. R1019.11. S.143.2. ed. 203.2. R1019.11. S.143.3. ed. 205.3.



9.TUTSANorPARKleaves.10.Tutsan S.TOHNSWORT.115.*PETERS-WORT.12.HoavyS.PETERSWORT. R1020.16.5.143.6.ed.204.6.R1020.17.5.143.4.ed.204.4.R1019.12.5.144.7.ed.204.7.R1020.18.5.144.8.ed.205.8.




The Advances is a Military of the self of

7 (8 N.) 1 (2 A.) 2 (8 N.)

to see


ENGLISH Plants with 5 leaved Flowers ._ TAB. 61.




5. Harry PRIDE. 6. White PRIDE. 7. Trifid PRIDE. 8. Rue PRIDE. R. 1046. 8. S. 151.1.ed. 213.1. R. 1048. S. 151.3. ed. 213.3. R. 1043.21. S. 151.6.ed. 213.4. R. 1043.21. S. 151.6. S. 151.6.



9PURPLE Heath SENGREEN. x.RAYS Yellow SENGREEN. x.1WhitzHousleek. 12Parnafs Grafs R. 1940.6.8.150.2.ed 212.2. R. 1042.208.150.5.ed 212.3. R. 10401.8.150.1ed 212.1.R1049.6.4.8.151.ed 213.






ENGLISH Mulleins, Loose-strife's &c.


TAB. 62.

1. Comon MULLEIN 2. Small MULLEIN 3. Sage MULLEIN 4. White MULLEIN RAY 1094. 1. S. 160. 1. ed. 225. 1. R. 1094. 3. S. 160. 2. ed. 225. 2. R. 1095. 7. S. 160. 4. ed. 225. 4. R. 1095. 5. 160. 3. ed. 225. 3.




5 Killow MOTH-MULLEIN 6 Spiked LOOSE-STRIFE 7 Short LOOSE-STRIFE 8 Trefril LOOSE-STRIFE RAY HIJT: Plant p. 1096 1. R. 1036 1.S. 149. ed. 212.

RAY Syn. 149. ed. 212.




g. Kellow LOOSE-STRIFE, x. Vellow blobe LOOSE- x. ComonWINTER - 12. Pointed WINTER - 13. Chickweed W.

RAY. 1021. 1. S. 144. 1. ed. STRIFE. R. 1022. 5. S. GREEN R. 1233. 2. S. GREEN R. 1233. 2. S. R. 1101. C. 19. S. 162. ed. 227.






ENGLISH Plants with 5 leaved FLOWERS. TAB. LXIII.






ENGLISH Cranebills, with g leaved FLOWERS.



ENGLISH Cranesbills with 5 leaved Flowers &c. TAB. 65.



incompared to the second secon


i,

ENGLISH Herbs with Bulbous Roots. TAB. 66.

1. Crow GARLICK 2. Flowring Crow GARLICK. 3. Twinheaded GARLICK. 4. Raven GARLICK.


RAY 1117.4. Syn. 164.1.ed.

229.1.




6. Furple I.E.E.K.S. 6. Corn GARLICK. 7. Holm GARLICK. 8 RAM SONS.

RAY Syn. 165.6. ed. 230.6. RAY 1119. 3. Syn. 164. 3. RAY 1125. 2. Syn. 165. 4. ed. RAY 1112. 12. Syn. 165. 5. ed. 230. 6.




9 Lancashire ASPHODEL 10 Green spiked Bethlem Star. 11. Common Bethlem Star. 12. Yellow Bethlem Star.

RAY 1195. 2. Syn. 169.1. RAY 1153.12 Syn. 166.2.ed. RAY 1153.13 Syn. 166.3.ed.
231.2. 231.3. 231.3.




A STATE OF THE WAY OF THE STATE OF THE STATE OF

1. Lenyds Snowdon BULB. 2. Meadow SAFFRON. 3. Itue SAFFRON. 4. English HYACIN'I H.
RAY Syn. 160. ed. 233. RAY 1170.1. Syn. 167. ed. 2,32. RAY 1170.1. Syn. 167. ed. 2,32. RAY 120. g. 20. Syn. 167. 2. ed.




5. Star HYACINTH. 6 Augumn Star HYACINTH. 7. Jake HYACINTH. 8 Hornsey DAFFODIL
RAY1155.1. Syn. 267.1. ed. RAY1157.13. Syn. 267.3 ed. 232.3. RAY1325.c. 12 Syn. 208.
23.21.





9. English DAFFODIL. 10. Frimrose DAFFODIL. 11. Yellow Flower de-luce. 12. Sanking Gladdon.

RAY 1131. 5. Syn 166. 1ed 230. 1. RAY 1135. 23. Syn 166. 2, ed. RAY 1186. 24. Syn 168. 1. ed. RAY 1190. 7. Syn 168. 2, ed. 234. 1.



ENGLISH Orchis'es with double or single Roots. TAB. 68.







FNGLISH Orchis'es with double, or handed Roots. & Rapes. TAB. 60.

1 Great Fly-Orchis. 2 Humble Bee Orchis. 3 Green-wing d Humble-Bee. 4 Sweet White Orchis RAY 1220.36 Syn.17 L.11. RAY 1221.39 Syn.172.12. ed.238.12. RAY 1220.33 Myn: ed.









ENGLISH Orchis-like Plants, with scaly or threddy Roots. TAB. 70.

3 Purple Birdsnest. 4 Ladies Slipper. 1 Great Toothwort. 2. Brown Birdsnest. RAY 12201. Syn 174. ed RAY 1220.1 Syn 174. ed. RAY 1220 3 Syn 1743 ed RAY 1232. 12 Syn 175. Fl Blush
Apr.May
Shady place
& roots of
Trees 5. Blackish Helleborine. 6 Greenish Helleborine. 7 White Helleborine. 8 Marsh Helleborine.

RAY-1231. 6. Syn. 176. 2. RAY-1230. Syn. 174. 1. ed RAY-1231. 6. Syn. 175. 3. ed. RAY-1231. 10. Syn. 175. 5. ed.

241.1 Il Whitish. May & Tune Fl dark red Fl Greenish Fl. mirt Iuhy. &c. On divers Vor Hilly Wood Low woods Shady Groves mountains Boggs &c. oLong, nomted Helleborine . 20 Common Tway blade . 11 Least Twablade . 12 Marsh Tway blade. RAY 18m 275.4.ed. 2 42.5. RAY 1232.1 Syn 1751.ed RAY 1232. 2 18m 1762.ed RAY 1232.4 Syn 176.3.ed. Fl Greenish Floreen ish Jun Iu ly &c. In divers moory Hoaths in y North InBoggy & Fenny grounds Fl. Greenish Time V.c. Wet Meads, moye Woods pritty com mon





Rock-chiffs

Wet Rocks

ENGLISH Miscellany Plants. TAB. 72.

1 Water Valerian . 2 Marsh Valerian . 3. Small floured Marsh Valerian 4. Corn-Sallet. RAY 388.2. Syn.60. RAY 388.3. Syn.61.2. RAY 389.4. Syn. 61.3. ed. 98.3. RAY 392.1. Syn. 61. ed. 98.2. 11. Ed. 98.1. 5. Tagged Corn-Sallet. 6. Sea Lavender. 7.SmallSeaLavender. 8. Common Thrift. RAY 392. 2. Syn. 61. 2. RAY 395. 15yn. 61.ed. RAY 39 5. Syn. 61. ed 99. RAY 1037.1. Syn. 149. Salt Mars Mountains L.Purp. Tun.Y. Amongst Con Fl. Bhush. 9 Branched Bur-Reed. 10. Unbranched Bur-Reed. 11. Leaft Bur-Reed. 12. Dodder . RAY 1311. 2. Syn. 205.1. RAY 1311. 2. Syn. 205.2. RAY 1312.3. Syn. 205.3. RAY 1903. C.2.

7.3

PLANTS already Engraved in Mr. Petiver's ENGLISH HERBAL.

Herbs with Stamineous, Threddy or Blink Flowers.

Blink, Flowers.


SECT. I.

Male Hops Ray Hift. Plant. 156. Syn. 52. T.1. F.1.
Female Hops. Ray Hift. & Syn. id. Tab. 1. Fig. 2.
Male Homp. Ray H. Pl. 138. 1. Syn. 53. Tab. 1. Fig. 3.
Female Homp. Ray id. Tab. 1. Fig. 4.
Male Dog's Mercury R. 163. 1. Syn. 53. 1. T. 1. 5.
Female Dog's Mercury R. 163. 1. Syn. 53. 1. T. 1. 5.
Female Dog's Mercury R. 163. 2. S. 54. T. 1. 7.
Female French Mercury R. 163. 2. S. 54. T. 1. 19.
Small Nettle Ray 160. 4. S. 54. T. 1. 19.
Small Nettle Ray 161. 5. S. 54. T. 1. 10.
Roman Nettle Ray 161. 5. S. 54. T. 1. 10.
Roman Nettle Ray 161. 5. S. 54. T. 1. 10.
Roman Nettle Ray 161. 5. S. 54. T. 1. 10.
Roman Nettle Ray 161. 5. S. 54. T. 1. 10.
Small Bardock Ray. 173. 6. Syn. 55. T. 1. 12.
Smootl Sharp Dock Ray 173. 6. Syn. 55. T. 1. 12.
Smootl Sharp Dock Ray 173. 6. Syn. 55. T. 1. 2. 2.
Smootl Sharp Dock Ray 174. 4. Syn. 56. T. 2. 5.
Bloodleis Dock Ray 174. 5. Syn. 56. T. 2. 5.
Bloodleis Dock Ray 174. 8. Syn. 56. T. 2. 5.
Bloodleis Dock Ray 174. 8. Syn. 56. 6. Tab. 2. 8.
Broad Dock Ray 174. 8. Syn. 56. 5. Tab. 2. 10.
Full Gold Dock Ray 174. 8. Syn. 56. 5. Tab. 2. 10.
Full Gold Dock Ray 174. 8. Syn. 56. 5. Tab. 2. 11.
Trailing Buck-wheat Ray 182. 2. Syn. 57. 2. Tab. 2. 11.
Trailing Buck-wheat Ray 182. 2. Syn. 57. 2. Tab. 3. 1.
Sheep's Sorrel Ray 178. 1. Syn. 56. 9.
Barnen Sheep's Sorrel T. 3. 3.
Welft Sorrel Ray Syn. 57. 10. T. 3. 4.
Common Affmart Ray 183. 2. Syn. 58. 2. Tab. 3. 6.
Sported Affmart Ray 183. 2. Syn. 58. 2. Tab. 3. 6.
Sported Affmart Ray 183. 2. Syn. 58. 3. Tab. 3. 7.
Spotted hoary Affmart Tab. 3. 10.
Bobarts Affmart Ray 183. 2. Syn. 58. 4. Tab. 4. 7.
Common Rifmart Ray 184. 6. Syn. 58. 4. Tab. 4. 7.
Common Rimart Ray 187. 1. Syn. 184. 1. Tab. 4. 1.
Dented Plantain Ray 87. 4. Syn. 185. 3. Tab. 4. 5.
Common Rimart Ray 877. 4. Syn. 185. 3. Tab. 4. 6.
Mountain Ray 877. 5. Syn. 185. 6. Tab. 4. 7.
Common Rifort Ray 187. 1. Syn. 185. 7. Tab. 4. 7.
Childing Ribwort Ray 877. 1. Tab. 4. 8.
Sea Plantain Ray 878. 1. Syn. 185. 7. Tab. 4. 7.
Childing Ribwort Ray 187. 1. Syn. 60. 1. Tab. 5

Natrow Grafs Pondweed Tab. 5. Fig. 11.
Fine Grafs Pondweed Ray 189. 7. Syn. 61. 7. Tab. 5. 12.
Fennel Pondweed Tab. 5. Fig. 13.
Taffel Pondweed Ray 190. 10. Syn. 62. 16. Tab. 6. 1.
Horned Pondweed Ray 190. 10. Syn. 62. 16. Tab. 6. 2.
Water Starwort Ray 1923. Syn. 280. 1. Tab. 6. 3.
Long Water Starwort Ray Syn. 280. 2. Tab. 6. 4.
Feather Pondweed Ray 191: Syn. 280. 2. Tab. 6. 5.
Fine Feather Pondweed Ray 191: Syn. 279. Tab. 6. 5.
Fine Feather Pondweed Ray. 191. 2. Syn. 280. 5. Tab. 6. 7.
Knotted Pondweed Ray. 191. 2. Syn. 280. 5. Tab. 6. 7.
Knotted Pondweed Ray. 191. 2. Syn. 280. 5. Tab. 6. 9.
Long Golden Saxifrage Ray 207. 1. Syn. 62. Tab. 6. 9.
Long Golden Saxifrage Ray 207. 1. Syn. 65. Tab. 6. 10.
Connwal Pennywort Ray. Syn. 211. 14. Tab. 6. 11.
Marth Pennywort Ray. Syn. 211. 14. Tab. 6. 11.
Delt Sea Orrach Ray 192. 3. Syn. 62. 1. Tab. 7. 1.
Delt Sea Orrach Ray 193. 10. Syn. 63. 4. Tab. 7. 2.
Frofty Sea Orrach Ray 193. 10. Syn. 63. 4. Tab. 7. 2.
Igaged long Orrach Ray 192. 4. S. 62. 3. Tab. 7. 4.
Spear Orrach Ray 192. 4. S. 62. 2. Tab. 7. 5.
Grafs Sea Orrach Tab. 7. 6.
Sea Purllain Ray 195. 3. Syn. 63. 8. Tab. 7. 7.
Heart Sea Purllain Ray 196. 2. Syn. 65. 11. Tab. 7. 10.
Stinking Orrach Ray 198. 11. Syn. 64. 6. Tab. 7. 11.
Wild Spinage Ray 195. 1. Syn. 64. 8. Tab. 7. 12.
Rands Oak Blite Tab. 8. 1.
Froft Blite Ray 198. 8. Tab. 8. 2.
Buddle's Fig Blite Tab. 8. 4.
Tbick finning Blite Ray Syn. 64. 5. Tab. 8. 5.
Sharp pointed Blite Ray Syn. 64. 5. Tab. 8. 6.
Maple Blite Ray 8. 7.
Broad pointed Blite Ray Syn. 64. 5. Tab. 8. 6.
Maple Blite Ray 8. 7.
Broad pointed Blite Ray Syn. 64. 5. Tab. 8. 6.
Maple Blite Ray 8. 7.
Broad pointed Blite Tab. 8. 8.
Sea Bet Ray 200. Syn. 65. Tab. 7. 9. Thick finning Blive Ray Syn. 64. 5. Tab. 8. 5. Sharp pointed Blive Ray 8. 7. Syn. 64. 3. Tab. 8. 6. Maple Blive Ray 8. 7.
Broad pointed Blive Tab. 8. 8. Sea Beet Ray 204. 3. Syn. 65. Tab. 8. 9.
Wall Pelliony Ray 206. 1. Syn. 66. Tab. 8. 10.
Tree Stonecrop Ray 199. 17. Syn. 65. 10. Tab. 8. 11.
Shrub Stonecrop Ray 199. 16. Syn. 65. 9. Tab. 8. 12.
Small Glaffwort Ray 198. 14. Syn. 65. 9. Tab. 9. Fig. 1.
Prickly Glaffwort Ray 212. 2. Syn. 67. 3. Tab. 9. Fig. 1.
Prickly Glaffwort Ray 212. 1. Syn. 67. 3. Tab. 9. Fig. 3.
Woody jointed Glaffwort Ray 211. 1. Syn. 67. 2. Tab. 9. 4.
Baftard Toad-fiax Ray 399. 7. Syn. 99. Tab. 9. Fig. 5.
Upright Kanwell Tab. 9. 6.
Spreading Knawell Ray 213. 1. Syn. 68. 1. Tab. 9. 7.
Pepper Grafs Ray 1325. 10. Syn. 281. Tab. 9. 8.
Ladies Mantle Ray 208. 1. Syn. 281. Tab. 9. 8.
Ladies Mantle Ray 208. 1. Syn. 66. Tab. 9. 9.
Small Ladies Mantle Ray 209. 4. Syn. 65. Tab. 9. 11.
Parly Piert Ray 209. 14. Syn. 67. Tab 9. 12.
Common Knotgrafs Ray 184. 1. Tab. 10. 1.
Thick fet Knotgrafs Tab. 10. 2.
Short leaved Knotgrafs Tab. 10. 4.
Sea Knotgrafs Tab. 10. 4.
Sea Knotgrafs Ray 214. 3. Syn. 68. Tab. 10. 7.
Valentua Knotgrafs Ray 214. 3. Syn. 69. Tab. 10. 9.
Hoary Rupture-wort Ray 214. 6. Syn. 69. Tab. 10. 9.
Hoary Rupture-wort Ray 214. 5. Tab. 10. 11.
Blink's Ray. 1035. 26. Syn. 211. 14. Tab. 10. 12.

N. B. The Figures of all these Plants done on Copper Plates are ready to be delivered upon paying 10 s. in Hand, and in May next, on depositing a Guinea they shall be made up 600. and 10 s. more, when they amount to One Thousand Trees and Herbs, all which shall be of the Growth of Great Britain and Ireland. Such Generous Patrons will be pleased to give one Guinea in Hand, instead of 10 s. to forward this Work, shall have a TABLE Dedicated to them. Any Person subscribing for Five Books, shall have a Sixth Gratis.

LONDON, Printed for Mr. Christopher Rateman, Bookseller in Pater-noster-row, where Subscriptions are taken and the Figures delivered.



Hortus PERUVIANUS Medicinalis:

OR,

The SOUTH-SEA Herbal.

Containing the Names, Figures, Use, &c. of divers Medicinal Plants, lately discovered by Pere L. Fenillèe, one of the King of France's Herbalists.

To which are ADDED,

The Figures, &c. of divers American Gum-Trees, Dying Woods, Drugs, as the Jesuits Bark-Tree and others, much defined and very necessary to be known by all such as now Trassick to the South-Seas, or reside in those Parts.

TAB. I. Medicinal PERU Plants.

I G. 1. Peru Chilca or Long Fleabane.

Conyza frut. fol. angust. nervosis L. Feuillée p. 750.

Conyza Afric, humilis, fol. angustioribus nervosis, Floribus umbellatis Infl. Rei Herb. 455.

It has a pleasant Smell, the Indians make a Tea of it, to strengthen their Stomach.

2. Manga Paki or Round Peru Fleabane

Carres of Upberund autrinous acuto F. p. 740.

a. Manga Paki or Round Peru Fleabane
Conyza fol. fubrotundo utrinque acuto F. p. 749.
This is a fweetning Herb, Aftringent and Vulnerary, the
Natives drink a Tea of it in Cholick Pains, Diffenteries, and
other Fluxes, Grows 4 Feet high with blewish Flowers, in
the Valleys about Lima the Capital City of Peru.
3. Paica Julio. Bidens Mercurialis folio, st. radiato F. 744.
Its Flower-rim white. Grows about Lima and Callao.
4. Cuiez-bane. Bidens fol. trinervi lanceato, fl. singulari &
radiato F. 766.
The Flower-rim composed of 6 yellow Petals. Grows in the

Tadiato F. 766.

The Plower-rim composed of 6 yellow Petals. Grows in the Ploney Valleys of Lima. It's a purging Plant, but rarely used by reason of its Violence, they also think it a Poison, because it kills a House Animal call'd Cuiez in Peru and Chili.

5. White, Mugwort Bident. Bidens Arthemisia folio, st. alboradiato F. 745.

Found in the Plains about Lima.

6. Heart-leaved Marcoco.

Forma in the Tailis adout Limit.

6. Heart-leaved Maracoc.

Granadilla ponifera, Tilie folio F. 720.

Its Rays crimfon with a white Circle in the middle. Grows in the Vallies about Lima in divers Places, it's also nursed in their Gardens.

7. Trifid, spotted Maracoc.

Granadilla fol. tricuspidi, obtuso & oculato F. 718.

Observed in a Garden at Malambo, in the Suburbs North

8. Caigua or striped Melon.

Momordica fructu firiato lævi.
The Natives eat its Fruit in their Broths which much refreshes and cools them, the Heats there being very excessive.

A. and B. are 2 small Beetles which feed on the Leaves of this Plant.

this Plant.
9. Lima Pumkin.
Melongena Laurifolia, fr. turbinato variegato F. 735.
Its Flower white with a purple Star, the Fruit much eaten at Lima but apt to caufe Fevers, which are there difficult to cure. C. its Fr. Slit. 10. Purple Bladder Nightsbade

Alkakengi amplo fore violaceo F 724.

They boil 3 or 4 of these Berries in White-wine or Water, and drink it with wonderful Success in Stoppage of Urine or Gravel.

11. Ancoacha or yellow Malion.

Malva lutea, calyce fimplicit, obtufo Carpini folio, pediculis florum prælongis F, 750.

Its Flower yellow with a purple fringed bottom and cordated Petals. A Tea of this is wonderful in Alls of the Stomach, the Indiana pick and make a Poulrils of it, which they apply to ripen Swellings and use it as an Universal Remedy. Grows in moist Ground and by River-sides North of Lima.

12. Lima Tea. 12. Lima Tea.

Capraria Peruviana Agerati foliis, absque pediculis F. 764.

Pere Feuillée says, the Virtues of this Herb (which are the same with the China Tea) was not known in Peru till 1709.

N. B. This feems to be the same or little different from Dr. Sloan's West-India Tea, which he has described in his Nat. Hist. of Jamaica p. 209. pl. 25. who says it's call'd in Curassow Cabrita and Capraria because the Goats there feed on it, which last Name our Author here calls it by. J. Petiver.

TAB. II. Medicinal Peru and Chili Plants.
Fig. 1. Ima Tobacco.

Nicotiana minor, fol. cordi formi, tubo Floris prælongo F. 717. Its Flower of a greenish yellow. Grows in Valleys.
2. Ray-leaved Rionom

2. Ray-leaved Bignon.
Bignonia fl. luteo, foliis radiatis, & elegantiffime diffectis F. 731.
Found in a very dry Place at the Foot of high Mountains about

3. Broad Clove-strife.

3. Broad Clove-firife.

Onagra Laurifolia fl. amplo pentapetalo. F. 716.

* Small Female Clove-firife.

Onagra minor, fl. luteo pentapetalo.
The Flower yellow and L. like the last, but both smaller.
The Indians highly esteem these 2 Shrubs, making a Poultise of the L. pickt, which sweetens, mollifies and discloses, sit therefore to dissipate inveterate Tumors and Buboes which are very common in those Parts. These grow by River sides.

4. Log rooted yellow Wood-forrel.

Oxys luteo slore, rad. crassissima F. 734.
Grows on the Mountains of Peru, &c.
5. Spotted Mountain Pelegrina.

Hemerocallis sl. purpurascentibus maculatis F. 711.

Hemerocallis fl. purpurafcentibus maculatis F. 711.

The Beauty of this Flower is, in having 3 of its Petals spotted, the rest plain, and therefore the Spaniards call'd it Pelegrina or Curious.

6. Ylo Hounds-tongue.

Groups of the Manager of the Manager

7. Malla or Peru Crefs Fiolet.
Cardamindum quinquifido folio F.756.
This elegant Plant the Spaniards call Paxarito because its Flower is composed of 2 particular large yellow L. extended like the Wings of a Bird. Grows about Lima.

8. Lima Flower fence or Tava.
Poinciana spinosa Feuillée. 572.
The Dyers use the Husks of this Fruit to dye black, they soke some of the Pods all Night in Watet, mix a little Allum with it, and boil it to a due Thickness, which makes a very sine Black and strong Juk.

Allum with it, and boil it to a due Inicknels, which makes a very fine Black and strong Ink.

Medicinal Chili Plants.

9. Datic Ragwort or Nilque.
Jacobea Leucanthemi vulg. folio F. 759.
Its Flowers yellow. They drink a Tea of this after the cold Fit, which abates the hot in intermitting Fevers. Grows on the ragged Sea Banks of Chili, &c.

10. Chili Dutroa or Floripondio.

Stramonoides arboreum oblongo & integro folio, fiudu lævi F.761. Corramonoides an orient opiongs of integro tone, fitth law 18-791.

Grows in Chili about a Vard high, with a white Flower for very fweet, that a fingle Plant is enough to perfume a whole Garden. They apply the L. to haften the Suppuration of Tunors which it does effectually. N. B. This Plant bears the Flower of a Stramonium or Thorn apple, but differs in its Fruit being finooth, there is a fort of this in the Hort. Malabarieus Vol. 2. This 20. Vol. 2, Tab. 29.

11. Chili Nightshade

The Natives were ignorant of the Virtue of this Plant until The Natives were ignorant of the Virtue of this Plant until the Negroes came amongst them who were subject to a certain Difease which kill'd them in their Prime, it was an extraordinary Extension of the Anus attended with a Fever, which was so mortal, that many of them dy'd before they discover'd this Remedy. They juice the tops of this Plant, mixing it with Rose water and a little Allum, which taken cures their Ail, stops the Fever, and they become very well. With this Juice they also bathe their Eyes, which takes away all Pains and Dimness in them. This Soxerigm Plant grows about a Yard high, on the Mountains of Valparaiso, &c.

12. Oak-leaved Bitterspeet.

Solamum foilis Queroinis. F. 722. Its Flower purple, found with

12. Oak-leaved Bitterspeet.

Solanum foliis Quercinis. F. 722. Its Flower purple, found with the laft, and grows near 2 Yards high.

TAB. III. Medicinal Chili Plants.

Fig. 1. Carlet Avens or Quellgon.

Caryophylata fol. alatis, fl. amplo coccineo F. 726.

Its an Aperitive Herb, which the Natives make a Tea of to keep their Bodies in order. Grows about half a Yard high on the fides of Manuating. on the fides of Mountains.

2. Purple Septfoil.

Pentaphylloides Alcea minori folio, fl. purp. F. 763.

Grows about a Foot high, with a purple Flower, on the Banks of the River Plata.

3. Panama Centaury.

3, Panama Centaury.

Centaurium minus purp, patulum F. 747.

"This Plant is very bitter." They make a Tea of it which is Aperitive and Sudorifick, it fortifies the Stomach, kills Worms, cures intermitting Fevers and the Jaundice, it's allo given with very, good Succels in Rheumarlight, &c. They take it as hot as may be in Bed, covering themselves close, to provoke Sweat. N.B. The History of the Academy Royal des Sciences A.D. 1707, p. 65. 8°. gives great Encomiums to this Plant, which they lay has a fragrant Smell like Natural Balfam, and is so great a Sweetner of the Blood, that it's a specifick in Pleurises, and in Fevers they use it instead of the Festits Bark. Its found plentifully about Panama and divers other Places, that which grows on the Mountains is efteem'd the best. J. P. 4. Upright Putple Wood-forrel. 4. Upright Purple Wood forrel.

Onys roles fore exection F. 733.

They make a Tifan or Broath of this Herb, which is opening its Lare tart and refreshing, they abate Choler and cool the Heat of the Blood. Grows on the vast Plains along the Ri-

ber Plata.

6. Light or Purple striped Day-Lilly, Hemerocallis flor, purpurateentibus striatis F. 710. Grows by River fides.

7. Salfilla or Purple climing Lilly.

7. Salfilla or Purple climing Lilly.

Hemerocallis feandens, flor. purpureis F. 713.

The Natives use the Root of this and attribute the same Virtues to it as Sarsaparilla, they insufe it all Night in cold Water, and drink it for Pains in the Stomach atio, and find great Relief by it.

8. Illeu or Chili Spiderwort.

Bermulana cærulea, Phalangii ramosi facie F. 715.

Grows au Mountains.

Grows on Mountains.

9. Tellow Star-leaved Salfa.

Salfa fol. radiatis, floribus fubluteis F. 716.
The Author fays this Plant is very well known in Europe for its Use in Venereal Diseases.

its the in Penereal Diseases.

10. Nuil or Gland-flag.

Epipadis flor. uno versu dispositis F. 727.

Its Flowers all white. The Natives drink a Tea of it in Stoppage of Usine proceeding from the Gravel, it's also good to expel Wind. Grows on Mountains and dry Places.

White Gravity with a vellow Lin. White Gavilu with a yellow Lip.

Privadis fl. albo F. 727.

Grows 3 Foot high, in the same places with the last, and has the like Virtues.

has the like Firstes.

12. Piguicken with a greenish Flower,

Epipadis st. virescence & variegato F. 727.

Grops on the sides of Mountains a Yard high,

13. Gavish with a large yellow Flower.

Epipadis amplo flore sure of 7,729.

The Indian Women newly said in, mix the Juice of this Plant with their Broths to cause their Milk to return, which it does in plenty.

TAB. IV. Medicinal Chili Plants.

Fig. 1. Y Ellow Hedge Hyffope. Gratiola fol. subrot. nervosis fl.

The Indians eat this Herb in their Soops to resresh them. Ellow Hedge Hyffope. Gratiola fol. Subrot. nervofis fl. Grows in moift Ground and by River fides.

2. Bloody, streakt Rampion.

Rapuntii facie, fol. finuatis, flore ampliffimo fanguiñeo & firiato F. 729.
Grows near Rivers and in moist places 2 Foot high.

3. Tupa or Chili Cardinal Flower.

Rapuntium fpicatum foliis acutis F. 739.
Its Flower red. Grows on Mountains. The Root and Bark Its Flower red. Grows on Mountains. The Root and Bark Spieds a venemous Milk, which will endanger the Eyes like Spinge, the very Smell of the Flower causes Vomiting, and the whole Plant is reckoned a violent Posson.

4. Tall Chili Violet.
Viola arborescens, Origani acuto folio F. 738.

A Tea of this is opening, its Flower blew and without Scent.
Grows by River fides a Foot and an half high.

5. Blew Chili Milkwort.

5. Blew Chili Milkwort.

5. Blew Ohn Minkwott.
Polygala cævulea, angustis & densioribus Foliis F. 721.
The Natives make a cold Insusion of this Herb all Night in Water and drank in the Morning proves a strong Diurstick and eales Pleuritick Pains. Grows on Mountains.
6. Chili Panke.

Banka drang density folio F. 741.

o. Chili Panke.
Panke Anapodophylli folio F. 741.

They eat the raw Stalks peeled, which are of a sweetish agreeable Taste, they also drink a Tea of its Leaves, which very much refreshes them in violent Heats. The Tanners boil the Roots of this with their Skins which very much thickens the stalk wide a black Due. Grows in paid being Planter and the Roots of the Roots

the Roots of this with their Skins which very much thickens them, it also yields a black Dye: Grows in moist boggy Places and by River fides:
7. Chili Llau-panke.
Llau-panke amplissimo Sonchi folio F. 74t.
They apply the Juice of this Plant to ease the Pain and stop the immoderate Flux of the Piles, they use also the Grounds of it Poultise-wise. The Dyers mix it in their Compositions to stain Black. Grows about a Yard high.

8. Pichna with Purstain Leaves.
Tithmalus perennis Portulaca folio F. 707.
The Inhabitants of Chili, &c. mix some Drops of the Milk of this Spurge in a large Glass of Water or Broth, which moderately and kindly purges them, for which Cause they

moderately and kindly purges them, for which Cause they call it the weak or Female Pichua. Grows commonly on the Sea Coafts in floorey and dry Places.

9. Veiny heart-leaved Spurge.
Tithymalus fol. trinervils & cordatis F. 709.

Grows with the last and purges like it.

ro. Male Pichna Spurge,
So call'd because it works more violently both upwards and
downwards. It differs from the others, but grows in the same Places.

11. Chili Ortiga.

Origa urens, Acanthii folio F. 757.
Grows in Valleys about a Cubit high. N.B. Of this Species is the Frutex pungens & urens Marger, 79. Fig. or the slinging 11. Dyers Itin.

11. Dyers Itin.

11. Dyers Itiu.

Peryclymenum fol. acutis, flor. profundè diffectis F. 760. Grows about 4 Yards bigb, with Scarlet Flowers on the fides of Mountains. They use the Chips of this Wood with the Roots of Panks at Fig. 6. mixt with a black Earth call'd Robbo, these they boil in Water to a just height, with which they dye their Stuffs of a fine Black, which fades not like those of Europe.

12. Pillabilcum or Chill Polypody.

Polypodium tad. squamola F. 755. Filix Dasyloides perelegans Mus. Petiver 215. Ray Vol. 3. p. 72.

A Tea of this opens Obstructions and the Natives dink of it, when their Stomachs are overcharged. Found on the side of a

when their Stomachs are overcharged, Found on the fide of a Mountain near Pincho in Chili. It also grows about Mount Sc-

Mountain near Pincho in Chili. It also grows about Mount Serado on the Goaft of Africa.

13. Chili Guilno or Punging Oat-grass.

Gramen Bromoides Cathartnum F. 705.

They make a Tea of its Roots which they drink hot in a Morning which purges them; its Tafte like its Operation little different from Sena. Grows in manly and met Places.

TAB. V. American Gumetrees and others very defirable. Fig. t. Dellium. Is said to flow from the Trunk of a Thorney Tree, call'd Bdellia growing in Arabia and India, its Leaves are like the Oak, the Fruit resembles a Fig and of a pretty good Relist. The Gum of a ditters and turns yellow upon the Tongue, the best comes in oval Drops, is fragrant, reddish and transparent, it's used both externally and internally, being aperitive, sudorifick, digestive and discussive, it hastens Birth, provokes Terms and results Foison. fifts Poifon.

thits Forjon.

2. Cancamum. Refembles feveral forts of Gums or Rofins of different Colours clotted or sticking together, it's said to come from Analia, Pomet says it was brought him from America A.D. 1686. by Dr. Brifet of 4 different Colours clinging together, issuing from a Tree of a moderate height, Lemery says it strengthens the Stomach and Bowels, kills Worms and seems Christichians of the Solem. Sec.

lays it itrengthens the Stolmach and Dowers, Kins Worms and opens Obstructions of the Spleen, &c.
3. Bailam Copaiba, by some Colocai and by the Portuguese Gamemolo. Maregrave says the Wood is very red, which they saw into Boards for divers Uses, its L. 4 or 5 Inches long and

shell'd, with a Filbert-kernel, which bruifed smell like Peage. Pifo adds that the Fruit ripens in April which the Brasilian eat, by sucking the Juice and spiriting out the Skin; the Monkeys also are very greedy of them.

This Balm is yellower than Turpentine, and of a different Smell and Taste. It comforts the Stomach and Bowels, sweetens the whole Mass of Blood and is an admirablee Vulnerary, provokes Vrine powerfully and stops Fluxes of all kinds, it's sudovisck and cures most Diseases where Sweating is proper and equal, if not excells all other Natural Balsams. It's said and equal, if not excells all other Natural Balains. It's faid the Natives learnt the vulnerary Virtue of this Balm by observing

the Natives learnt the vulnerary Virtue of this Balm by observing the Hogs to repair to it when wounded.

4. Caranna. Flows from the Trunk of a Tree like a Palm, which grows plentifully in New Spain. Mr. Lemery fays it's so call'd from Cauthagena in the Spanish West Indies where it grows in plenty. It's so famed a Cephalick, Arthritick and Vulnerary, that it's usually said what Tacamahac cannot cure, Caranna can. Hennandez says it's a large Tree with longish L. growing Star-wife.

5. Copal. It's brought from New Spain and other Parts of 5. Copal.

5. Copal. It's brought from New Spain and other rates of America. Pomet fays this Gum flows from the Trunks and Branches of leveral large Trees growing on the Mountains with

Branches of leveral large Trees growing on the Mountains with Fruit like our Cucumbers but of a dark grey, in which is a mealy Flower of a very good Tafte.

6. Elemi. This Gum, (ays Pomet, flows from the Cut Trink and Branches of a midling Tree with long and narrow filvery L. and red Flowers, the Fruit of the Colour and Shape of Olives, and therefore by fome named wild Olives. It's of fin-

gular Use in all Wounds and Fradures in the Head and Scull.

7. New Balfam. In Colour and Shape like Tolu, but of a less agreeable Smell, its boil'd from small red cluster'd Fruit, whose L. are very large and broad. Grows in St. Domingo and the other Mer.

the other Ises.

8. Ballam Peru or Natural Balfam. This Pomet afferts, is made by boiling its Bask, Blanches and Leaves in Water, Comming off the Fat which is this black Balm. It's used as a great Pedoral, particularly in Assack Balm. It's used as a great Pedoral, particularly in Assack Balm. It's used as a great Pedoral, particularly in Assack Balm. It's used as a great Pedoral, particularly in Assack Balm. It's used as a great Pedoral, particularly flow from a little prickly Shrub growing in Arabia, Perssa, &cc. linding Defluxions into those Patts.

10. Liquid Amber. Comes by Incision from the Bark of a large Tree with Iny Leaves growing in Virginia and Mexico, where it's call'd Ocosoli to Ococol: It's very fragrant, confolides and mollifies the Hardnels of the Womb, is good in Sciatica, Rheumatism and Weaknels of the Nerves.

11. Tacamahae. Flows from the Bodies of large thick Trees

Aldersgate-street, London. May 21. 1715.

oval, bears a midling s leaved Flower, its Pods roundish, thin like our Poplars, growing plentifully in New Spain and Madagascar shell'd, with a Filbert-kernel, which bruised smell like Pease. where they are call'd Harame. The L small and dented, the Piso adds that the Fruit ripens in April which the Brasilians Fruit red of the Size of a large Nut, with a Peach-like Stone, odoriferous and Refinole. It's faid to eale all manner of Pains in the Head, Nerves, Joynts or Womb and very good in Vapours. It's so famous amongst the Indians, that they use it in all Pains whatever.

12. Ballam Tolu. It being brought from that Province in

12. Ballam Tolu. It being brought from that Province in New Spain feated between Carthagena and Nombre de Dios. It's of a grateful fragrant Smell, a great Pedoval, particularly in Pthylicks, Catarrhs and Defluxions. Outwardly it also eases old Aches and Pains in the Head and Joynts.

13. Brafil Wood or Pernambuck. Being the Place from whence it comes, where it is called by the Brafinans Ibirapitanga It's a thick large Tree with a reddift and thorney Bark, the L. small and blunt of a fine shining green. Its Flower little, sweet and of a beautiful red, with Pods flat and prickly. This Wood is used amongst the Dyers, and the Stationerrs make a Wood is used amongst the Dyers, and the Stationers make a red Ink of ir.

14. Campechy, Logwood or Brafiletto.

In the Bay of Campechy it grows plentifully and thither our English go to cut it, it's also found in other Parts of New Spain as at Sanda Cruce where there are whole Forrests of it. Pomer and Lemery are both mitaken in making this Tree the fame with our Jamaica Pepper, or All Spice., which we much better know than the Logwood, whole Flowers and Fruit we are as yet Strangers to.
15. Nephritick Wood.

15. Nephritick Wood. By reason it's a Sovereign Remedy for the Stone, Gravel, and Difficulty of Urine, it's also good in Ob-Inutions of the Liver and Spleen. Grows in New Spain and chiefly about Mexico. Hernandez says it's a large Shrub with little roundiff Leaves, its Flower yellow, long and little, growing in Spikes. The Mexicans call this Tree Costli and Tla-

palz patli.

16. Jefuits Bark or Quinquina.
This Figure is coppied from Pomet, who fays it grows on the Mountains near the City Loxa in the Province of Quito in Peru; its Size about that of a Cherry tree; the L. round and indented, its Flower reddiff, with a Pod including an Almondlike Kernel, covered with a thin Skin. Its Bark is much bet-ter known to us than either its Leaves, Flowers or Fruit. N. B. It is therefore highly to be with'd, that the Phylicians or other curious Persons who correspond to, or reside in those Parts where this Tree or any of the aforegoing grow, would be pleased to procure Branches of their Leaves, with its Flowers and Fruit on them, which Fayour should be acknowledged and more accurate Figures given of each, if communicated to your

James Petiver, F. R. S. Lond.

Books, Trasts, &c. Published by the Author.

E Piscibus Fluviatilihus Anglicanis. An Account of our Fresh-water Fishes, viz, such as are found in Lakes, Meres, Pools, Ponds, Brooks or Rivers. Price 6d.

Cochlearum & Crustaceorum Animalium Britannicorum Catalogus.

De Scarabæis Anglicanis. In which are named and described near 250 different forts of English Beetles in a Classical Method Price 1 s. 6d.

Price 1s. 6d.

De Bombyliis Anglicanis. Of English Humble Bees. Pr. 2d.

Mr. Ray's Method of English Plants illustrated. Price 1s.

English Plants, with stamineous, thready or Blink Flowers,
No. 120. whose Figures are already Engraven. Price 2d.

Mr. Ray's British Plants. Illustrated with 600 Figures, in
Folio Copper Plates. On which are Engraven their Names to
each, with References to his History and Synopsis of British
Plants, as all on the Places were growing. Colour of their Flowers. Plants, as also the Places were growing, Colour of their Flowers, and Time of Flourifying, if Annual or Perennial, Common or Rare, Medicinal or otherwise, The Flowers, Seed, Vessel, &c. Figured from the Life, and added to each different kind. Price One Guinea and an half.

The English or Latin Engraven Catalogues of the abovesaid

1 s. 6 d. each. 600 Plants.

Labels for Specimens of English Wild Plants. 15, 6d. Labels for Medicinal English and Foreign Plants, 15, 6d. and

Labels for Measuras English and Foreign Plants, 13.0a. and if defired, the Specimens themselves.

Botanicum Londinense, or London Herbal. Giving the Names Descriptions and Virtues, &c. of such Plants about London, as have been observed in the several Monthly Herborizings made for the Ule of the young Apothecaries and others, Students in the Science of Botan, or Knowledge of Plants. Price 23.6d.

Catalogues of Sheppy, Kentilb and Glocestershive Fossils, Pr. 6d.

A Voyage to the Levant, viz. Sardinia, Sicily, Cyprus, Scanderoon, Rhodes, Stanchio or Coos, Samos, Scio and Smynna. Giving an Account of each Place, their Inhabitants, Language, Coint, Weights and Macqures, their Provifons and Prices, Animals, Vegetables, &c. to which are added some Plants lately discovered on the Islands of Chio and Samos. Price 8d.

An Account of several Collectors of natural Rarities in Ita-

Price 6 d.

19. Fire 6 a. De Animalibus Crustaceis Caudatis. Of divers Crustaceous Animals, as Lobsters, Crawfish, Pawns, Shrimps, &c. extra@ed from P. Bellonius and G. Rondeletius with Remarks on them. Pr. 6 d. A Catalogue of the more Rave Plants, now and lately growing in the Physick Garden at Leyden. Price 8 d.

Catalogus Plantarum Indigenarum Hispanie & Italia, quorum Itones à Jacobo Barrelier nuper incitæ funt. Price 4 d. Plants observed on the famous Mountains and other Places about Geneva by the Celebrated Mr. Ray and other Botanists.

Price 1s.

Madam Merian's Hiftory of Surinam Infects, abbreviated and methodized, with some Remarks on them. Price 1s.


The Virtues of several Sovereign Plants found wild in Maryland with Remarks on them. Price 6d.

Pterigraphia Americana. In which are the complete Figures of near 200 different sorts of rare American Ferms, with divers Muslrooms, Coralls, Sponges, Shells, &c. Price 10.

Gazophylacium Natura. Containing the Figures of above 1200 different Animals, Plants, Foffils, &c. from all Parts of the World, with their Names, &c. in 100 Folio Copper Plates, Price 11. 10 s. The Catalogues and Descriptions separate 2 s. 6d.

Musai Petiveriani Centuria X. Figuris. Price 2 s. 6d.


N.B. Divers of these Trads are now so very scarce, that of some of them, there are not 20 left.






Planta Medicinales e PERU. Medicinall PERU Plants. TAB. I.







Planta Medicinales e PERU &c. Medicinall PERU Plants. TAB. II.


















Aromata INDIX, Radices & Gummi. INDIAN Spice, Roots & Gums. Tab. 6.
Folium Indum.
seu
Malabathrum R.1563. 4. Longum R.1204.C13. verum R1697. C.8 Caryophyllus Cloves R. 1508.1. Nux Moschata NUTMEG R.1522. Kinquina Jesuits Bark R.1796.C.9 enjamin Rhabarbarum or Rhubarb Sutton Nichells sculp



JAMES PETIVER

his BOOK,

For a Collection of whatever Trees, Shrubs, Herbs, Graffes, Rushes, Ferns, Mosses, Sea, or River-Weeds, &c. you shall find.


Directions for the gathering of Plants.

- Beferve to gather that part of each Plant which hath either Flower, Seed, or Fruit on it, but if none, gather it as it is, and if the Leaves which grow near the Root of the Plant, differ in Shape from those which grow at the top, (which frequently happens in Herbs) be pleased to add two or three of those lower Leaves to compleat the Specimen. And of each Tree, Shrub, Herb, &c. be pleased to Collect 3 or 4 Samples.
- 2. On whatever Tree, Shrub, Herb, &c. you find any ripe Seed, or dry Fruit, as Nuts, Podds, Heads, &c. Besides the Specimen gather some of the Seed or Fruit apart, with two or three of its Leaves (and Flowers if it have any) putting them into a piece of waste Paper, marking it with the same Mark or Number you do the Specimen. The like to be observed if you find any peculiarity in the Wood, Bark, Root, Gum, Rozin, &c. of any Tree or Herb.
- 3. Wherever you go asboar, or into the Fields or Woods, carry with you the Collecting-Book (to gather the Samples or Specimens in, which you must thist into this Book the same Day, or within two or three at farthest after you have gathered them) also a Knife, Pen and Ink, or Pencil, three or four Sheets of waste Paper (with some Thread) to wrap the Fruit or Seed in.
- 4. Entitle each Collection according to the Place and Time you gather them in, viz. These Plants were gathered at the day of Anno Dom.
- 5. If to any Plant you can learn its Name, Vertue, or Use, it will very much add to the Illustration of it,

And to the Satisfaction of

Your most Obliged Friend and Servant,

James Petiver.



Plantarum ITALIÆ, Marinarum & Graminum,

ICONES, NOMINA, &c.

TABULA PRIMA.

FUCI, Spongia, Penna, &cc. Maris Mediterranei. Fig. t. Alga spiralis maritim Ad Offia Tyberina, sequentibus. Alga spiralis maritima Bocc. Ray H. Plant. 1850.

2. Fungus Amanita, marinus purpurascens Barrel. pl. 1310.
3. Fungus Amanita, marin, gilvo-luteus Barrel. pl. 1311.
4. Dens Lupi Piscatoribus Bar. 1312. Sea Wolfs-tooth. It's a white or fleshy Fungole Body, about 2 Inches long with a po-

rose Bottom.

5. Penna marina carnea Barrel. 1313.
6. Penna marina purpurea 114. These Two are like Feathers in Quill and Plume, its base thorney, by which it sastens to other Bodies. 7. Penna marina spinosa rubra 1315. More fiesby and thicker

8. Penna marina spinosa grisea obsoleta 1316. More clammy

than the rest.
9. Fucus niger vermiculatus & viscosus 1317. Found on the

10. Fucus Latifol. Albicans, crispus, pilosus 1318. 11. Fucus angustifol. fruticans atropurpureus 1319. I often whitish. The Fishermen eat it with Oyl and Vinegar. Its Tips

12. Fucus fruticans Coralloides fubluteus major 1320. It eats like the last, but grows much thicker.

13. Eadem minor 1321. Its Flesh coloured and yellowish, they

mix it with Sallets.

14. Fucus crisques virens & è gilvo luteus 1322. It's soft, and eaten while fresh; its upper Tufts thick set, curl'd and green; the lower broad and black colour'd.

15. Fucus crispus loricatus nigricans 1323. It's 3 Inches long, thick branched and covered with curl'd black Hairs.

16. Fucus crispus niger, crasso & grumoso caule 1324. Its Stalks 4 Inches long, black and scaley, often ending in netted

Orallinæ, & c. Maris Mediterranei. Fig. 1. Fucus crispus niger tenuifolius 1325.

Fig. 1. Fucus critipus niger tenuifolius 1325.
2. Fucus fruticans tenuifolius atropurpureus 1326.
3. Corallina crititata minima 1328. It's foft and joynted, growing in Tufts of divers colours, as white, black, purple, greenith, Ge.

4. Corallina minima bifida 1329. Grows in longish Tails or Skains of very fine pale Threads much divided and ending forked.
5. Corallina minima Fæniculacea 1330. Its Threads finer than

the last and not so closely set.

the last and not so closely set.

6. Corallina minima crilpa, albida 1331.

7. Corallina critacea bisida 1332. It's brown with pale tips.

8. Corallina fishulosa fragilis crassior 1333. Ray 65. pl. 2. Of a stellar colour, each jaynt half an Inch long.

9. Corallina Fishulosa tragilis subtilior 1334. Ray 66. Much less than the last and whitish, its tips swelled and pounc'd.

10. Corallina Astaci corniculorum æmula 1335. Ray 79. 20.

11. Corallina frusicosa pennata 1336. A fort of yellowish Sea Feather, with crooked, inch long, joynted L. sacing one way.

12. Corallina capillacea è cinereo suca 1337. Its L. very sine and soft, growing in Tails like Spikenard.

13. Corallina tusca Famiculacea & mollior 1338.

14. Corallina teticulata 1339. This brownish netted Sea-moss, prowe to other Plants, Shells, &c.

13. Corallina fulca Faniculacea & mollior 1338.

14. Corallina reticulata 1339. This brownish netted Sea-mols, grows to other Plants, Shells, &c.

15. Lithophyton marinum albicans 1340.

16. Lithophyton cinereum rugolum 1341. CB. pr.153. pl. 2. Both these and most of the foregoing are found about the Tybers Mouth and on the Shores of the Tyrrhene Sea.

Tab. III. Gramina Italiana. Italian Grasses.

Fig. 1. Ramen fpica Brizze mays Barr. 1154. Grows in Hedges and dry Places.

2. Grammen Spica Rizze minus Barr. 1155. Common in Fields.

2. Gramen Spica Briza minus Barr. 1155. Common in Fields. 3. Gramen Sparteum spicatum, utriculis Festuca, majus 1156. 4. Gramen Sparteum spicatum, Lolii utriculis, minus 1157.

Differs from the last in having less and bearded Tufts.

5. Gramen Palustre locustis Eruca-formibus 1158. Its Spike 5. Gramen Palustre locustis Encas formibus 1158. Its Spike mear a Foot long and slifts, the back of each Tust is round, prickly and composed of a chassey Rowes.

6. Gramen Loliaceum spurium histurum, aristis genicularis, maximum 1159. The whole Spike a Spin or longer, with slender awned Huses, its Leaves and Statks havy.

7. Idem medium seu vulgare 1160. Grows with the last but differs in being less and having narrower Leaves and statemers Spikes.

derer Spikes.

8. Gramen Loliaceum junceum majus 1162. It's of a pale green. Grows on Mountains near half a Foot high.

Tunceum minus 1163. Grows with the loss,

but spreads on the Ground and is less.

but spreads on the Ground and is less.

10. Gramen junceum, nodosum, minimum, capillare 1164.

Grows in Hily Meadows and but tittle taker than the Figure.

11. Gramen Caryophyllatum Lobiaceum repens 1167. The lower Leaves broad, stiff and pale, its Stalks two Cubits talk.

12. Gramen Alopecurium viride & molli spica 1179. It's fost downy Spikes 2 Inches long and hairy.

13. Gramen Cristatum perenne majus 1186. Its Spikes 4 Inches long with party-coloured Glumes or Chass of pale and green, in which and being slenderer it differs from the next,

14. Gramen Cristatum annuum minus 1187.

15. Gramen Alopecutum pratense, panjuda sericea 1188

15. Gramen Alopecurum pratense, panicula sericea 1188. 16. Gramen Asopecurum pratente, panicula fericeà 1188.
16. Gramen Typhinum prat. tuberofun, fpica afperà 1189.
Tab. IV. Ramen Typhin. arvenfe rad. tuberosâ, fpica afperâ, Fig. 1. longâ 1190. Its Roots more fiesby and less thready than the last.

2. Gramen Typhinum supinum tuberosum, spica non aspera 91. It's broad Leaves, crooked Stalks and smother Spikes distinguish it from the rest.

3. Gramen Typhinum fupinum Italicum minus 1192. Head's foft and short.

4. Gramen Typh. maritimum, longius radicatum 1193

4. Gramen Typh. maritimum, longius radicatum 1193; 5. Gramen Typh. Phalaroides majus bulbof. aquat. 1200. 6. Idem minus 1201. More flender and prickly than 5. 7. Idem Spica pilosà 1202. In watery Ditches with the 2 laft. 8. Idem Arvense 1203. On the Walls of Rome, &c. 9. Gramen proliferum, paniculà janthina minus 1212. 11. Gramen paniculà crispà 211. These 3 about Rome. 12. Gramen Enathemum Palustre, tenui & sparsă Briza paniculà 1216. Grows on wet Banks by River sides.

13. Gramen Phalaroides sparsa Briza panicula minus 1211.

14. Gramen Phalar iparsa panicula, minimumanguftif. 1218, 15. Gramen Tremulum majus, erecta panic. citrinum 1222. 16. Gramen Tremulum minus, erectà collectaq; panic. 1223.
Tab. V. Ramen Phalaroider majus, acerosa erectà parvà prig. 1. micula 1224. Grows on Mountains.
2. Gr. Phalar. majus acerofum, nutante [pica 1225. Ramen Phalaroides majus, acerosa erecta parva pa-

2. Gr. Phalar. minus, erectă îpică, obliquis arifitis 1226. 4. Gr. Phalar. îparîa & nutante Briza paniculă, obliquis ariftis, minus 1227.

5. Gr. Avenaceum angustifol. panicula pyramidali 1233.
6. Gr. Sparteum Bromoides, brevioribus utriculis, nutante panicula 1234. It's a rough dry Glass.

vina 12,4. 12, 100go any Galy, 7. Gr. Spart. Brom. longioribus & erectis utriculis 1235, 8. Gr. Spart. Brom. panic. fpicata,majoribus utriculis 1236, 9. Gr. Sparteum five Ægylops Spartea villola 1237, 10. Gr. Festuceum Myurum elatius, spica heteromalla gra-

cili 1241. 11. Scirpus maritimus capite glomerato 1246. Ray 1298. 17.

12. Scirous marit. minor, graculiore spica 1247.
13. Scirous capitulo singulari, rad. tomentosa 1249.

14. Cyperoides latifolium minus 1256.

15. Cyperoides latifol. typhâ erecta minus 1257. Shady Hills. 16. Cyperoides angustifol. typhâ nutante minus 1258. Found in Woods.

L O N D O N:

Printed for Fames Petiver in Aldersgate-street. MDCCXV.

Where may be had Mr. RAT's English Plants Illustrated with 600 Figures on Folio Copper Plates. Price 1 l. 12 s. 6 d. Aquatilium Animalium Amboina, Icones & Nomina. Price 10. s. Pterigraphia Americana; In which are Figured near 200 rare Sorts of American Ferns &c. Pr. 10 s. Hortus Peruvi mus Medicinalis, or South-Sea Herbal; Containing the Figures, Names, &c. of divers Medicinal Herbs and Gum Trees from those Parts. Price 2 s. 6 d. Musai Petiveriani Centuriæ X. Figuris. Price 2 s. 6 d.

with 1997 /

Source of the 1997 /


Source of

ethek


Filci, Spongiæ, Pennæ & Mulci, maris MEDITERRANEI. Levant Sea-Weeds. TAB: I.





Musici marini, Corallina &c. Maris MEDITERRANEI. Levant Sea Mosses &c. TAB II.





and the second section of the second section of the second section of the second section of the second section of














The management of sale

A Printer

And allow the last

Service Control

.

Water to the same

RARIORUM JCONES

Aliarum minus vulgarium CATALOGUS.

A Jacobo Petiverio, S. R. S. Lond.

Tab. 1. Fig. 1. Calaf & Ban Ray Hift. Plant. 1424. Chabr. 66. f. 4. lB. 220. f. Salix Ægyptiaca Park. 1433. fig. 6.
2. Sebeflena fylv. CB. 446. 2. Frudu minore ferotino Nob. Ray 1555. c. 25. Var. Chabr. 12. f. 6. lB. 158. f. 2. Park. 552. 2.
3. Tamarix Ægyptia arbor CB. 484. 3. Ray 1705. 3. Tamarifew Ægyptia arbor CB. 484. 3. Ray 1705. 3. Tamarifew Ægyptia gallas ferens Park. 1479. 4.
4. Ballamum Syriacum Rutæ Golio CB. 400. 1. R. 1755. c. 13. Chabr. 24. 3. lB. 298. f. Park. 1528. c. 89. f.
5. Abavo arbor, rad. tuberofa CB. 434. 10. R. 1771. 1.
6. Cucumis Ægypt. rotundifolius CB. 310. 5. Phyt. 618. 5. Chabr. 135. f. 2. lB. 248. fig. Ray 646. 4.
7. Melo Ægyptius CB. 311. 5. phyt. 620. 4. Chabr. 134. f. 4. lB. 245. f. Ray 945. 4.

Chabr. 135. 1. 2. 1B. 248. ng. Ray 040. 4.
7. Melo Egyptius CB. 311. 5. phyt. 620. 4. Chabr. 134. f. 4.
1B. 245. f. Ray 945. 4.
8. Kali Egypt. fol. valde longis hirfutis CB. 8. p. 289. Ray 1915. pl. 1. Chabr. 543. f. 5. Park 179. 3. & 1285. f. 4.
9. Matricaria inodota CB. 134. 5. Phyt. 223. 4. Ray 357. 2. Chabr. 374. f. 5. 1B. 131. f. Park. 85. 8.
10. Loto affinis Egyptiaca CB. 332. 1. Ray 922. 1. Chabr. 159. f. 4. 1B. 361. f. Park 849 3.
11. Melilotus Egyptiaca, corniculis reflexis minor CB. 331. 3. Phyt. 666. 42. Ray 933. 13. Park. 719. 5.
12. Lenticula paluftris Ægypt. five Stratiotes aq. fol. Sedi majoris latoribus CB. 362. 6. Ray 1324. c. 8. Chabr. 567. f. 2. 1B. 787. Park. 1249. f. 2.
13. Stratiotes Ægyptiaca fol. obtufis Nobif. Ray 1324. cap. 8. 2. Park. 1249. f. 2. inferior. 14. Heba Ægypt. fol. Junci, fucco flavo urente Nob. Felfel tavil Ægyptis CB. 412. 5. Chabr. 126. f. 4. IB. 188. f. 15. Cyperus rotund. Oriental. major CB. 13. 1. Phyt. 73. 1. Th. 283. 1. Ray 1294. pl. 13. Chabr. 194. f. 5. IB. 502. fig. 16. Papyrus Nilotica fue Ægyptiaca CB. 19. 1. Phyt. 44. f. Theat. 323. 1. Ray, 1320. c. 2. Chabr. 195. 5. IB. 460. f. 1. Park. 120. 1. Ray 1272. 2. Chabr. 180. f. 11. Phyt. 90. p. 20. Theat. 140. 1. Ray 1272. 2. Chabr. 180. f. 1. B. 14. f. Park.

17. Gramen Dactylon Ægyptiacum CB. 7.1. Phyt. 90. p. 20. Theatr. 110. 1. Ray 1272. 3. Chabr. 180. f. 5. IB. 14. f. Park.

1294. f. 7. Tab. 2. Fig. 2. [Icus folio Mori, fructu in caudice ferens CB. 459.1. Ray 1439. 1. Chabr. 9. f. 5. IB. 124.

ing. Park. 1294. f. 1.

2. Oenoplia (pinofa CB. 477. 2. Ray 1534. 4. Chabr. 51. f. 3.

1B. 39. f. 1. Park 1442. f.

3. Lycio affinis Ægyptiaca CB. 479. 10. Ray 1629. 10. Chabr.

52. f. 6. IB. 62. f. 2. Park 1011. f. 12.

4. Lycium Indicum alterum CB. 479. 8. Ray 1128. 9. Chabr.

53. f. 4. IB. 62. fig. 1. Park. 1011. f. 10.

5. Myrobalanus Ægypt. (pinofa, foliis geminis Nob. Park.

1678. f. 2. Vefl. Obf. 61.

6. Hippomarathum Sphærocenhalum Æguet. Alais. fig. Park. 1294. f. 1.

6. Hippomarathum Sphærocephalum Ægypt. Alpin. Exot. 198. f. Ray 459. 4. Park. 884. 6.
7. Marum Ægyptiorum Alpini Exot. 253. f. Park. 1674. f. 10.

7. Marum Ægyptiorum Alpini Exot. 253. f. Park. 1674. f. 10. Vefl. Obf. 79. f. 8. Cucumis Ægyptius reticulatus feu Luffa Arabum Vefl. Obf. 48. fig. Rsy 640. 2. GAZ. NAT. Tab. 11. fig. 2. 9. Hyofcyamus albus Ægyptius Alpin. Exot. 192. f. Vefl. Obf. 6e. f. Ray 713.

10. Convolvulus Ægyptius Vefl. Obf. 74. fig. Omel heffen

10. Convolvulus Ægyptius Vest. Obl. 74. fig. Omel hessen strabibus. Ray 720. pl. 1.

11. Lyssmachia lurea Ægyptiaca Ray 1022. 4. Cassabel darira Alpin. Exot. 194. f. Vest. Obl. 63. Park. 189. f. 2.

12. Galega Ægypt. siliquis articulatis CB. 352 2. Ray 926. c. 3. Park. 1099. f. 6. Sessan Ægyptiis.

13. Galega æssinis Sophera dicta CB. 352. 3. Ray 911. 3. Park. 1089. f. 8.

14. Arum Ægyptium minus Vest. Obs. 44. caule maculoso

15. Nymphea seu Nusar Ægyptium Vest. Obs. 43. c. 34. Nymphea alba major Ægypt, sive Lotus Ægyptia Park. Lotus Ægyptia Alpin. Exot. 214. s. Ray 1321. 5. Vest. Obs. 43. s.

Plantarum ÆGYPTIACARUM albis odoratis Nob. Chabr. 416. f. 6. 1B. 256. f. CB. 223. 9. Phyt. 421. 7.

Plantarum Ægyptiacarum aliarum Catalogus.

Cimum Ribau Ægyptiis Alpini 53. Vest. 132. Ray 1871.

2. Anguria Ægyptiaca CB. 312. 3. Phyt. 622. 3. 2. Anguria Agyptiaca Cb. 312. 3. Phyt. 622. 3. Park. 773, 3. Ray 644. 4.
3. Melonis Agyptia alterum genus CB. 313. 6. Phyt. 620. 5. Chajan Agyptia Alpini 45. Vell. 115.
4. Brafica fpinola CB. 311. 3. pr. 54. f. Phyt. 178. 16. Matth. 369. f. 6. Chabr. 271. f. 5. 1B. 835. f. 2. Park. 269. f. 3. Ray 797, 18. Alp. Exol. 200. f.

5. Lupinus peregrinus pentaphyllos CB. 348. 5. Vefl. Obl. 70. f. Pona Ital. 102. f. Alp. Exot. 322. f. Park. 397. f. 3. & 1075. 5. Ray 859. 2. 6. Thlaspi Alexandrinum CB. 108. 2. pr. 50. 10. Phyt. 165.

6. Thlaspi Alexandrinum CB. 108. 2. pr. 50. 10. Phyt. 165. 12. Park. 849. 3. Ray 834. 20.
7. Cicercula Egyptiaca Clus. 236. f. 1. Lathyrus angustif. fem. maculoso CB. 344. 8. Ray 896. 15.
8. Phaseolus niger Lablab Alpini 31. f. Vest. 75. f. Obs. 24. Phaseolus Egypt. nigro semine CB. 341. 1. Clus. 227. f. Pan. 73. 2. Chabr. 140. f. 4. IB. 270. f. Ray 888. 25.
9. Phaseolus Egypt. fem. rusto CB. 341. 2.
10. Datura Egyptia Vest. Obs. 58. f. Contarena Alp. Exot. 167. Ray 748. 2.
11. Hockyamus Egyptius Clus. 83. f. 2. Park 463. f. 4. Ray

11. Hyofcyamus Ægyptius Cluf. 83. f. 2. Park 463. f. 4. Ray

11. Apolynum 2005 P.

12. Beidelfar Ægypt. Alpin. 36. f. Vefl. 86. f. Apocynum Ægypt.
fl. flellatis croceis ipicatis, folliculis magnis cordatis Nob. Humidis propè Alexandriam.
13. Beidel Star Medieis Arabum Offar & el Ufar dictum Vefl.
Obb. 28. f. Apocynum Hort. flor. umbellatis reflexis, folliculis hirris Nob.

Obl. 28. f. Apocynum Hort. flor. umbellatis rellexis, foliculis hirtis Nob.

14. Secamone Egypt. Alpini 53. f. Vefl. 134. f. Ray 1087. z. Apocynum angufto Salicis folio CB. 303. 3. Park. 365. 3.

15. Melochia Alpini c. 28. f. Vefl. 93. f. Ray 1068. co. Corchous CB. 319. Phyt. 632 Lob. Ic. 585. 1. Belg. 597. f. Obf. 2691. 16. Faba Ægyptiaca, Diofcoridis affinis CB. 196. 8. Chabr. 562. f. 3. IB. 775. f. Park. 374. f. ult. Ray 1322. 17. Felfel tavil Ægypt. Piper longum Ægyptium Vefl. Obf. 35. f. Euphorbium Ægypt. marit. Juncis ramolis Nob. 18. Gr. ftellatum Ægyptium Vefl. Obf. 63. f. fig. 19. Capparis non fpinola, frudtu majore CB. 480. 3. Park. 1023. 3. Ray 1630. 3. Cappar Mexandris Alp. 52. Vefl. 129. 20. Sebeftena Domeftica, fol. latioribus & craffioribus, frudtu majore Nob. Alpin. 13. f. Vefl. 30. f. Obf. 12. CB. 446. 1. Chabr. 12. f. 5. IB. 198. f. Park 552. 1. Ray 1555. c. 25. 21. El-hanne Ægypt. Alcanna droicenna Alpin. 20. f. Vefl. 47. f. Obf. 16. Ligulrum Ægypt, angustifolium CB. 476. 5. Chabr. 41. f. 5. IB. 541. f. Park. 1446. f. 3. Ray 1693. 3. 22. Acacia Ægyptiaca vera Nob. Alpin. 7. f. Vefl. 15. f. Obf. 8. f. opt. Chabr. 92. f. 1. & 2. IB. 429. f. Park. 1548. f. 1. Acacia fol, Scorpoidis leguminofa CB. 392. 1. Ray 976. 1. 23. Caulb. vef Carnub Ægyptis Alpin. 4. f. Vefl. 9. Obf. 5. Siliqua dulcis CB. 402. 1. Chabr. 89. f. 1. IB. 413. f. Park. 236. f. 1. Ray 1718. c. 2.

f. 1. Ray 1718. c. 2.

Planta Ægypti à D. Lippi observatæ; ex Lu.
nobis transmissa à Clarissimis Botanicis
D. Seb. Vaillant & D. Lud. Stosebio. ex Lutetia


24. Sonchus Egyptiacus giganteus Nob. Bot. Hort. 3. pl.22.
25. Senecio Egypt. fol. Mairicaria Bot. Hort. 2. pl. 85.
26. Echium feox Egypt. fore carneo Boerh. 7. p. 79.
27. Horminum Egypt. fratic. nanum, Sideritädis folio.
28. Stachys Egypt. talviæ minoris fol. fl. purpurafcente.
29. Linaria Memphitica, Astato fol. triculpidato, fl. luteo.
28. Raphaniftum Egypt. Silinuis recurvis.


30. Raphanistrum Ægypt. Siliquis recurvis.
31. Geranium Ægypt. Altheæ fol. glauco crassioni.
32. Fabago Ægypt. fol. tereti bidigitato.
33. Alhagi Ægypt. fol. longiori,aculeis brevioribus.
N.B. Vide Planta aliæ Ægyptiacæ in Petiveriana II. No.465. &c.

Ab Autore nuper editi.


r. PETIVERIANA 1, 2 & 3. five Collectanea NATURE.
Domi Forisque Autori Communicata. Lond. Fol.
2. Papilionum Britannicorum Icones, Nomina, &c. Figuris
plusquam 80. Tabulis Aneis inciss. Londini MDCCXVII.
Folio.


3. Hortus Peruvianus Medicinalis: or the South Sea Herbal Fig. Eneis. Fol.





Plante AGYPTIACA Pr. Alpini & Veshingij Agyptian Trees & Herbs TABII.





PTERI-GRAPHIA AMERICANA

JCONES continens plusquam 400 FILICUM variarum Specierum, Viz. Arborescentes, Scandentes, Spinosas, Floriferas, aliasque perraras; nec non Muscos, Lichenes, Fungos, Corallia, Spongias, aliaq non pauca Submarina Cui adyciuntur Crustacea, Testacea, aliaque Animalia ferè omnia ex Insulis nostris Charibbæis Viz. Antego, Barbados, S. Christophers, Nevis, Jamaica &c. Figuris Anais, Folio incisis, XX Tabulis. A IACOBO PETIVER. Soc Regal S. LOND.

noso & Charlottels v.z. Antego, Daroado	s, o. Chimophers, Nevis, Janiaica &c.
Figuris Anceis, Folio incisis, XX Tabulis . A	IACOBO PETIVER Soc Regal S. LOND.
FILICES Seminibus maculis rotundis.	60 . rotundis planis 1.5.
Phyllitides folis integris.	61 Taxi folijs major 2.5.
1 Phyllitis maculata, amplifimo folio Tab 6 fig. 8.	62, minor 2. 6.
2 breviori & crassiori folio 6.1.	63 . mas Ensiformis major 1.3.
3 . latifolia, pediculo & costa spinosis 4.14.	64 vix serrata 1.4.
	65 Betonicæ folio 1.7.
	66 vix serrata 7.15.
6 apice palmato 6.11.	67 auriculata, serris bifidis 2,9.
7 angufajolia 6.3.	or the district of the office 4,9,
8 maculis majoribus 6.2.	Filiculæ seu Filices minores.
9 lineis maculata 10.3.	68 Filicula Rutaceo folio 1.12.
in the state of th	69 pinnis planis, caule hirt° 4.11.
Phyllitides ramosæ.	70 . dentatis, caule squamoso 9.6.
10 . ramosa, maculis majoribus 6.13.	71 · · lunulatis 3.15.
11 minoribus 6.14.	72 . alis inferioribus pendulis 19.
12 maculata scandens, caulibus squamosis 4.15.	73 · · · auriculatis 1.8.
13 anguftifolia 4.16.	74 . laceratis, tota translucens 3.14.
14 . mac. 5. folia, pediculis squamosis 4.13.	
14 . mac. b. Jours penalus squamoju 4:13.	Trichomanes pinnis simplicibus
Polypodij seu Filices pinnis alatis.	75 Trichomanes folio cordato 1.11.
15 Polypodium maximum 7.8.	76 triangulo dentato 1.10.
16 auriculatum 7.5.	77. argenteum adoras nigrum 9.16.
	// urgenicum activas naji aireg.15.
17 pentaphylloides 7.6. 18 trifoliatum 7.3.	Adianti pinnis ferè angulosis & membranaceis
19 auritum majus, lacinis crispis 7.7.	78 Adiantum ramosius repens spinosum 11.5 & 6.
20 . tricuspidatum, oris pilofis 7.4.	79 . frutescens, pinnis subrotundis 5.12. 80 . altisimum pinnis globuliferis 2.12.
21 . scardens Quer cus folio caulibus Lycopodij 15. 2.	
22 minus vulgaris facie 7.9.	81 alis longis crispis 5.13.
23 - Afpleni folio 1.14.	82 pinnis Quercinis ramis villosis 4.5.
24 brevi pendulum 1.15.	83 . mas, caule sqamoso 5.3.
25 crifpo peudulum 13.12.	84 & pediculo pulverulento 5.7.
26 villoso 7.16.	85 . pinnis acutis 5.9.
27 longifolium, radice dulci 7.10.	86 subrotundis 5.10.
28 maculis minoribus 7.10	87 crispis, lunulis albicantibus g. 11.
29 . squamulis argenteis 7.11.	88 speciosis 5.14.
30 . crifpum Struthionis pennis 3.8.	89 . Trichomanoides summo crenatum 1.13.
31 . Lonchitidis folio 7.14.	90 & crifpum 10.8.
32 undulato minus 1.16	91 . pinnis cristatis 5.8.
33 angustisirno pendulum 14.1.	92 latis 5.5.
34 - vulgare, summo trifido 15.3.	93 · alis radiatis 14. 6.
35 Taxi folio pendulum 14.1. 36 pendulum subtus pilosum 12.3.	94 . pinnis hexagonis furcatis 10. 2,
	Adiantuli pinnis clavatis.
37 serratum majus. costa alata 7.13. 38 minus, fol integris & serratis 14.2.	95 Adiantulum clavis simplicibus 14.7.
Jo . mada , joe bueyra & serrana 14.2.	
Filices ramosæ Fæminæ dictæ.	96 capillacevin 10.7.
	97 clavatum Crithmi fol.majus 5.15.
39 . ramosa, aculeata repens 4.6.	98 minus 5.26. 99 triphyllum v. 4.
41 arboressens, pinnis dentatis 1.1&2.	100 triphyllum repens 11.9.
42 labs caudice spinoso 4.1.	101 . membranaceum Lichenoides 13.5.
	101 . memor anaceane Electronices 13.5.
43 Cicutæ folijs 2.8.	Darea seu Filices pyxidatæ
44 . globalifera major 2.11. 45 . pinnis dentatis, caule piloso 4.9.	102 Davea ramofissima scandens 12.5.
46 & coftis hir sutis 2.7.	103 . Filicis maris facie 11.8.
	104 Tumbrigentis facie 13:13.
47 arborescens caudice & caule spinosis 4.7. 48 humilis & spinosa 4.8.	104 Affinis digitata 15 m
	10g · affinis digitata 15.5.
49 latis laceratis 3.13.	FILICES Seminibus striatis.
50 gladiatis, caudice frinoso 5.1.	106 Phyllitis major, margine crenato 6. 7.
51 . furcata Taxi folijs 5.4.	
Filices minus aut non ramosæ Mar es dictæ.	107 folio, geminato dentato 13. 11.
The state of the s	108 ramosa, margine membranaceo 12.2.
52 dentata caule & costa villofis 4.10.	101 & stry's undulatis 7.1.
53 · pinnis aculeatis 1 · 6	110 Lonchitis firiata 3.2.
54 . acutis planis majoribus 2.1.	111 auriculata & crenata 3.1. 112 ramofa . caule fquamosa 5.2.
56 parvis 2.3.	113 Film Striata pinnis crenatis, major 3.3.
57 ad alas foliosa 5.5.	114 · · · minor 3.4.
7	and A 31

115 Adiantum striatum, nigri facie 3.7.

116 . . alis laceratis 3.5.

58 . . latis summo dentatis 2,10.

59 ... apice piramidali 2, 13.

Sometimes of the second second

No. 1 Sept. 18 Sept.

```
119 ... pentaphy llum; humile u.7.
  120 Trichomanes striatum, vulg. facie 2.15.
                                                                           190 Agaricus amplifsimis squamis 17.3.
  121 . punis bifdis. 2.16.

FILICES sem. medio, vel margine striatis.
                                                                           191 . cinereus & fericeus 17. 15.
192 . luteus Clypeiforms transfixus 16. 13.
                                                                            193 . niveus Brassicam crispam referens 13.6.
  122 Phyllitis angustifolia, lineis catenatis 6.4.
                                                                                   . Rosco-niveus, strys aureis rugosus 17. 2.
                                                                            195 Boletus cancellatus purpureus 17. 11.
196 .Phalloides, pilicolo villoso 17. 9. G.H.
  123 . lineata, hinc inde dentata 6.5.
  124 . apice trifido. 10. 6.
125 . aspera, furcis lineatis 6. 6.
126 . lineata, Graminis fol. longifiimo 14. 3.
                                                                            197 . . rugosus, pedic fiftuloso 17.10.1K.
198 Coralloides fusca & laciniata 16.14.
                                                                            199 - ramosifsima purpurafeens 16.15.
200 Fungus aureus laciniatus 17.7.E.
201 - coccineus, squamosus & globosus 17.4 AB.
202 - crenatus, tenufsimus & niveus 17.6 D.
         . ramola ad margines pulverulenta 6.15.
  128 Lonchitis juxta nervum pulverulenta 3. 9.
  . Ariatus totus niveus 17.5.C.
  132 Filix lineata arb. caudice aculeato 4.2.
                                                                            204 Fungoides Cyathiforme coccin oris pilosis 13.8.
 134 . Lonchitidis prinnis 3. 11.
135 . Fæmina vulg. fucie 3. 12.
136 Adiantum limbo nigro præcinctum 9. 15.
137 Trichomanes argenteum, að oras nigrum 9. 16.
FILICES Pulverulentæ.
                                                                            205 . . candidum, intus villosum 17. 4.
                                                                           207 . reticulatum Flabelliforme 17. 8. F.
208 . rugatum Infundibuliforme & pwp. 13. 7.
                                                                           209 . Scutellatum purp. deforis villosum 15.10. & 17. 5.
                                                                            210 Lycoperdon coronatum 17.12.L.M.
                                                                            211 Tubera candida mollia 17. 14.N. & 13.
  138 Phyllitis pulverulenta angustifolia, caude crinito 8.7212 Telliculorum forma, majora 16.17.
139 . . . & oris crinitis 8.10.
213 . . . minora 13.9.10. A.
SUBMARINA.viz. Corallij, Spongiæ, Fuci &c.
  141 . fol angustis trifidis 8.9.
                                                                           214 Corallium album, nodulosum 18.5.
                                                                           215 . stellatum ramosum 18.4.
  143 .. nodosa major 6. 16.
  144 . nodosa minor 9.7.
145 . & crinita latissimofol. 13. 14.
                                                                                  . Fungoides, ovale 20. 16.
                                                                            217
                                                                                  . . . crispum 20. 17.
 146 . longifol 9.14.
147 . latifolia villosifsima 9.13.
148 Hemionitis max. pub crulenta 5 folia 7.2
                                                                           210 . . rivgulis minoribus 18.6.
219 . porolum, latum planum 18.13.
220 . . nuricatum 18.7.
  149 Lonchitis pulverulenta scandens Citrij fol. 8. 6.
                                                                           221 . . Typhoides muricatum 18. 18.
 150 . . . Vaniliæ folio 15. 1.
151 . . pinnis Ensiformibus 8. 4.
                                                                           222 . . . ftellulatum 20. 15.
223 . Roseum fossile 20. 20.
 224 . rubrum crifpunio 9.
225 Alcyonium Cornu Cervi referens 16. 8.
 154 Osmunda pulverul. pinnis vix serratis 8. 1.
155 ... scandens, sarmentis capillaceis 8. 2.
                                                                           226 Afteria Coralloides, stellis maximis 18. 2.
                                                                                      majoribus 18.3.
                                                                           228 Lithophyton Polypody ramosi facie 16.7.
  156 Filix albissimo pulvere subspersa 9.11.
  157 . pulverul ramosa, pinnis parvis 2.4.
                                                                            229 Madrepora cristata wens 16. 10.
 150 Filicula pulverul. Criffimi facie 9. 4.
159 pendula, alis digitatis 11. 1.
                                                                           230 Millepora perforatu 20.18.
231 Spiculum Barbaderac Lapideum 20.21.
                                                                            232 Epicorallum reticulatum vulg. 18.8
  160Adiantum pulverulentum aureum 9.9.
 161 . . alis infrà auritis 9.10.
FILICES in racemulis Floridæ.
                                                                           233 virgulis punctatus & asperis 18. 11.
234 alatus 18. 12.
235 muricans majoribus 18. 9.
                                                                           235
236
                                                                                      . minoribus 18.10.
  162 Osmunda racemifera Phyllitidis folio 8.13.
                                                                           237 Spongia dura, compressa foraminosa 18.14.
238 Typhoides foraminosa 18.19.
  163 . . . vix crenato 8. 15.
  164 . spicis geminis 14.5.
165 . villosa 8.16.
                                                                           239 . ramosa 19.1.
 166 . pinhu parvis 8.14.
167 . Adianti nigri fa cte 9.1.
168 . Afphodeli radice 9.2.
169 . Matricariae folio 9.2.A.
 166
                                                                           240
                                                                                 . . . apicibus cavis 19:2.
                                                                           ... Matricariæ folio 9.2.
.. Cicutæ folio 9.3.
.. verticillata 12.4.
FILICES Milcellaneæ.
 170
                                                                           245 ... fibrillis reticulatis 18. 20. 246 ... cava longa 18. 21.
                                                                           247 foliata aspera 19.4.
248 Infundibuli formis 19.6.
 172 Filix spinosa, fem. hunulatis 4.4.
173 . Conifera scandens, pinnis varijs 9. 12. 249 . Labri formis 19.7. 174 . macul. scandens, fol. round & longis glabris 250 Corallina Opuntioides minor 20.19.
        ... fol. ovalibus & longis pilosis 10.5:
marginifera, Granij folio 8.12.
                                                                           251 Muscus marinus pennatus 14.4.
252 triagulais 18.15.
 176
                                                                          253 · frutescens, fruten ocapsulari 16.11.
254 Sargazo dentata vulg. 16.12.
255 · longifolia 19.10.
177 Ranuneuli folio, prolifera 8. 11.
178 Ophioglofsum Palmatum 11. 2.
       . vulgaris facie 10. 4.
                                                                          256 . . latifolia 19.11.
257 . . angustifolia 19.12.
258 . angustifolia plana 19.13.
259 Fucus reviculus alatis 18.17.
           Musci, Lycopody, Hepatice &c.
180 Muscus denticulatus erectus 16. 5.
181 · repens 12. 6.
182 · max Linariæ folijs 16. 4
                                                                           260 · velicarius, summo planis 18.16.
183 Lycopodium altismum 3.16.
184 Coridis fol. flagellis longis 16.3.
185 erectum, Sabinæ folio 16.2.
                                                                          261 Ovarium JAM. vesicis rot: compressis 18.1. 262 Vesicaria corona serrata 17.1.
                                                                           ANIMALIA Crustacea, Testacea, Insecta &c.
186
        tamosissimum crispum 16.1.
187 Hepatica capite palmato 15. 6.
                                                                          263 Perca BARBAD. costa lineata 20.3.
188 digitata Amgoides u. 3.
189 Lichen cornua Damæ referens 16.6.
                                                                          264 Lacerta BARB unquibus fuscis 20.1.
                                                                          265 . Cæciliæ facie 20.2.
```


Agarici Boleti Tingi Tuberæ &c.


118 Adiantum striatum, cacumine bifsecto 3.6.

the first the second of the se


386 Clavicula BARB. ore pulvinato 10. 11. 366 Cancellus BARB. brachy's tuberculosis 20.4. 387 Rhombus BARB. fascia albida 12.7 367 . . quadratus 20.5. 388 Sphondylus LAM. tescllata 12.8. 368 . . rug olus, pedibus hirtis 20. 6. 389 Tridacna Campeach . parva perelegans 15.11. . . ruber, lævis 20.7. 369 390 Ichneumon max. tripile 13.1. 370 . . muricatus, compressum 20.8. 371 . . Arancoides 20.12. 392 . affinis, antennis clavatis 13.3. 372 Mantis marina BARBADENSIS 20. 10. 393 ... acutis 13.4. 394 .alis maculatis 11.10. 373 Squilla BARB. ovalis 20.9. 374 Araneuts BARB. parrus, pedih maculosis 20.13. 395 Musca Apiformis major 11. 12. 375 Capricornus BARB. Scaber, fuscus 20.14. 396 . . minor 11. 13. 376 Cochlea BARB. compressa, minor 14. 13. 377 . IAMAIC . verruculata 10. 9. 10. 397 . . minima n. n. 379 . . ore tridentino 14.11. 398 . alis nubulosis 12.12. 399 . . . anten . acutis 22. 14. 380 Fibula JAMAICENSIS 14. 12. 400 . . . minor 12.11. 381 Nerita BRASIL alba, radijs coracinis 15.12. 401 . . . minima 12.15. . . ano acuto 12.13. 382 . . . vndis nigris 15. 23. 402 403 Vespa impennis e crocco nigro n. 14. 382 Buccinum RARB minus prætenue 12.10. 384 Ohvaris IAM strijs capillaribus 20. 22. 385 . . . vndatis & radiatis 12.9. . minor 11. 15 404 . 405 Scolopendria BARB. preelonga pedibus plumofis 406 Perla major 15.7. 407 . . maculis vitreis 14.10. 411 Musca alis opacis & vitreis 15.8. 408 . cornubus clavatis 15.9. Cochlea IAM. ore lacerato x. 13. 409 . triangularis 14.9. 413 Filix Androgymus, maculatus 9.5 410 . maculis vitreis 14.8. 414 Muscus marinus dentatus 14.4. Cochleæ AMERICANÆ in Museo Nostro, quarum ICONES in Gazophylacio NATURA, non Figurantur. 464 C. alba cun undis fuscis G. Searl. 41g Pecten IAM strijs lævibus Mem 1 Lift 168. 465 Musculus striatus minor, cardine serrato 1, 365. 416 P.Anteg. minor, undis fiscis 417 PBARB. albus minor, strijs lunulatis M.3. I. 177. 466M. striat min roftro acuto, latior I. 362. 2,01. 418 P.B. alb.min str. squamofis M.4. L. 176. 467 id. longior L. 362. 202. 468 Pholas Virginiana L. 434. Car. 21. 469 P. Campeach &c. cardine for aminoso L. 432. Car. 20. 419 Sphondy his Amer. max. ruber 420 S.BARB rugis minoribus M. 5. L. 215.50. 421 S.B. rug. major. sulcatus M 6. L. 215.51. 470 P. CAR. & c card. ferè bidente L. 431. Car. 22. 471 Solen Marianus latus I, 421. Car. 13 422 S. Amer. rostro interne dextro M.7 472 Curasavicus latus, radijs binis albis H. Ruysch . 423 SAmer roftro int. siniftro M.8. 473 Buccinum minus Anteg fascy's nigris M.17. 424 Berberi IAM. auritus L. 224.59. 474 Cochlea IAM alba, crassaM. 2 I. 571. 12 B IAM. tenuis Mg L. 223.57.88. 426B IAM. cardine serrata L. 227. 475 C. IAM. flavicans, crassa M.3. I. 566. 427 Glycimerir I AMatriatas percrasus M 13. L 238. 476 C. aure magno fusco CAR. 29. 477 C. aurita fascijs catenatis CAR. 28. 428 G. IAM. lave striatus M x I I 240. 478 C. Amer. undis flavis M. 4 429 id minor maculatus L. 245 420 G.BARB. min. striat. maculatus M 12 L. 243. 479 C. JAM verrucis fasciata M. 10. 480 Nerita Amer. e nigro & rubro undata M 12. 431 Mytuhus IAM albus crassus L. 236. 481 Trochus IAM minor alte umbilicatus M 22. 432 M. I. alb tenuior I 2, 29. 433 M. I. quadratus vulg M 16. L 368. 434 M I. quadr min fuscus M 17. L 367. 482, T. IAM min marmoreus M. 23 483 T.IAM maj cofus sinuosis, & c M20 L. 646. 484 Vermiculus BARB. tortilis fuscus. 435 M. BARB. ovalis fuscus M 14. L. 231. 485 Patella Amer. alba rugosaM.3. 436 Lunata Anteg. lævis mac.pene 4 dratis L. 270. 437 L IAM albida, leviter fasciata L. 273 486 P. rostrata Barb. alba crassa rugosa L 544.31. 487 P. roft: Barb. cancellata parva M. 6. 438 I. IAM. major, fascy's dense elatis M 21 I. 286. 439 I. IAM. maj fasc plurimis tessellatis M. 22. 488 Concha Veneris Virg. ventre flaves c. &c. M. 14. 440 L.BARB. minor to Sellata M. 18 489 Cylindraceus Amer-albus parvus M. 2,8. 441 L. BARB. minfasc . rarior . elatis M 19. 490 C. BARB. vulg. undis marmoratis M. 19. 491 Olivaris IAM. fascijs eleg. maculatis &c.M. 23. 442 L. BARB min fase plurimis elatis M 20 L. 278. 492, Persicoides IAM. maculatus M. 29. 443 L.BARB.min fasc. latis & elatis 493 P. Barb fasciatus M. 26. I, 834. 444 Bucardites MARIANA lævis. H. Iones. 445 Tellina cuneata Anteg. fasc & undata T. Grigg. 494 P. Barb. fufcus M . 27 446 Pectunculus IAM.ex toto hunulatus M. 25.L. 323 495 Buccinum BARB. dent. fascy's nodosis M. 32. 447 P.BARB. Compressus, leevis, intus flavus T. Walduck 496 B. Campeach. fasciatum crassum. M. 13. 448P.AMER. Compr. albus dense fasciatus 497 B. IAM fasciatum tenue M. 14. 449P.AMER. Compr. eleganter imbricatus M. 2.6. 498 B. LAM. triangulare M. 15. 450P. BARB. Cancellatus M. 27. L. 337. 499 Murex bilinguis IAM vulg M. 3. 451P. IAM. minor, quasi cancellatus 500M. IAM. varie spinosus M. 7. 452P.AMER.cavus, strijs undatis. Carter 501M.AMER. valde rugofus M. 8. 453P.BRASIL alb. undis capill majoribus M. 23. CAP. 17. 502 Buccinum ampullac. & c muricatum minus CAR 33. 45 4 P. IAM rubesc. undis capill temuisimis M. 24. C. 18. 503 Bursa IAM. vulg. imbricata M. 20. 455 P. IAM. triquetrus, mac. fiscis L. 316 504 Perdicea IAM. vulg. M.21. L. 984. 456 Purusculus Campeach strijs crassis M 28 L. 347. 50g P. IAM. nodosa M. 2.2. L. 989. 457 Chama IAM minor compr. rubra M 30. 506 Unicornu AMER . muricatum. M. 2,5. 458 C. IAM min radiata fragilis W. Brown . Explicatio Liter. & c. 459 C. IAM . alba splendens , radijs rubris Car. 12. CAR Acta Philosoph Reg. Societ. LOND. N.º 299. L. Lister Hist. Conchyl Tabular N.º M. Memoirs for y Curious A.D. 1708. p. 97. &c. 460 C. alba fasciata tenuis Car. 9 L. 308. 461 C.CAR tenuis, cunea costatà.

462 C. alba. cuneata, fasciata CAR. x1. 463 C. alba cuneata, radijs rubris Stratton




























































































AMERICANMUSHROMES, PUFFS AGARICKS &c. TABXVII D C.20 2. C. 2.11 A C.201. C.207. 168

Sutton Nichotts Jauly











Papilionum BRITANNIÆ Icones, Nomina, &c.

Containing the Figures, Names, Places, Seasons, &c. of above Eighty English Butter-flies, being all that have hitherto been observed in Great-Britain.

By James Petiver, Fellow of the Royal Society, LONDON.

TAB. I. Papiliones BRITANNIÆ albidæ. ENGLISH

Fig. 1, & 2. Papillones BRITANNIA albidæ. ENGLISH
White Butterflies.

Fig. 1, & 2. Papillo alba, venis nigris Muf, noft. 301.
White Butterfly with black Veins. Ray
Infector. Hift. 115. 5. Its fine black Veins without any
Spots, differs it from all the following. Found in Meadown about.

Spots, differs it from all the following. Found in Meadows about Time.

3, & 4. Papilio alba major, apicibus nigris. Great white Cabbage Butterfly. Differs from the next, in having ho Spots on its upper Wings, Appears in May, June, &c., & & 6. Papilio alba major, bimaculata. Ray 113. I. Great Female Cabbage Butterfly, Gaz. Nat. 62. f. 3. Muf. noft. 825. These are very common with the last, in Kitchen Gardens where Cabbages grow, on which they lay

their Eggs,
7, § 8. Papilio alba media, maculata, Ray 118. 2. Leffer white Cabbage Butterfly. Very common in Fields and Gardens most part of the Summer.
9, § 10. Papilio alba media, bimaculata. Lesser white double spotted Butterfly. This and the next are found

o, & 10, Papilio alba media, bimaculata. Leffer white double spotted Buttersfy. This and the next are sound promiscuously with the rest.

11, & 12. Papilio alba, media, trimaculata. Leffer white tebbel spotted Buttersfy. Differs from the last in having a third spot on the parting of the Wings.

12, & 14. Papilio alba, media, immaculata, Ray 114. 3. Lefter white tulpotted Buttersfy. The under Wings of these 6 last are frosted below with a pale yellow and without Veins, which the 3 next have,

13, & 16. Papilio alba, media, trimaculata, venis subtussaits, Mus. nost. 302. Common white, veined Buttersfy, with 2 or 3 Spots, GAZ. Nat. 62. s. 4. Common with the next in Fields and Meadows most part of the Summer.

17, & 18. Papilio alba, minor, immaculata, venis subtussaits. Leffer, white, veined Buttersfy. This has no Spots.

19, & 20. Papilio alba, media, maculata, venis subtussaits. Leffer, defend, white, veined Buttersfy. Differs from 15 in having but one Spot on each upper Wing,

21, & 22. Papilio alba minor, apice nigricante, White small tipt Buttersfy, Ray 116. 8. I have observed this in Hampsfed and other Woods in June, &c.

23, & 24. Papilio alba minor, Mas. Small white Wood Buttersfy. This is sometimes tipt below, but scarce feen above, N. B. I have observed amongst all these white Buttersfies, the most sported to be the Females.

TAB II Papiliogar Strigning luters, alba &c. mixtx.

Butterly. This is tollectimes the below, but take the white Butterflies, the most spotted to be the Females.

TAB. II. Papiliones Britannia, lutea, alba, &c. mixta. English, yellow, white, and other mixt Butterflies.

Fig. I. Papilio Sulphurea, Mus. nost. No. 1. Ray 112. 4.

The Brimstone Butterfly. This and the next appear amongst the first in the Spring and again in Mutumn.

2. Papilio fulphureus, pallidus, Mus. nost. 2. The Male Straw Butterfly. This being so near white, it often escapes as commun.

3. Papilio crocea, limbo nigricante. The Saffron Butterfly. Its Ground Saffron, with broad black Edges, feen about Deptford, Peckham, &c. from June till September.

Deptora, Peckham, &c. from June till September.

4. Papilio crocca, limbo nigricante, maculato, Gaz. Nat.

14. f. 11, Rap 112. 6. Spotted Saffron Butterfly, Found with the laft, and differs from it in having a fpotted Edge.

5. Papilio major candata, ex migro & luteo variegata, Ray 110. Royal William. Mul. noft. 3:28. Its Beauty, Size, and Tail differs it from all others. This has been caught about London and divers Counties in England, yet rarely.

6. Papilio albus, lubrus, viridi colore marmoreatus, ancibus, caecis. Mol noft 2:66. Ray 11:6. White, Mar.

apicibus croceis, Mul. noft. 306. Ray 115, 6. White, mar-bled Male Butterfly. Found with the Female, but more par-cicularly observed by its Saffron Tips, by which its easily

Papilio alba, fubtus viridi colore marmoreata, Fami-Ray 115.7. White marbled Female Butterfly, Mus. nost, 305. This appears in April and May, but not common.

8. Papilio alba minor, fubtus virideficens marmoreata. The flight greenish Half-Mourner This is fomewhat less

than the next, and has fewer Spots, especially above.

9. Papilio Leucamelanos fubrus viridescens marmoreata.

Vernouns greenish Half-Mourner Mus. nost., 304.Gaz. Nat.,
fig. 7. Rap 116. 10. This has also been found about Hamp.

ng, 7. Rap 110. 16. This has and been found about Hump, field in July or August.

10. Papilio Leucomelanos. Common Half-Mourner, Mus. nost. 3. fig. Ray 116.9. These have near an equal Mixture of white and black, they appear about Midjummer and after, in moift Meadows.

11. Papilio major nigrefeens tricolor, circulo ferè fanguineo ornatus. Muf. noft. 327. Ray 126. 1. The Admiral. A beautiful Fly, and eminently diffinguisht by a red Lift cross the upper Wing. Often feen in Gardens and Fields from the End of July till Autumn.

the End of July till Matumn.

12. Papilio fusca, area & maculis albis. Gaz. Nat. Tab.
15. f. 12. White Admiral. Found about Dullidge and Wiebham near Croyden. as also at Henly upon Thames.

TAB. III. Papiliones Britannia maculatæ.

Brittil spotted Butterssies.

Fig. 1, & 2. Dapilio Fritillaria najor, crosea, lineis subrus argenteis. Great Silverstreakt Orange Fritillary. Differs from the next in having Streaks above on an Orange Ground.

3. & 4. Eadem Aurea. Great Silver-streakt Golden Fritillary. Mul. noft, 321. Ray 110, 4. The Spots above more and larger, without any black Streaks, on a pale golden Ground. These appear about the beginning of July.

5, & 6. Papilio Fritillaria major, maculis subtùs argenteis. Great Silver-spotted Fritillary. Mul. nost. 320. Ray 119, 5. In this the Spots above are larger than the next, and below the ground between the Spots pale. 7, & 8. Papilio Fritillaria major, subtùs viridior, maculis argenteis. In this the Spots are less, and the Ground below greenish. This and the last appear about the middle of Tuk.

lis argenteis. In this the Spots are lets, and the Ground-below greenish. This and the last appear about the midst of July.

9, & 10. Papilio Fritillaria, teffellata, serotina, Mus. nosst. 323, subtus albida. White May Fritillary, Ray 120. 8.2. Very like the next, but whiter below.

11, & 12. Eadem subtus straminea. Straw May Fritillary. Both these pretty common in Cain-Wood, and differ the pretty of the pretty of the strain of the strain when the next in being Checker'd above.

from the next in being Checker'd above.

13, & 14. Papillo Fritillaria maculata, precox, Muf.
Pet. 312. Ray 120. 7. April Fritillary. This has many white and Silver Spots below, by which it chiefly differs

from Fig. 18.

15, & 16. Papilio Fritillaria minor. Mus. nost., 324.

Gaz. Nat. 16, f. 10 Ray 122. 12. Vernons, small Fritilla. ry. It's the least of all the Fritillaries yet known. Found in several Woods round London.

in feveral Woods round London.

17, & 18. Papilio Fritillavia, maculata, præcox, mdeulis fubrus argenteis paucis. April Fritillary with few Spots. This has but one oval Silver Spot in the midft of each Wing beneath, whereas Fig. 14. has divets. Perhaps Male and Female. Frequent in Cain-Wood.

19, & 20. Papilio Fritillavia media, meandris nigris. Dandridge's midling Black Fritillary. Ray 121. 10. Mt. Dandridge has oblerved this and the next about the end of May and beginning of June in Cain Wood and the Oak of Hagour Woods near Dullidge.

of Honour Woods near Dullidge. 21, & 22. Papilio Fritillaria minor, meandris nigris, Small black Fritillary. Ray 121. 11. Differs chiefly in

Small black Fritilary. Ray 121. II. Differs emeny in being lels than the last.

23, & 24. Papilio Fritillaria minor, maculis argenteis subrus perbelle notata Must. nost. 520. Lesser Silver-sported or Riga Fritillary. Ray 120.6. Observed about Cambridge 25, & 26. Papilio Fritillaria minor, undulata, areis subrus albis. White Dullidge Fritillary. Found in the Wood, threadbatts in Mar.

thereabouts in May.

TAB. IV. Papiliones Britannia, maculatæ & striatæ.

Britis spotted and streakt Butterssies.

Fig. 1, & 2. Applie Testudinarius major. Mus. nost.

315. Great Tortoise-feel Butterssy.

118. 2. A latge Fly, I have observed them both in Spring and Autumn, they often settle on Trees, and company the Line of th monly the Elm.

3, & 4. Papilio Testudinarius minor, Mus. nost. 316. Lesser or Common Tortoile-shell. Ray 117. 1. Very frequent all Summer, and often found in Mouses in the

Winter. 5, & 6. Papilio Testudinaria, Comma dicta, subtùs susca. The Silver Comma. Ray 118.3. This and the 3 fol lowing appear about Massummer.
7, & 8. Eadem subtus pallidior. The pale Comma. This

below is of an Oker Marble, and paler than the last.

9, & 10. Eadem, alis magis laceratis. Jagged wing'd Comma. These Wings are deeper cut and more vivid; it's finely marbled underneath, with small geeenish Eyes fpeckt with black,

11, & 12. Eadem minor, Small Comma. It's very dark

below, and in all Parts lefs.

13, 82 14. Papilio minor auveus, ex nigro permaculatus Ms., noft. 317. Ray 125. 20. Small Tortoife spell. In Meadows and about Hedges from July till Autumn.

15, 63 16. Papiliunculus fuscus, pundiis paucioribus albicantibus, Gaz. Nat. Tab. 36. f. 9. Ray 132. 20. Brown Marth Fritillary. The Spots in this are larger and fewer than the next, and Found with it.

than the next, and Found with it.

17, & 18, Papiliunculus fulcus, pundis plutimis albi-cantibus Mul, nolf, 25; Ray 133, 21, Gaz. Nat. 36, f. 6.

Small-fpotted brown Marsh Fritillary. The Spots in this are

fmaller and more distinct.

19, & 20. Papilio niger fuscus Hampstediensis marmoreatus, Gaz. Nat. 36. f. 3. Ray 132. 18. Handley's small brown Buttersty. It's brown above and paler below, and dully marbled.

dully marbied.

21, 63 22. Papilio eleganter variegata agilis, Bella donna dicta Muf. noft. 326. Ray 122. 13. Painted Lady. It ufually ferties on Banks and dry Ground.

23. Papilio minor fufuen, futures frietus, Gaz. Nat. Tab.

11. f. 9. Ray 129. 8. The brown Hair-freak. Mr. Ray has feen this and 26 in Coiru on Nettles, July 8. 1692. 24. Idem agro aureo. Gaz. Nat. 11. f. 11. Ray 13c. 10.
Golden Hair-ftreak. Found with the laft about Croydon.
25. Pars inferior. This Figure represents the Under-fide

25. Fars inferior. I may represent the concerned of the 2 laft, which differ not below.
26. Popilis minor carulelcens, fubtus firiatus, Mus. nost.
319. Ray 130. 9. Ray's blew Hair-streak. The Ground above is a dark hair brown, with a blewish Cast over it.

27. Idem fuscus, agro caruleo. Our blew Hair-fireak. The Ground the same with the last, but the Inside of its upper Wings has a broad Field of vivid blew.

28. Pars inferior. The z last are the lame below.

TAB. V. Papiliones Britannia Oculatæ.

British Eye-wing d Butterslies.

British Eye-wing d Butterslies. The 2 last are the same below.

Fig. 1. PApilio Oculus Pavonus dictus Muf. noft. 314.
The Peacock's Eye. Ray 122. 14. This often appears early and continues long, it's pretty common both in Gardens and Fields.

2. Papilio Oculatus Hampstediensis, ex aureo fuscus. Albin's Hampsted Eye. Where it was caught by this Curious Person, and is the only one I have yet seen.

3. Papilio oculis nigris, tubtus marmoreus, Muf. noft, 307. Ray 128. 6. Gaz. Nat. Tab. 14. f. 9. The Tunbridge Grayling. Becaufe first caught in those Parts. This I take to ling. Because first caught in those rates. This be the Female, and appears about Midstummer.

4. Idem obscurior. Brown Tunbridge Grayling. Much darker on the upper side and somewhat smaller.

5. Papilio oculatus, è fulco & flavelcente mixtus, Gaz. Nat. Tab. 24 fig. 3: opt. Cat. 23. The Enfield Eye. It being the Place I first observed them in. These appear from April till July.

7. Papilio Oculatus, ex aureo & fusco marmoreatus, Mus. nost. 312. Ray 123.15. The London Eye. These I

8. Idem area fusca. London Eye, with a brown Lift. Found with the last, and may be Male and Female.

9. Papilio pratensis Oculatus aureus, Mus. nost. 309. Golden Meadow Eye, Ray 124-17. Common in Meadows before Mowing, and perhaps Female to the next.

10. Papilio piat. Oculatus fulcus, Muf. noft. 309. Ray 124. 16. Brown Meadow-Eye. Found hequently with the last in May and June.

latt in May and June.

11. Idem fequienre, area fusca. Differs from the next in having a brown Lift. Perhaps Male and Femate.

12. Papilio aureo-fuscus minor Oculatus, pupillis geminis, Mul. nost. 310. Ray 124. 18. Hedge Eye with double Specks. Seen about Hedges in August.

13. Papilio med. omnino fuscus, plurimis Oculis nigris in circulis luteis subtus ornatus, Mus. nost. 313. Ray 129. 7. Brown & Eyes. These rarely appear before August, and

mostly near Rivers.

mostly near Rivers.

14. Idem 7 Oculis. Brown 7 Eyes. This has often underneath one Eye fewer than the last.

15. Golden Heath-Eye. Papiliunculus aureus oculatus in Ericetis frequens, Mus. nost. 311. Ray 125. 19. Very common on Heaths, from May till Autumn.

16. Idem margine fulco. Selvedg'd Heath-Eye. Differs the last in the self-common of the self-common on the self-common of the self-com

from the last, in having a brown brim or edge and found

trom the taft, in naving a brown brim or edge and found with it.

TAB. VI. Papiliunculi Britan. carulefcentes, aurei, &c. Small Englife, Blue, Golden and Brown Butterflies. Fig. 1. Papiliunculus carulefcens, limbis nigris, Gaz. Nats. 35. f. 2. Pale blue Argus. I first observed this in Thickets near Banstead. Downs, about July.

2. Idem, linea subtus nigra. Nicely differs from the last, a grantly innounce careful and control of the last, and the line underneath.

by a timal time underneath.

3. Papiliunculus caruleus vulgatifilmus, Gaz. Nat. 35.

f. r. Blue Argus, Muf. noft. 318. Ray x 31. 11. Very dommon on Heaths from June till August.

4. Papiliunculus caruleus, limbis nigris. Selvedg'd blew Argus. Found with the last, but more rare.

5. Papiliunculus è caruleo fuscus. Gaz. Nat. 35. f. 3.

Mixt Argus. It's brown above mix'd with blew.

6. Papiliunculus carules minor, limbic nigris. Differente properties of the pro

Mixt Agus. It's brown above mix'd with blew.

6. Papiliunculus carule[cens minor, limbis nigris. Differs from fig. 4. in being lefs and with finaller eyes.

7. Papiliunculus e fusco-caruleus. This has fewer Spots underneath than fig. 5.

8. Papiliunculus plumbeus. Lead Argus. Eyed underneath like the foregoing, and found with them.

9. Papiliunculus plumbeus parvus. Small Lead Argus.

Lefs than the laft.

10. Papiliunculus fuscus, marginibus aureis, Gaz. Nat. ab. 35. f. 4. Edged, brown Argus. Its ground darket Tab. 35. f. 4. Ed than the 2 last.

11. Papiliunculus carulefcens, subtus punctatus. Blue speck Butterfy. I have observed this on Holly Trees. 12. Papiliunculus caruleus, appeibus nigris, subtus punctatus. Blue specks Butterfly, with black tipps. Found with

the laft.

13. Papilio minor supernè fuscus, infernè viridis. Holly

13. Papilio minor tuperne fulcus, interne virtais. Holly Butterfy. Because I first observed it on that tree.

14. Papilio minor auteus, immaculatus, Gaz. Nat. 34. 9. in Defeript. The spotless Hog. Ray 125. 22.

15. Papilio minor auteus, first nigra distinctus, Gaz. Nat. 34. f. 9. Ray 125. 21. Streakt Golden Hog.


16. Papilio minor ex auteo & fusco mixtus, first nigra Gaz. Nat. 34. f. 8. Streakt cloudy Hog. Differs from the last in being clouded with brown.


17. Papilio minor ex aureo & fusco mintus, Gaz. Nat. 34. f. 7. Cloudy Hog. This has no Slants. All these Varieties are found in the Woods, &c. about Hampstead.

Ab Autore nuper editi.

1. Petiveriana 1. 2 & 3. five Collectanea NATURÆ, Do-6. Idem obscurior & serotinus. Brown Enfield Eye. Mr. Dandridge first observed this about Watford towards the End of July.


Mr. mi Forisque Autori Communicata. Lond. Fol. 2. Hortus Peruvianus Medicinalis: or the South Sea Herball. End of July. Illustrated with many curious Fig. res of divers Medici-nal Hebs, Gum-Tiees, &c. growing in those Parts with their Virtues and Use. Lond. Fol.






Papiliones BRITANNIA, Luteæ, Albæ & Mixte.


**ENGLISH Yellow, White & other mixt BUTTERFLIES.







Papiliones BRITANNIA maculatæ ENGLISH Spotted Butterflies TABIII


H. Tempson, velen, or Seiler Line one.








Papiliones BRITAN. Oculatic, BRITTISH Eye wing'd Butterflies. TAB.V





Papiliunculi BRITANNIE cœrulescentes, aurei &c TABNI. Small ENGLISH, Blue, Golden & Brown Butterslies.



Sustan Nicholls sent

NAME OF STREET

MONSPELII Desideratarum Plantarum CATALOGUS. E RAIO, Magnolo, Chabrao, C. & I. B. &c.

A facobo Petiver, Societ. Regal. Soc. LONDINI.

Regal. Soc. LONDINI.

77. Centaturium minimum putp. ramodum EM. 57. Fl. Jul; 78. Centaturium pufillum luteum CB. R. 1022. 4: 90. Chamamelum leucamliennum magno flore CB; pr. 70. 11. 80. Chamamelum leucamliennum magno flore CB; pr. 70. 11. 81. Chondrilla vitteola, caule folis obduto CB. Fl. Aug. 8cc; 81. Chondrilla vitteola, caule folis obduto CB. Fl. Aug. 8cc; 82. Chondrilla vitteola, caule folis obduto CB. Fl. Aug. 8cc; 83. Chondrilla foli. Cichor, comentofis. CB. Fl. Vere Lugd. 566; 85. Chondrilla foli. Cichor, comentofis. CB. Fl. Vere Lugd. 566; 86. Chondrilla foli. Cichor, comentofis. CB. Fl. Vere Lugd. 566; 86. Chondrilla foli. Cichor, comentofis. CB. Fl. Vere Lugd. 566; 86. Chondrilla foli. Cichor, campathis CB. Chiba, 246. 3. 60. Ciffus Salvie folio CB. Fem. Clul. 75. E. 261. Collongo incano CB. Fl. A. 90. Ciffus Salvie folio CB. Fem. Clul. 75. E. (20. Maio. 91. Eadem vingis humifpartis BM. 67. 92. Ciffus factorie folio CB. Fem. Clul. 75. E. 261. Chamaciffus V. Clul. 75. E. 1 fol. minot. & incanis CB. Fl. Jun. 94. Chamaciffus V. Clul. 75. E. 1 fol. minot. & incanis CB. Fl. Jun. 94. Helanthenum fol. Thymi incanis CB. Fl. Jun. 94. Helanthenum fol. Thymi incanis CB. Fl. Jun. 95. Helanthenum fol. Thymi incanis CB. Fl. Jun. 96. Helanthenum fol. Thymi incanis CB. Fl. Jun. 96. Chamaciffus 2. Clul. 74. E. 16. Thymi incanis CB. Fl. Jun. 97. Helanthenum fol. Thymi incanis CB. Fl. Jun. 97. Helanthenum fol. Thymi incanis CB. Chita. 20. Ciffus. ann. fol. Ledi. fil. luteo EB. Ch. 99. E. 6. R. 103.44. 10. Consolentis maritima repens B. pr. 73. R. 62.13. Var. (Pl. Oct. Clematic maritim arguntiffuris folis EM. 70. 10. Ciffus. ann. fol. Ledi. fil. luteo EB. Ch. 99. E. 6. R. 103.44. 10. Consolentis parva, Monthulus prope Caffetenuf IB. 11. pp. 17. 10. Consolentis parva, Monthulus prope Caffetenuf IB. 11. pp. 17. 10. Consolentis parva, Monthulus prope Caffetenuf IB. 11. pp. 17. 10. Consolentis parva Monthulus proper Chibus argentures and Caffetenuf IB. 11. pp. 10. Clum. 10. Ch. 10. Ch. 10. Ch. 10. Ch. 10. Ch. 10. Ch. 10. Ch A Binthium Seriphium Gallicum CB. Fl. Aug. R. 370.15.

A Canthium Illyricum Park, 979. f. 2. Ray, 313. 2.

Acer Monspellulanum Lugd. 95. f. 3. Ray 1701. 3.

Acetofa lanceolata angustifolia CB. prodt. 55. 5.

Acetofa marit. fol. tinuatis & dentatis Bot. Monssp. 4. R. 175.

Acetofa marit. fol. tinuatis & dentatis Bot. Monssp. 4. R. 175.

Acetofa marit. fol. tinuatis & dentatis Bot. Monssp. 6. B. M. 6.

Alcyonium 12 five Bussa marina CB. Chabr. 570. Ic. t. R. 82.8.

Alcyonium 12 five Bussa marina CB. Chabr. 570. Ic. t. R. 83.8.

Alcyonium 12 five Bussa marina CB. Chabr. 570. Ic. t. R. 83.8. Aleyonium, I CB. Chobr. 579, FL. 5. R. 82. I.

Meyonium 12 five Burfa marina CB. Chabr. 570. Ic. I. R. 83.81

Meyonium 12 five Burfa marina CB. Chabr. 570. Ic. I. R. 83.81

Meyonium 12 five Burfa marina CB. Chabr. 570. Ic. I. R. 83.81

Meyonium 12 five Burfa marina CB. Chabr. 565.2.

Allium I. Moly mort. 2 Cluf. 194. fig. Ff. Juan. R. 1117. 3.

Allium Imont. bicome ff. obfoletione CB. Fl. Aug. R. 1118.7.

Allium I. Moly mort. 5. Cluf. 195. fig. Ff. R. 1126. 5. Ff. I. 38. Y.

Allium fylv. I. Moly angust. umbellar. CB. Ff. Maio.

Mimm fylv. minus, Rofeo amplo flore EM. 10. fig. Ff. Maio.

Mime tenuifolia muscola CB. Ff. Jun. Lugd. 1235. f. I.

Allium Experimental CB. 251. 13. Lugd. 1234. f. 2.

Alline Spergula facte minima BM. 14.

Alline fatida quodammodo fimilis, laciniata Ia. 1.24. p. 1366.

Alline aminor & fluitans CB. 251. 3. Ger. 490. f. 10.

Allea amborea Olbize Ad. 294. f. Lugd. 192. f. 3. R. 663. I.

Anchus aminor & fluitans CB. 26. R. 16. Sep. 26. 2.

Anchus aminor & fluitans CB. 26. 18. Jug. 192. f. 3. R. 663. I.

Anchus aminor & fluitans CB. 26. 18. Jug. 192. f. 3. R. 663. I.

Anchus aminima histuta Choleri I. R. Chabt. 168. Ic. 6.

Anonis minima histuta Choleri I. R. Chabt. 168. Ic. 6.

Anonis minima histuta Choleri I. R. Chabt. 168. Ic. 6.

Anonis minima histuta Choleri I. R. Chabt. 168. Ic. 6.

Anonis minima fatat. Feeler I. Maio &ce. R. 215. 8.

Antirrhium mai, rotundicre tol. CB. R. 760.2. Var.

Antirrhium faxat. Feeleli tolia 24. Is. 8. p. 10. 10. 6. F. M.

Antirrhium faxat. Feeleli tolia 24. Is. 8. p. 10. 10. 6. F. M.

Antirrhium faxat. Feeleli tolia 24. Is. 8. p. 10. 10. 6. F. M.

Antirrhium faxat. Feeleli tolia 24. Is. 8. p. 10. 10. 6. F. M.

Antirrhium faxat. Feeleli tolia 24. Is. 8. p. 10. 10. 6. F. M. Anomis putilla glabra t ur. Cherl. d.B. 2. 1. 17, p. 394. f.
Anthyllis Valentina Clul. Fl. Maio &c. R. 21, 8. 6
Antirrhinum mai, rotundiore tol. CB. R. 760.2, Var.
Antirrhinum mai, rotundiore tol. CB. R. 760.2, Var.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
Antirrhinum fol. diffecto CB. 211. q. R. 761. q. (& Jun.
After Conyzoides Monlpelienfium H. Blef. Fl. Jun.
After anticus lut. Mont. villolus, magno flore CR. Fl. Jun.
After Anticus lut. Mont. villolus, magno flore CR. Fl. Jun.
After Anticus lut. Mont. villolus, magno flore CR. Fl. Jun.
Aftriplex fylv. lappular habens B. pr. 8. l. R. 197. 7.
Aftriplex fylv. fuctu Rofeo compress B. pr. R. 192. 5.
Bellis mont. fol. obtuso crenato B. pr. 121. q. R. 351. 7.
Bellis mont. fol. obtuso crenato B. pr. 121. q. R. 351. 7.
Bellis montana munor l.B. Chabr. 361. 6. (Aut.
Bellis media cause carens CB. Chabr. 361. s. f. Fl. Vere &
Blitum minus fol. ex albo & viridi variegatis BM. 38.
Brassella arvensis CB. Fl. Vete. Lugd. 524. f. 3: R. 796. 13:
Brusella Hystopitolia CB. Chabr. 474. s. 2. R. 552. 5.
Bulbecassan manus full folic CB. Clus. 33. R. 8, 41. 10.
Buphthalmum Cotula fol. CB. Clus. 33. R. 8, 41. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 73. R. 8, 44. 10.
Buphthalmum Cotula fol. CB. Clus. 74. R. 403. 6.
Cambnorate congener. CB. Fl. Y. & Jun. R. 440. 7.
Camphorate congener. CB. Fl. Y. F. Y. & Jun. R. 440. 7.
Carduus Galdstites IB. Fl. Were Chabr. 348. f. R. 8, 37. 6.
Carduus

```
t52 Gr. Mopeeuros minor spica longiore CB. R. 1266. 13.
153 Gr. spica subrotunda echinata B. pr. 16. f. R. 1268. c.10
154 Gr. tomentosum spica sum CB. Lugd. 430. f.
155 Gr. Paniceum, spica simplici CB.
156 Gr. Arundinaeeron spica multiplici CB.
157 Gr. Arundin. marin. maximum Ad. 4.
158 Gr. Arundin. ramosum plumosum album CB. R. 1280. 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      136 Linaria lutea, parva annua I.B. Fl. Maio. R. 755. 126, 7 Linaria foliolo capitulo CB. Fl. Sept. R. 292. c. 16. 238 Limum maritimum CB. lutenm Fl. Aug. R. 1074.17.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      239 Linum marit. majus I.B.
240 Linum (vlv. minus.luteo flore CB. Fl. 7ul.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      241 Linum luteum palmare BM. 160. Fl. Jul. 242 Linum angustifolium Lob. Obs.
        158 Gr. Arundin. ramolum plumolum album CB. R. 1280. 2. 159 Gr. Cyperoides latif. Pica spacioco viridi majus CB. 160 Gr. Cyperoid. panicula sparia minus CB. 161 Gr. Cyperoides maritimum CB. Ad. 44. f. R. 1298. 17. 162 Gr. Cyperinum nemorolum Tab. R. 1298. 16. 163 Gr. Sparteum Monspel. st. capillaceum fol. minimum CB. 164 Gr. Loliaceum minus, spica simplici CB. R. 1264. 6. 165 Llem minimum BM. 120. Luco Gramunio.
                                                                                                                                                                                                                                                                                                                                                                                                                                                    242 Linum angustitolium Lov. ODI.
243 Linum sylv. st. albi Lob. Obf. Fl. Jun. &c. R.1073.11.
244 Linum sylv. carul. fol. acuto B. pr. 107. 2. Fl. Jun.
245 Linum minimum flellatum B. pr. 107.2. BM. Fl. Vere.
246 Linum sylv. huteum fol. fubrotundis CB. Fl. Jun.
247 Lithospermum Linaria fol. Monspel. CB. Fl. tota ass. Lob.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Ic. 411. 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      Ic. 411. 2.

248 Lotus comiculata marit, hirfuta BM. 164, Fl. eff.

249 Lotus 5 phyllos minor hirfut, fol. angustiss. CB. Fl. Aug.

250 Lotus pentaphyllos maj. hirfutis candicans CB. Fl. Maio,

251 Lotus marit. lutea sliquosa, fol. pingui glabro BM. 165,

252 Lychmic sylv. angust. calic. turgidis striatis CB. Chabr

165 Idem minimum BM. 120. Luco Gramuntio.
166 Gr. Loliace in minus fupinum, fpică multiplici CB.
167 Gr. Loliace apaniculă ramolă, maritimum BM. 120.
168 Gr. Phanicoides fol. convolutis &c. argenteis BM. 120.
159 Gr. Spica Brizz majus & minus CB. R. 1257. c. 2.
170 Gr. Tremulum Montpel. BM. 121. pl. 6. CB. Theatr.
171 Gr. Aven. max. utriculis lanugine albâ, arift. longissimis BM. 121. fg. Fl. Maio. R. 129e.12.
172 Gr. f. Fessua longissimis aristis CB. R. 1290.13.
173 Gr. Aven. locustis rubris montanum B pr. 20.5.
174 Gr. Aven. mont. lanuginosum CB. R. 1269. 5.
175 Gr. Aven. lanug apunis sariopinas B. v. 20.5.

                                                                                                                                                                                                                                                                                                                                                                                                                                                      252 Lychms tylv. angunt. cauc. turgius sitiatis 62. Chapt
446. f. 1.
253 Lychms fylv. lanuginofa minor CB. Fl. Maio.R.995.11.
254 Lychms fylv. minima fl. mufcofo BM. 171. Fl. Ful. &c.
255 Lychms minima rigida Cherleri I.B. Fl. Vere. Chabt. 445.
173 Gr. Aven. locultis rubris montanum B pr. 20.f.
174 Gr. Aven. mont. lanuginolum CB. R. 1269. 5.
175 Gr. Aven. lanug. glumis ratroitous B. pr. 20. f. 2.
176 Gr. rubrum Monspeliense l. B.
177 Gr. aliud Monspeliense l. B.
178 Gr. aliud Monspeliense l. B.
179 Gr. fupinum Monspeliense l. B.
179 Gr. fupinum Monspeliense Laugerii Lob. illustr.
180 Gratiola f. Hypopiolia angustioribus foliis CB. pr.
181 Grossula non spinola BAi. 123.
182 Stachas citrina altera indora Ad. 204. f. R. 283. 11.
183 Stachas citrina altera indora Ad. 204. f. R. 283. 10.
184 Helleborine 2 Clus. 272. mont. angust. purp. CB. Fl. Maio.
185 Heleborine 2 Clus. 272. mont. angust. purp. CB. Fl. Maio.
186 Helleborine 2 Clus. 272. mont. angust. purp. CB. Fl. Maio.
187 Helperis (ylv. st. parvo B. pr. 103. 1.
188 Hieracium minimum faleatum B. pr. 64.13.
190 Hieracium D. Leonis solio bulbosum B. pr. 63. 5.
191 Hieracium D. L. sol. hirsuste alperum minus laciniatum
193 Hieracium D. L. sol. hirsuste alperum minus laciniatum
193 Hieracium D. L. sol. hirsuste alperum minus CB.
194 Hieracium uror. angust. laciniatum minus CB.
195 Hieracium Monspeliense Ad. 18. f. R. 880.6. c.7.
196 Hyacinthus comosus minor Ad. Fl. F. & Mart.
199 Hyperotum CB. Fl. Apr. &c. R. 1328. 1.
200 Hypericum supennum romentosum minus vel Monspel. CB.
201 Jacea squammis pennatis s. cap. villoso l. B.
                                                                                                                                                                                                                                                                                                                                                                                                                                                    f. 1.

256 Lychnis Alpina vel Ocymoides repens mont, CB, Fl. Maio
257 Lycium Gallicum I.B. Fl. Maio, R. 1626, 1.
258 Marrubium nigrum longifol. CB, Fl. Ap. M. & Jun.
259 Marrubium album villolum B.pr. 110.2, R.557.6.
260 Marrubium paluth, hirtuum CB, R.535, 2.
261 Meliloto vulg. affinis, fol. min. & rotundiore I. B.
262 Millefolium odorat, minus Monfpel, H. Blef.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Morus fructu albo parvo BM. 178.
                                                                                                                                                                                                                                                                                                                                                                                                                                                         203 Habris fit. nigro patvo BM. 178.
164 Moris fit. nigro patvo BM. 178.
165 Muscus terr. Coralloides erectus, cornibus rusescentibus CB
166 Muscus Capillaceus longissimus CB.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      166 Mulcus Capillaceus longilfimus CB.
167 Mulcus Gapillaceus longilfimus CB.
168 Narciffus angustif. albus minor B. pr. Fl. Apr. (BM. 182.
169 Narciffus angustif. albus minor B. pr. Fl. Apr. (BM. 182.
169 Narciffus juncifol, palmaris, parvo fl. lutco, odore Mells
270 Nashurium prat. parvo store CB. Fl. Jun.
271 Nymphea alba minor CB. Fl. Jun. &c.
272 Ocnanthe Passinace sylv. fol. sem. Atriplicis CB. Lugd.
273 O. f. Filipendula Monspel. Apii fol. I.B. Fl. Jun.
274 O. f. Filipendula aq. cap. majore hispidiore CB. 163.
275 Olea sylvestris CB. R. 75442.
276 Oliva maj. oblonga angulofa Amygdali forma BM. 187
270 Oliva media oblonga angulofa BM. 187. Ouliviere.
278 Oliva media oblonga id. Pichouline.
280 Oliva major subrotunda id. Ampoulau.
281 Oliva media rotunda viridior BM. 190. Verdale.
282 Oliva media rotunda racemos id. Souteillau.
283 Oliva minor rotunda racemos id. Suterillau.
284 Oliva minor rotunda racemos id. Salierne.
               200 Hypericum supinum tomentosum minus vel Monspel, CB.
201 Jacea squammis pennatis s. cap. villoso l.B.
202 Jacea mont. incana capite Pim CB, Fl. Jun. R. 329, 29.
203 Jacea mont. Narbonensis Lob. Obst. 293. R. 329, 35.
204 Jacea incana Lugd. 1194 f. Fl. Jun. Ad. 235. s.
205 Jacea latis spinosis capit. pulchris, fl. purp. I.B.
206 Jacea capitulis spinosis Ad. 234.
207 Jacea lutea capite spinoso CB. Fl. Jun. &c. Ad. 234. s.
208 Jacea Melitensis capitulis conglobatis Boe.
209 Jacobea 3. latifolia i Chil. 24 s. Fl. Jun. Jul. &c.
210 Jacobea Senecionis solio H. Blef. Fl. Maio.
211 Iberis latiore folio CB.
212 Iberis Nasturtii solio CB. Fl. Jun. R.827.1.
                                              Hypericum supinum tomentosum minus vel Monspel, CB.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      283 Oliva minor rotunda racemola id, Boureillau.
284 Oliva minor rotunda rubro-nigricans id, Salierne.
285 Oliva minor rotunda, ex rubro & nigro variegara id, Pi.
286 Onobrychis fructu echinato minor CB. Fl. Jun. (gau.
287 Onobrychis clypeata alpera minor B. pr. 149. 1. Fl. Jun.
288 Polygala minus laxatile Chabr. 153. f. 3.
289 Ophiogloffum minus fubrorundo folio B. pr. 150. 2.
290 Cynogorchis latifol. spica compacta CB. Fl. Maio. R. 1214.9.
291 Orchis odore Hirci minor CB. Fl. Maio. R. 1213.2.
292 Orchis Muscam referens major & minor CB. Fl. Maio.
293 Orchis Muscam referens major & minor CB. Fl. Maio.
294 Orchis Palmata angust. minor, st. odoratistimo B. pr. Fl.
295 Origanum Monsp. pulchrum Cam. 468. f.
296 Ornit bogalum majus Monspel. Clus. 187. R. 1151. 2.
297 Ornitopodio affinis hirluta, Scorpioides leguminosa Ad.
Fl. Maio.
298 Ornitopodio affinis hirluta, stella leguminosa CB. Fl. Maio.
                   212 Iberis Nafturtii folio CB. Fl. Jun. R.827.1.
               213 Hex folio Agrifolii BM, 140.
213 Hex folio Agrifolii BM, 140.
214 Hex media Cocifera Hici plane suppar, fol. Aquifolii Ad.
215 Iris maritima Narbonensis Ad. 32. s. maj. & minor.
216 Iris perpusilla saxat. acaulis ferme Ad. 32. f. R. 1187. 3.
217 Iris minor lutea Dod. 24. Fl. primo Vere. R.1188. 6.
218 Juneus acumine reflexo majore CB. R.1304. 11.
                                                                                                                                                                                                                                                                                                                                                                                                                                                           298 Ornibopodio affinis hirluta, fiella leguminola CB. Fl. Maio.
299 Eadem flor. & filiq. cauliculis adhærens BM. 195. Chabr.
                                                                                                                                                                                                                                                                                                                                                                                                                                                      299 Eadem flor. & filiq. cauliculis adhæiens BM. 195. Chabr.
136. f. 5.
300 Orobanche magna purp. Monfpel. I.B. Fl. April. &c. Cluf.
301 Orobanche fubezruleo flore f., 2. Cluf. 271. Fl. Maio.
302 Orobanche minor purpusei flor. f. ramofa I.B. Fl. Apr.
303 Panax Coftinum CB. R. 410. c. 3.
304 Panax Heracleum ftonde Palfinaca Ad., 312. R. 409. 5.
305 Panicum Dod. 507. f. 1. paniculà minore CB. R. 1247. 1.
306 Papaver Cornic. phæniceum hirfurum CB. R. 857.13.
307 Papaver Cornic. Violaceum CB. Lob. Ic. R. 857.13.
308 Pafinaca tenuif. marin. fol. &c. lucidis BM. 199.
309 Pephus minor I.B. 3. l. 34. p. 670. R. 869. 28.
310 Phylyrea latif. fpinofa CB. Fl. Vere. Cluf. 51. f.
311 Philica elatior CB. Cluf. 50. f. Ad. 421. f. R. 1608. I.
312 Philica elatior CB. Cluf. 50. f. Ad. 421. f. R. 1608. I.
313 Pilofella maj. crecta CB.R. 241.16.
314 Pimpinella Sanguiforba minor, fens. majore & craffiore
315 Pinus fylv. altera marisima Lob. Obf. R. 1400.7.
316 Pinafter humilis Lob. Obf. R. 1400. 6.
                   219 Juniperus major bacca rufescente CB. R. 1413. 2.
               219 Juniferus major baccă rufelcente CB. R. 1413, 2-
220 Kali minus villofum CB. R. 199, 15,
221 Kali minus fol. lucidis BM. 146.
222 Lathyrus lucreus latifolius BM. 150. Fl. Apr. &c.
223 Lathyrus angustifolius humilior BM. 150.
224 Lathyrus angustifolius humilior BM. 150.
225 Lathyrus angustifolius fol. Gramineis venosis, fl. pheniceo BM.
226 Lathyrus maj. Narbon. angustifolius I.B. Chahg. 145. I.,
227 Leucomm marit. angustifol. CB. Fl. Vere & aftate Ad.
                                                              141. f.
                 228 Libanotis Cachryophoros quibusdam fl., luteo I.B. Fl. Mag. 229 Libanotidi congener BM. 154. Lugd. 230 Limonium supin. reticulatum Bocc. Fl. Sept. R. 396, 9. 231 Limonium parvum Bellid, min. folio CB.R. 395, 4.
                   232 Limon, marit, minus, fol. cordatis B. pr. 90. r.
233 Limonium minus bullatis fol. BM. 156, f. Fl. Jun.
                 234 Linaria arvens. carulea erecta B. pr. 107. 5. Fl. Apr. &c. 235 Linaria &c. fol, imis rotund. BM. 158. f. Fl. Maio.
```

317 Plantage:

317 Plantago max, tota glabra B. pr. 97.1. R. 377. 3.
318 Plantago capitulis Lagopi longioribus BM. 206.
319 Polium Lavandule folio CB. Fl. Jun. &cc. R. 525. 6.
320 Polium marit. erect. Monfp. CB. R. 524. 1.
321 Polium mont. album CB. R. 524. 2.
322 Polygala acutioribus fol. Monfpel. CB. Fl. Maio.
323 Polygala erecta angustifolia &c. BM. 208. Fl.M. & Jun.
324 Polygonum herriaris facie Lugd. 1124. f.3.
325 Polygonum alter. pusillo vermic. Serpilis fol. M. 30. f.
326 Polygonum alter. pusillo vermic. Serpilis fol. M. 30. f.
327 Polygonum angustifilmo Gramineo fol. erectum BM. 211.
Fl. Jul. &cc. (XI.
328 Polygonum mulcofum minimum Bocc. Fl. Maio. 8. 316 327 Polygomum anteri puttifilmo Gramineo fol. erectum BM. 211.

Fl. Jul. &c.

(XI. 328 Polygomum angustrifilmo Gramineo fol. erectum BM. 211.

Fl. Jul. &c.

(XI. 329 Polytrichum I. Iricomanes minus & tenerius CB.

330 Polytrichum I. Iricomanes minus & tenerius CB.

331 Potamogiton applitifol racemofum B. pr. 101. 1.

332 Potamogiton minimum capillace fol. B. pr. 101. 3.

333 Potamogiton capillac. capitulis ad alas trifidis B.pr. 101. 4.

4. Lingue-folium minus repens luteum CB. 325.

334 Ramunculus magnus valde hirfutus I.B. R. 382. 5.

335 Ramunculus magnus valde hirfutus I.B. R. 382. 5.

336 Ramunculus paputt. echinatus B. pr. 95. 3.

338 Ramunculus vallofiffimus Monfpel. B. pr. 69. 9.

341 Ramunculus (Cherophyllos Afphod. radice CB. Fl. Maio.

342 Ranunculus Cherophyllos Afphod. radice CB. Fl. Maio.

343 Ranunculus Cherophyllos Afphod. radice CB. Fl. Maio.

344 Rapa (ylveftris CB. Fl. Sept. R.80. 3.

345 Rapunculus ipicat. i. comolus caruleus I.B. Fl. Jun.

346 Rapunculus minor, fol. incifis CB. Fl. Apr. &c.

347 Refeda fol. Calcitrapa, fl. albo H. Blef. Fl. Maio.

348 Phyteuma alter Monfp. fol. minus laciniato Lob. illuft.

349 Rhamus cort. albo Monfpel. I.B. R.1592.1.

350 Rofa Pomifera major CB. R. 1472. 17.

351 Rubia iylv. afpera CB. R. 480. 2.

352 Rubia mont. angustifolia B. pr. 145. 7. R.480. 3.

353 Rubia fylv. afpera CB. R. 480. 2.

354 Rubia mont. angustifolia verticillato femine I.B. Fl. Apr. &c.

356 Rubia mait. Narbonensum Ad. R.485. 1.

357 Rubia quadrifolia verticillato femine I.B. Fl. Apr. &c.

358 Rubia danit. Japanes caminor CB. R. 474. 3. 4. 355 Rubia fpicata repens BM. 255. Fl. Ang.
356 Rubia marit. Narbonenfum Ad. R.485. 1.
357 Rubia quadrifolia verticillato femine l.B. Fl. Apr. &c.
358 Rubeola marit. afpera B.pr. 145. 7. R.481. 5.
359 Ruta fylv. major & minor CB. R.474. 3. 4.
360 Salix latifolia inferne hirfura l. B. R. 1422. 1.
361 Salix humilis capitulo fquamofo CB. Tuño &c.
362 Seabiofa cap. globofe, fol. tenuifi lacin. diviñs CB. 8.
363 Seabiofa marit. parva l.B. Chabr.336. f.5. R. 378. 13.
364 Seabiofa glabra fol. rigidis viridibus lB. R. 377. 10.
365 Seabiofa marit. parva l.B. Chabr.336. f.5. R. 378. 13.
364 Seabiofa integrifolia, l. fol. Bellidis BM. 231. Fl. Maio.
365 Seabiofa integrifolia, l. fol. Bellidis BM. 231. Fl. Maio.
366 Seammonia Monfp. fol. retundioribus CB. Fl. Aug.
367 Seadum Cretica minor CB. Fl. Veve. R.428.2.
368 Sedum Mpim. fl. pallido CB. Fl. Jul. 6. Cluf. R. 1042. 19.
369 Sedum minim. lut. non acre l.B. R. 1041. 19.
370 Sedum minim. flellatum rubrum BM. 237. f. Fl. Maio.
371 Sedum tridactylires Alpim. minus B. pr. 131. 2. Fl. Jul.
372 Serpyllum longifol, hipidnm LB. Fl. Jun.
373 Selell Mafflienfe fol. Feniculi craffiore Ad. 352. f. Fl. Aug.
374 Sideritis worticillis spinosis LB. Chabr.473.fi.3.R.505.11.
375 Sideritis worticillis spinosis LB. Chabr.473.fi.3.R.505.11.
376 Sinapi parvum filiqua alpeta B. pr. 41.
377 Sonebus apputhiotomodo folio B. pr.60.1. mai, & minor.
378 Sonebus apputhis cound ligulis albis BM. 246. Fl. Maio.
378 Stechas dotata purpurea D. Peliter. Lob. llust.
381 Stechas dotata purpurea D. Peliter. Lob. llust.
382 Terebirubus maj. Piffachia fol. Ad. 412.R. 1579.2.
383 Thalitrum prat max. Monfp. alperior. foliis H. Blef. Fl.
384 Seleli Peloponenfe Cicutæ fol. Ad. 412.R. 1579.2.
385 Thalifrum prat max. Monfp. alperior. foliis H. Blef. Fl.
386 Thalspi Vuncaria incano fol. minus B. pr. 47. 2. Fl. Maio.
387 Thalspi vullofum capfulis hirfutis B. pr. 47. 2. Fl. Maio.
387 Thalspi mont. minim. Monfp. fol. laciniato LB
387 Thalpi mont. minim. Monfp. fol. laciniato LB
387 Thalpi mont. minim. Monfp. fol. laciniat

403 Trifolium globosum repens CB. Chabr. 162. f. 2. R. 945.13.
404 Trifolium capir. glomerato rigido LB. Chabr. 162. f. 4.
405 Trifolium cap. spumoso aspero min. B. pr. 140.6. R. 947.22.
406 Trifolium argentatum st. luteis LB. Chabr. 159. f. 6.
407 Medica magna turbinara LB. Chabr. 162. f. 2.
408 Medica fr. compresso minore BM. 268.
409 Medica hirsura, echinis rigidioribus LB. Chabr.
410 Trifolium Cochleatum polycarpon CB. R. 964.21.
411 Trifolium folliculis Corona similibus CB. Chabr. 169. f. 1.
412 Trifolium folliculis Corona similibus CB. Chabr. 169. f. 1.
413 Valusimalia sem umbilicato tct. mudo Maris. 411 Irifolium fructu cochieato, ciliare B.M. 269.
412 Irifolium folliculis Corona fimilibus CB. Chabr. 167, f. 1.
413 Valerianella fem umbilicato rot. nudo Morif.
414 Valerianella fem. umbilicato nudo oblongo Marif.
415 Verbafcum fol. fubrorundo, fl. Blattaria CB.
416 Vicia multifolia cum latis filiquis I.B. Fl. Apr. &c. Chabr.
417 Vicia finilis, fupra infraque terram fructum edens CB.
418 Vitis fylv. Labrufa CB.
419 Ulmus fol. minus rugofo & scabro ferè lucido I.B.
419 Ilmus fol. minus rugofo & scabro ferè lucido I.B.
410 Mga tinctotia I.B. R. 73. c. 6. Pl. 2.
421 Allium petraum umbelliferum I.B.
422 Alfine littoralis Graminea BM. 290. Fl. Maio.
423 Aparine minima BM. 291. Fl. aftate.
424 Bellis mont. Gramineis tollis BM. 291. Fl. Maio.
425 Carduus fellatus, fol. integris ferratis BM. 292.
426 Carlina caulifera & acaulos I.B. R.288. 1.
427 Caucalis Dauci fylv. fol. echinato magno fructu BM.292.
428 Chamaciftus repens Serpilli folio luteus CB. Fl. Maio.
429 Chamaciftus Nummularia folio BM. 294.
430 Coralina fitulola fragilis lavis I.B. Chabr. 578. f. t.
431 Daucus mont. fol. Faniculi longiore B.M. 294. Fl. Jul. 420 Chamaciftus repeus serpin 1010 a BM. 294.
430 Corallina fiftulosa fragilis lævis I.B. Chabr. 578.f. r.
431 Daucus mont. fol. Fæmiculi longiore BM. 294. Fl. Jul.
432 Idem multo minor BM. 295. an. Lugd.
433 Dens Leonis fol. radiatis BM. 295.
434 Doronicum integro & crasso Hierarchi solio BM. 295. Fl. Jun.
435 Fuci Fungiformes I.B. Ray 78. 12.
436 Gramen paniculatum minimum molle BM. 297. Fl. Apr.&c.
437 Gramen paniculatum minimum molle BM. 297. Fl. Maio.
438 Hieracium mont. laciniat. lanuginoso solio CB.
439 Laduca sylv. angusto laciniato solio BM. 298. Fl. Jul.&c.
440 Lapathum prat. capite comosfore BM. 300. Fl. Maio &c.
441 Laterpitium Gallicum CB. Fl. Jul. R. 426. 2.
442 Idem multo minus BM. 300.
443 Lenticula palustris bisolia, frudu tetragono CB.
444 Limonium stuticolum BM. 301.
445 Orchis store nudi Hominis effigiem representans mas CB.
447 Orobus sylv. angustrisol. Alphodeli radice CB. (Fl. Apr.
448 Porus Angusinus I.B. Chabr. 575.ft. R. 649. (304. Fl. Jun.
449 Oran Angusinus I.B. Chabr. 575.ft. R. 649. (304. Fl. Jun.
450 Spongia ramosæ varietas Bocc.
451 Tithymalus Lithospermi majoris solio BM. 305.
452 Tithymalus mont. non acris CB. R. 879. 14.
453 Socronorea latisol. Altera CB. fol. angustioribus BM. 306.
454 Tragopogon humilis crassiore folio BM. 305. Fl. Maio.
455 Valeriana Alpina minor B. pr. Fl. pr. Vere.
457 Vicia peren. multissora, mai, st. carul. ex albo mixto BM.
458 After lureus maj. sol. Succija CB. Ray 267.8.
459 Centaurium luteum non perioliatum CB. Fl. æstate.
460 Polygonum minus glabrum BM. ap. alt.

Plantæ Locis Propriis crescentes.

Plantæ Locis Propriis crescentes, viz. Circa

The same of the same of the

THE THE PARTY OF THE PARTY.

The grown is bounds, it organish.

The contents of the content

Les andmire Barologe stille was the gar que of

The same of the sa

the transfer of the transfer o

Comment of the control of the contro

Plantæ SILESIACE Rariores ac Desideratæ,

E Casparo Schwenckfeltio excerptæ, & Methodo Rayana digestæ.

A Jacobo Petiverio, Societatis Regalis Socio. Londini.

1 Acetofa Alpina pag. 8. Ad Rívulos altiss. montium.
2 Acetofa minima 8. Agris incultis & colibus squalidis.
3 Arriplex palustr. polycaulis 27. Foss. Julio, &c.
4 Bistorta Alpina maxima 31. Jugis altiss. Suditorum.
5 Lapathum palustre minus 118. Fossis humid, frequent.
6 Polyomum sol. tubentibus 163. Viù & Agris.
7 Chondrilla Viminea 50. Fl. Jun. & Jul.
8 Hieracium 2. 6. 8. 9 & 10. Schwenckfeld. 106.
9 Hieracium 17. 12. 13. 14 & 15. Schw. 107.
10 Ladua sylv. purpuea 114. Mont. Suditorum.
11 Pilosella Alpina 157. Montibus altis & herbidis.
12 Sonchus Alvina cærulea.200. Fette Henne. Silef. Fl. Jul. &c.
14 Astr luteus montanus 25. Dumet. & collibus saxosis.
15 Erygeron Alpinum 67. Mont. altiss. & humidis. Jul. &c.
16 Gnaphalium tenussolium 87. Agris & Hortis Oleraceis.
17 Tussiago Alpina minor 212. Mont. umbros. & humidis. Jul. &c.
18 Virga aurea 1 & 2. Schw. 219. Wundkraut Germ.
19 Bellis mont. maxima 29.
20 Chamamelum fatuum 47. Ruddille. Agris quiet. & cultis.
21 Abstinthium mont. s. vulg. minus 6. Ruderibus & montosis.
22 Carduus palustr. truticans 38. Mont. & Sylvis udis. Aug. &c.
23 Carduus palustr. minor 38. Humidis ad rivos. Aug. &c.
24 Carduus patustr. minor 39. Eberwurtz. Fl. Jul. & Aug.
25 Carlina major Schw. 39. Eberwurtz. Fl. Jul. & Aug.
26 Cissium montanum 1. 52. Schardistel Sil. Fl. Jul.
27 Jacea collina minor, leptophyllos 111. Agger. Viarum. Jul.
28 Jacca mont. villoso capite 111. Pratis Mont. Riphæorum.
29 Scabiosa minima asserbite 111. Pratis Mont. Riphæorum.
29 Scabiosa minima asserbite 111. Pratis Mont. Riphæorum.
20 Scabiosa minima asserbite 111. Pratis Mont. Riphæorum.
21 Angelica Alpina 3. 19. Geistwurtzel Sil. Mont.
23 Asserbica Alpina 3. 19. Geistwurtzel Sil. Mont.
24 Ciutaria montanum 20. Mont. & arenos. pratis. Jul. &c.
25 Carduus panustanum 20. Mont. & arenos. pratis. Jul. &c.
26 Cissimo manustanum 20. Mont. & arenos. pratis. Jul. &c.
27 Carduus in pantanum 20. Mont. & arenos. pratis. Jul. &c.
28 Journa montanum 20. Mont. & arenos. pratis. Jul. &c.
29 Carduus in pantanum 20. Mont. & a 72 Tormentilla Alpina maxima 208, ad lacus Sudit. & M. Riphæo.
73 Polygonatum angustifolium 162. Mont. sylvosis.
74 Polygonatum latifol. ramosum 162. Mont. sylvosis.
75 Anagallis aq. 2. 18. Palustribus & Rivulis.
76 Anagallis aq. 2. 18. Palustribus & Rivulis.
76 Anagallis aq. 3. s. Palustribus & Rivulis.
77 Bussa Passa pagnisolia 35. Nagaskratit. Agris aridis.
78 Bussa Passa pagnisolia 35. Nagaskratit. Agris aridis.
79 Dentaria Pentaphyllos 61. Flor. Aprili, Umbros. Sudit.
80 Dentaria Heptaphyllos 61. Dod. 162. s. 2.
81 Dentaria Enneaphyllos 61. Dod. 162. s. 2.
82 Dentaria baccifera 61. Opacis Mont. Maio.
83 Eruca pasustribus major & minor Sebm. 65.
84 Lysimachia siliq, pasustr. & Roseo store Schw. 129.
85 Nassurium montanum 145. Pratis copiosè. Maio.
86 Thlassa lathum suprimum 205. Viis circa Vratissa. Æstate.
87 Tithymalus stricophyllos & platyphyllos Schw. 207.
88 Tithymalus fricophyllos & platyphyllos Schw. 207.
89 Tithymalus frictophyllos & Passa Ad Sabulos crepid. Fiumin.
90 Rapunculus Nerisolius 181. Vallib. sub. M. Gigantao. Jul.
91 Rapune. sylv. cær. umbellatus 181. Mont. ad Quissum. Aug.
92 Trachelium Alpinum maximum 209. Flor. Julio.
93 Gentiana omnes species Schw. 83. 72 Tormentilla Alpina maxima 208. ad lacus Sudit. &M. Riphæo. or Rapunculus Nerifolius 181. Vallib. [ub. M. Giganteo, Jul. of Rapunc. (ylv. cær. umbellatus 181. Mont. ad Quiffum, Aug. 91 Trachelium Alpinum maximum 209. Flor. Julio. 93 Gentianæ omnes fpecies Schw. 83. 94 Alfine petrea omnium minima 16. Petrofis Julio. 96 Alfine petrea omnium minima 16. Petrofis Julio. 97 Caryophyllus 1ylv. 1.2. 4, 5& 6. Sebm. 42. & 3. 98 Ciflus humilis 2. Panax Chiromium minus 53. Apricis. 97 Caryophyllus 1ylv. 1.2. 4, 5& 6. Sebm. 42. & 3. 98 Ciflus humilis 2. Panax Chiromium minus 53. Apricis. 99 Primula Veris inodora Alpina 168. Mont. altifi. Maio. 100 Sanicula Alp. f. Auric. Urfi minima fl. purp. 190. Maio. 101 Pyrola fruteficens 172. Mont. & Sylvis Gorlicenf. 102 Lagopus montanus minor 115. Ad Agros & Vias. 103 Pifum fylv. perenne 156. Mont. afperis inter Saxa. Julio. 104 Pifum fylv. 2. f. minus alterum 159. 105 Polygala repens Nuperorum 161. 107 Polygala repens Nuperorum 161. 107 Polygala repens Nuperorum 161. 107 Polygala repens Nuperorum 161. 108 Trifolium fylvat. alb. maximum 210. Ericetis. Julio. 107 Vecia fylv. 3. feu lutea 218. Campis fruticofis. Jul. &cc. 108 Allium Alpin. mas & ferm. 14. Suditor. humid. Julio. 109 Bifolium 3, feu Ophris trifolia 31. Dreyblat. Germ. 111 Damafoni omnes fpecies Schw. 147. &c. 113 Porvum agrefte 166. Agros. Marginibus. 114 Porvum agrefte poliferum 166. Agris incultis. 115 Por. Alpin. Sedivum maj. 166. Vallib. Oupa & Mumcha Jul. 116 Satyvium abort. f. Deutaria aphyllos minor 199. Jul. &c. 117 Valeriana f. Phu montana 215. Mont. humid. & faxofis. 118 Prixa fontana 73. Muris puteorum & fontium. 126 Filix mas Alpina maxima 72. Mont. humid. & faxofis. 127 Filix finotana 73. Muris puteorum & fontium. 126 Filix muraria feu minor 72. Saxis praruptis. 127 Filix finotana 73. Muris puteorum & fontium. 126 Filix finotana 73. Muris puteorum & fontium. 126 Graminum omnes fpecies 88, &c. 127 Juncus fylvaticus 112. Sylvis udis. 128 Juncus autus minimus 112. Mnt. portius cripum 7. Urlenne Flader. Sil. 131 Fraxinus crippa 76. Ejus mareries unduletur. 132 Fraxinus d 34 Ciptuaria montana 52. Mononis minitus.
35 Daucus mont, Boiemicus 60 ad Poidebradum, Julio.
36 Libanotis Theophrafi alba & nigra. Schw. 122.
37 Meum Silebacum Alpinum & paluftre 136.
38 Millefolium paluftre 1. 138. Waffer Fenchel.
39 Millefolium paluftre 2. 138. Waffer Fenchel.
39 Millefolium paluftre 2. 138. Waffer Fenchel.
30 Millefolium paluftre 2. 138. Waffer Vein Jun.
40 Myrrbis montana 142. Bergkorffel. Flor. Maio.
41 Sefeli Peloponenle 196. His/hwurtz. Vallibus herbid. Julio.
42 Sium aquat. odoratum & aquat. 2. Schw. 197.
43 Thalidri omnes species Schw. 204.
44 Mollago 1. 2. & 3. Schw. 139. Megerkraut Germ.
45 Rubia sylv. major 184. Emont.Silejaca. Rote Germ.
46 Cerinthe minor 46. Visi. Agris & Collibus. Fl. Æstate.
47 Cannabis sylv. spuria 1. 2. & 2. Schw. 37. Taubnesselm. Germ.
48 Hedera terreft. minor 101. Klein Gunderman.
49 Hedera terreft. minor 101. Klein Gunderman.
40 Hedera terreft. montana 101. Opacis Mont. Sylvis.
51 Serpillum Boiemicum, odore unctuolo suavisimo 195.
52 Sideritis 1 196. Eresselment Sil. Fl. Jun. & Jul.
53 Sideritis 1 196. Eresselment Sil. Fl. Jun. & Jul.
54 Sideritis 1 196. Eresselment Sil. Fl. Jun. & Jul.
55 Aconitum lureum majus. Geol Wolffwurtz. & Fl. Jun. & Jul.
56 Aconitum lureum majus. Geol Wolffwurtz. & Fl. Jun. & Jul.
57 Napellus major 143. Fuchswurtz Germ. Aug.
58 Napellus major 143. Fuchswurtz Germ. Aug.
59 Caryophyllata Alpina minor 42. Vallibus umbrof. Suditor.
60 Maiva sylv. s. Aleca Querna 132. Falris Germ.
61 Plantago aq. minor s. angustif. humilis 161. Udis.
62 Pulfatilla nivea Mpina 171. Cellis Suditor, jugis. Jun.
63 Quinquesolium Vernum minus 174. Collib. & Vis. Aprili.
64 Quinquesolium Vernum minus 174. Agro Vratisa. Maio.
67 Ramuculus Alpinus candidus 179. Ad Rivos & sequente.
68 Ranunculus Alpinus candidus 179. Ad Rivos & sequente.
68 Ranunculus Alpinus candidus 179. Ad Rivos & sequente.
68 Ranunculus Alpinus candidus 179. Sedi omnes species Schw. 194. & 5.

La chille Tak Bolar II according Special i

and the second control of the second control

Control of the Contro

I glory and a war on a warp and approx \$ 1.

Burney of the Market of the State of the Sta

Samuel Communication of the communicat

The State of the second second

wes Visid y

2 n. hen en elles hunden.

The state of the s

A series of the control of the co

A Company of Security and Security of Security S

The complete of the complete o

The state of the s

PLANTARUM ETRURIÆ Rariorum CATALOGUS.

E Clarissimo Casalpino, Boccone, Mentzelio, Raio, &c.

Farnia maritima, operibus inutilis, p. 32.

Suberella folio latiote modice finuato 32. Maritimu,
Cappinus folliculis menbranaccis 38. Alpibus.
Opulus Aceri fimilis, foliis minoribus 42. Planis.
Praxinus humilis 43. Siccis & faxofis.
Cerafus fylv. f. parvoex viridi flavo, racemulis oblongis 51.
Ilatrum folio Ilicis angustioni 74. Maritimis.
Legro Puzzo & Putine 74. Agro Plumbiensi.
Rabmus tol. Olea, sex purp. candicante 74. Sepibus.
Sambucus umbella sparvis, baccis rubentibus 92. Monitibus.
Sambucus unbella sparvis, baccis rubentibus 92. Monitibus.
Sambucus palustris, baccis que presso 92. Circa Pifam.
Rubus humilis, baccis paucis 98. Humidis.
Alvis strucex in Alpibus sine spinis, Ribes vulgo, 99.
Lycium sol. serrato perpetuo 101. Humectis & incultis.
Alvis strucex in Alpibus sine spinis, Ribes vulgo, 193.
Cyrifus fol. albidis acaulos 114. Collibus maritimu.
Oyrifus sol. albidis acaulos 114. Collibus maritimu.
Oyrifus sol. nigroribus, padic. longis 114. Collibus figidis.
Cenista Alpina aphyllos, vincis palmaribus mollibus 115.
Cenista humilis, juncis acutis robustis 115, in Ilva.
Sajan Christi vulgo, Frucex spinosus aphyllos 117. (Alpibus.
Populus sol. leviter seratus interné subitius, punet albis 21.
Sajan Christi vulgo, Frucex spinosus aphyllos 117. (Alpibus.
Salix sol. angustiore, viminibus 110. Struce vulgo 125.
Salix 4. fragilis, fol. subito. histuro, Vetricem vulgo 125.
Salix 4. fragilis, fol. subito. histuro, Vetricem vulgo 125.
Valeriana Sorbi solio subinisturo 143. Montibus & Rasius.
Nardus montana, Asphodeli radicibus 140.
Spica Celtica, umbella lutea 149. Montibus.
Valeriana sorbi solio subinisturo 143. Montibus.
Olivella Alpicolis, fol. solio subinisturo 145.
Lauveola st. albo, baccis nigris 150. Montibus.
Olivella Alpicolis, fol. solio, shi bituro 143. Montibus.
Olivella fol. duro pilos, spoculus 155. Marit. asperis.
Olivella fol. duro pilos, spoculus 155. Marit. asperis.
Olivella fol. duro pilos, spoculus 155. Marit. asperis.
Casem tragilissima, spoculus herbaccis 155. Savoss.
Badeum tragilissima, Persicaria tol. aspero, acerbioris saporis 167.
Polygonum, Centinodia vulge, Lingua Passerina aliis 168.
Polygonum erect. fol. & semine longiori 168. (ubique Polygonum candid. humistratum marit. 162.
Assigne tol. binis Portulaca crassis, edore Cucumer. 169 Latu & c 49 Alfine fol. binis Portulace craffis, edore Cucumer. 169. Letiu & c Salfofa Oleracea 60. vermic. aculeatis, fl. rubente 170. Mar. 52 Salfofa Oleracea Hortor. Il garuni vulgo 170.
52 Salfofa fol. multis tenuioribus rubris 170. Mari. 53 Salfofa fol. gracili infipido 170. Muris 63 Sterquilinis. 54 Salfofa fruticans lignolum perpetuum 171. Scopulis Il væ. 55 Far fem. ruffo, fiica craffiore quam Spelta 173. 57 Spelta grano lævi, aritta fubalpera 174. 58 Hordeum spica brevi, Mont. Lucens. Scandella dilla, 176. 58 Hordeum spica brevi, Mont. Lucens. Scandella dilla, 176. 59 Hordeum squinis ferò ordinibus 175. 58 Hordeum spica Drevi, Mont. Lucens, Scandella dièta, 178. 59 Hordeum quinis ferè ordinibus 175. 60 Hordeum mundum in Ptifanis utitur 176. 61 Avena Graca sem. rubro, anshis longis 178. Arvis fequens. 62 Gamen Cauda Vulpina dicta, spica mollissima 183. 63 Panicastrella spica asperà 185. Vincis & boris 64 Panicastrella spica e foliculis latis candidis 185. 64 Pamealrella tpica è folliculis latis candidis 185.
65 Luciola herba, quia node hucet 185. Monitus.
66 Phanix pufilla, ficis Lolii punicei; 185. Muris & tectis.
67 Perlara fol. Tritici, jubă Milii, rad. rot. candidis 196. Mont.
68 Herba Capillaris, fipieis parvis ramofis 186. Alpum pratis.
69 Herba Capillaris, culmo cubitali, fpicii ex folliculis 186.
70 Gramini funilis, fiofe, purp. fpicaris, major & minor 186.
71 Arundo calfa ad Vites futtinendos colitur 186. (Muris.
72 Arundo calamis longisti humi ferpens 186, Maritimis.
73 Funeus rotund. lanugine vice Seminis 188.

74 Juneus lævis, floccis ofdiculatis nigris 188.
75 Juneus magnus ad Tegetes contekandas 188. Agrit.
76 Phalaris exhits, 3 aut 4 paniculis 193.
77 Juneus folia 3 in cacumine inflexa 195. Marit.
78 Arum parvum, baccis nigris 227. Monte Sancti Juliani.
78 Rubilium fol. binis angultis, fl. putp. 233. Seget.
80 Rubilium fl. multis Roleis, fliiq tenuibus nigris 233. Sylvis
81 Cicerçula fl. purp. fem. albo nigro & vario 234. Seritur,
82 Mochi vulgo. Alpibus feritur, ad pabulum Brutorum 194.
83 Aracus fl. luteo, fem. nigris lcabris 233. Seget.
84 Cicer fylv. fol. temis, Theriaca vulgo, ab odore 238. Collid.
85 Melilotusfylv. fol. fubbiritutis, fliiq, incurvis 244. Adiffe. vet.
86 Glaux fol. hirlutis, fl. ex albo pup 245. Afperis marit.
87 Polygala Meliloto fimilis, fl.magno ingulari pallid. 245. Marit.
87 Tragos fol. Glauci latiore, bicubit altitudinis 245.
89 Lupinus fylv. dicla, 247. Marit.
91 Lupinus caulic. doctaru. exectis, fl. rubente 247. Marit.
92 Lupinus caulic doctaru. exectis, fl. rubente 247. Marit.
93 Securadica fylv. fl. albo aus rubente orbic. fliid. Meliloti 248.
94 Anthyllis I quibuldam, Lentis fol. floc. luteis aduncis 249.
95 Onobrychis fylv. fl. purp. fol. latioribus & paucioribus 249.
96 Onobrychis fylv. fl. purp. fol. latioribus & paucioribus 249.
97 Sena fol. latioribus, fliq. comprefis falcateix 249. Mont. riguis.
98 Herba humistiata fol. hirfutis, fl. luteis, fliq. tumidis 250.
88 Saxofis.

80 Lychnie fol. molli, fl. ex puniceo purpurafcente 253. Saxofis.

95 Lychnis fol. molli, fl. ex puniceo purpuralcente 253.

100 Lychnis fol. molli, fl. Centaurii minoris 253. Montibus.

101 Saxifraga aphyllos, ramis juncels, fl. parvo purp. 253. laxofis.

102 Saxifraga Romana, rad. & fl. albidis 255. Pariet, umbrofis.

103 Saxifraga Romana, rad. & fl. albidis 255. Maritimis.

104 Ocymoides major, fol. Ocimi hiffutis 256. Ruderibus.

105 Ocymoides parva, humifirata, fl. rubente 256. Saxof. alperis.

106 Nifago Ipica rademola 257. Aridis & maritimis.

107 Polemonio levi fimilis, Rapum fyluefire dicta 259. Arvis, &c.

108 Odonides caule dodramali recto; fl. purp. 259. Pratis.

Udis. Saxofis. 109 Centunculus, aliis Centone & Morfus Gallina 259. Ruder.
110 Gratia Dei altiot & ramofior, fol. longioribus 265.
111 For Capuccio fol. & fl. tenuiribus 267. Segetibus.
112 Onagra 3, folio Hellera ferrato 268. Montibus. 111 For Capiccio fol. & fl. tenuioribus 205.

112 Onagrà 3, folio Hedera ferrato 268. Montibus.

113 Fumaria caule longicore, fol. rarior. fl. candicante 272.

114 Ferrula mas fol. tenuitàs feiffis 276.

115 Ferrula fremina 276. Monte Argentario.

116 Thapfia fol. latioribus fubcandids 277. Ilba fpontè.

117 Panax Afclepium, foliis Femiculi 279. Montibus.

118 Meu falsò, fol. capillaccis, fl. luteo 280. Montibus.

119 Libariotis nigra, fl. luteo 282. Montibus & umbrofis.

110 Meu falsò, fol. capillaccis, fl. luteo 280. Montibus.

1110 Meu fol. Auethi, fl. luteo, Imperatoria quidám 283. Alpib.

1121 Ammi fem. minutifimo fuavi 285. Ilva.

1122 Ammi pufillan 285. Afperis, Aprieis inter faxá.

1123 Daucus Mont. Jolio & umbellá Staphylini 286. Alpibus.

1124 Onicus campettris fol. Femiculi 287. Latis & Agro. Ilini.

125 Caucalis foliis varie divinis 287. Avis bulque.

126 Gingidium fol. Staphylini, fl. albo 289. Ruder, & Vineis.

127 Gingidium fem. grandi hifpido 290. Collibus afferis.

128 Cicutaria defulis cocta 273. Collibus, humedis.

129 Cicutaria edulis cocta 273. Collibus, humedis.

130 Cicutaria hirlurior, femme grandiore 293. Alpibus.

131 Finocchella Alpheolis, odore & fapore Feniculi 293.

132 Pancafeolus flore purpureo 293. Montibus.

133 Pyrethrum Canarum incola Imperatoria 294. Paluftribus

134 Sefeli Maffilienie, Feniculum marim. quibuldam 294. Pifa

135 Sefeli Creticum 295. Sylvis & Collibus maritumis. (marit.

136 Seleii Ætbioricum, fem. migro odorato 296. Aenofis.

137 Sefeli peruvim folio Graminis 296.

139 Crefcione caule recto, umbellis lummis ramulis 500.

141 Sifon lem. parvis nigris odoratis 301. Aquis & idis.

142 Leuiflicum alterum f. fubrubentibus 305. Incultis fuita.

143 Liguflicum, Alpibus Liguria Imperatoria 506.

MINU DE TH Marianine 7

144 Ligufficum majus, umbellā luteā 307. Montibus.
146 Angelica vulgo Alpicolu, lem molchato 307.
147 Herba Cofta vulgo, flore & fucco luteis 310. Montibus.
148 Panaa Herculcum vulgo Panacea Etrufcis 311. Alpibus.
149 Siler Germanicum, folius Paffinace, &c. 314.
150 Saxifiagia 4, fem. craffiore 315.
151 Rubia iylveftris 323. Vepribus, Mont. &f aridu.
152 Rubia iylve caule breviori, fem. nigro 323.
153 Lappago quidam lævis 325. Ubique.
154 Gueialis longė exilior 325. Montibus.
155 Gueialis in majritimis minima 225. 221 Sefamoides altet, oaule unico 388. Arenosis. (aridis. 222 Sefamoides 3. fol. brevib. paucis appendicibus 388. Glaveof. 223 Cyclamen vulgo Pamporeinus 322. Montibus umbiosis. 224 Cyclamen Veroum, rad. Avellanis magnit. 392. Montibus Sancti Juliani. Sancti Juliani.

225 Viola lutea, gracilioribus foliis 393. Montibus.

226 Coris fol. anguttiss. fs. Es fs. Hyperici 396. Montibus.

227 Coridi similis, fs. ab uno latere luteis 396. Marit. asperis.

228 Chironia caule simpl. erecto, fol. maj. hirsutis 397. Sabu-155 Crucialis in maritimis minima 325. Montibus.
156 Herba quadam dodrantalis, fol. binis angustis, &c. 326.
157 Fruitenius in Collib. laxosis, &c. fr. rotundo compresso 326.
158 Herba fiella edulis cruda, folis Gramineis 330. Montibus faxoss. 229 Chironia flore candido majori 307. Collibus Urbevetan. 230 Cepa dulciffima, Nucis magnitudinis 400. Agro Piftorient. 231 Cepa lanata, habens lanam lub primis tunicis 400. Lit-231 Cepa lanata, habens lanam lub primis tunicis 400. Mgro Pistorienis.

232 Bulbus fylv. quidam Hyacinthus fylv. sl. cerul. 40. Campis.

233 Cepa Canina, fl. candicante 402. Pratis palultribus.

234 Hyacinthus alter exiguus, fl. disceto 403. Sylvis.

235 Seilla radice nigra 403. Montossi marit.

236 Moly Homericum soboliferum, fl. candido 404. Montibus.

237 Ornithogalum luteum r. leu majus 405. Montibus.

238 Ornithogalum luteum alterum preve f. dodrans 405. Mont.

239 Ornithogalum luteum andicum breve f. dodrans 405. Mont.

230 Ornithogalum luteum andicum breve f. dodrans 405. Mont.

230 Ampeloprassum scheme 405. Avus & Norm.

240 Allium tylvestre, fl. rubente 405. Avus & Vincis.

241 Allium tylvima alterum, angustiore fol. 400. Sylais.

242 Colebicum candicans, fol. angustiore 410. Campis &c.

243 Colebicum candicans, fol. lation 410. Montibus.

244 Colebicum candicans, fol. lation 410. Montibus.

245 Narvissus and fl. candido, sine medio acerabulo 414. Hu
247 Alphodelus caule nudo simplici 415. Aspibus.

248 Alphodelus caule nudo simplici 415. Aspibus.

249 Alphodelus parvus, caule cubitali simplici 416.

250 Afphodelus parvus, caule nudora 421. Sarvosis serilibus.

251 Lis pussila purp. rad. odorata 421. sequente

252 Lis pussila purp. rad. odorata 421. sequente

253 Satjijum lingua lata deorsum sexa 428.

254 Satynum biturcata purp. 429. Ubevectano.

255 Sigillum Sande Maria, fl. 3 s. 4 in cacumine candidis 431.

256 Sigillum S. M. alter. store candidis 431. Colib. masit.

258 Buglossa qual Lingua Bovina 432. Sabuloss.

250 Litbolermum caul, simplici junceis 437. Colib. masit.

260 Echion fl. ècandido rubente 436. Semiris & Aridis.

261 Litbolermum caul, simplici junceis 437.

262 Cringlossa latiore fol. speciolo store 440. Montibus.

263 Salvia a leu Herba alba 441. Sakor. crépid. apud Seravalem. 159 Herba fella altera lanuginofa, Serpentina quidam 330. Edi-160 Antirrhinon alterum exilius, Parietibus frequens 335. 361 Auricula Muris altera, in Parietibus 335. 162 Phyllon alterum humilius, folio exiliore 337. 162 Pyrola fi. albo 338. Alpibus.
164 Pyrola fol. Bata carnolo, caule foliato 338. Aquofis.
165 Circea fimilis, fol, fubbirifutis crifpis 339. Montibus.
166 Euphrafia altera ramola, fol. majulculis 339. Liguria Alp.
167 Euphrafia fol. purp. ex latitudine criftata 340. Montibus cultis, &c.

168 Crifta altera, fol. angustiss, f. aureo 341. Exectis.

169 Crifta simplici caule dodantali 341. 6. 37.

170 Crifta ramis sectis, cubitali altit. 341. Pratis.

171 Crifta quadam in Alpibus, solio Filicis 342. c. 38.

172 Orobanche xulgo Cauda Leonis, si albicante 342. 172 Orobanche vulgo Cauda Leonis, fi. albicante 342.
173 Orobanche ramofa, fi. purpurafecentibus 342.
174 Verbafeum 7, fol. latis lubrot, fi. luteo 347. Montibus.
175 Verbafeum 9, fol. angusto, finuato virenti, fi. aureo 347.
Ruder, palfim.
176 Galeobalon & Ursica mortus, Verbafei fructu 349. Ruder,
177 Scrophularia fol. purpurafeente 349. Alpibus 11guis.
178 Serophularia fimilis minor, fol. Ruca teilis 350.
179 Limaria parva, fol. brevibus fubbis finis, fi. putp. 350. Vinets.
180 G. Leoni fol. previbus fubbis finis, fi. putp. 350. Vinets. 180 Os Leonis fol. brevibus fubhirfutis, fl. pallido 351, Scopulis 181 Os Leonis H. brevi carolleo, capit, rotundidribus 351. 182 Braffica fylv. ingrata, fol. è cand. purpureo 352. Ilva [co-pulis, & c. pulis 56.
183 Sinapi 3 Ruca vulgo, fol. Eruca scabro 359: Horiu.
184 Eruca altera fruticola, fl. luteo 360.
185 Eruca fol. hirluto, fl. albo 360. Parietariu & maceriii.
186 Herba Sandi Alberti, fol. laciniato, fl. luteo 361.
187 Accipitrina alter fol. crassus divisis, fl. candido 361. Incultis.
188 Herba quadath, caule simplici, fol. tertato, fl. albo 361. 262 Cynofloja attore pot speciolo note 440. Montious. 263 Salvia niger 441.
264 Salvia 2 feu Heba alba 441. Saxor. crepid. apud Seravallem. 265 Melimum fl. ex candido pallefeente 443. Apenimia. 266 Melimum alter, brevior & fruticolior, 443. Gracilibus. 267 Betonica odore magis gravi 444. Montibus. 268 Horminum fylv. Melifa folio 448. Asperis & faxofis. 269 Horminum fativo fiinilis, folliculis Oeymi 449. Valle Affecti, &C.

189 Sifymbrium caule & fol. subrubentibus 362. Aq. riguis.
190 Sifymbrium furticosior, fol. Truce laciniato 362. Priove.
191 Herbula humilis Burfa Pastor. astinit, Thymi fol. rot. 366.
192 Thlaspi fol. Iberidis, fl. albo 366. c. 76. (Vis.
193 Thlaspi fl. luteo fr. lato valde depresso 366: Monte Sancti 269 Horminum Iativo fimilis, folliculis Ocymi 440. Valle
prope Pifas.
270 Milzadella macula per medium folii 449. Ruderibus.
271 Leucas anguftioribus foliis quafi Mercurialis 450.
272 Leucas exigua 450. Ruderibus & locis alperii.
273 Sideritis Heraclea 451. Incultis & fabulofis.
274 Sideritis altior ac viridior, fl. fubluteis 452.
275 Sideritis fol. anguftiore, fl. purpureo 452. Vineis.
276 Sideritis fol. anguftiore, fl. albicante 452. Vineis.
277 Prunella hirfurior & brevior, fl. candido 453. Afferis & faxofis. Juliani. 194 Thlafpi Cretic, fol. Lini, fl. subrubente 367. Afperis, pri-195 Thlafpi magnum, Rafanus montanus vulgo. 367. Horris & Montibus.

Montibus.

Dorella vulgo, fol. Thlafpi nigui, fl. candicante. 367.

195 Hefperis fl. albo f. purp. nocte-olens 368. Montibus.

198 Hefperis pufilla, fl. purpureo 369. Gracilibus.

199 Hefperis fol. & capite e roundis, fl. luteo 369. Montibus.

200 Lunaria Graca 2. inodora, fol. Urica 369. Montibus.

201 Lunaria Graca 3. fol. Verbalci, fl. luteo, fliq. furfis 369.

202 Lun. Graca 4. fruticofior, fol. Thymi, fl. luteo 369. Mon
203 Ruta 5/tv. Armell Offic. fl. albo 371.

204 Ruta 2. humilior, Cicuta dibenienfum quidam 371.

205 Thaliethom, vulgo Verdemaceum 372. Agger. agrorum &c.

206 Characias fol. Olea fubhirfuto, fl. fubrubente 373. Marit.

Afferis.

(Montibus. Montibus faxofis.

afperis. (Montibus. 207 Char. fol. Olea, ramis rubent. paucioribus & brevior. 373. 208 Tithymalus paluftris 274. Etfa paludibus fequens. 209 Efula Offic. fol. Lini, coma tubrubente 374. Campeliribus. 210 Efula maj. fol. longior. & tarioribus 374. Humidis. 211 Efula 3, l. candida, fol. angultis 374. Montofis. 212 Alypun fol. Thymi, fr. alpero 375. Petrofis marit. 213 Tithymalus Mythmics angultioribus folisi 376. Montibus. 214 Tithymalus Arborefeens 376. Scopulis & praruptis. 215 Tithymal, fatil. alter, fol. & fl. hirtutis 377. Ad Fluvias pallin.

passim

216 Catapatia admodum pufilla, 4 digitorum 378. Afperis.
217 Scamonia major, fol. Hedera angulofis 383. Hortis.
218 Convolvul. humilpatlus, fl. purp. 385. Collibus afper. marit.
219 Phyteuma alter, Archangelica foliis minoribus 386.

220 Erinos fol. angulosis, fore albido s. purp. Rapunculi 386. Ædisc. riguis.

(trofis. 278 Prunella alia exilioribus ramulis, fol. angustiore 453. Pe-279 Teucrium alterum ramofius, fol. denfius ferratis 455. Mon-

280 Scordium ampliore folio Mentafiri 456. Planis. 28t Polium Mont. flor. candidis. 457. Collibus incultis faxoft. 282 Polium tamis paucioribus fol. lubrot. non denticulatis 458.

Montibus.

Poium exilius, fol. Rorilmarini inferne candidis 458. Af-Rofmarinum fylv. Oles folio, fl. grandiore 458. Ilvs. laxolis. Thymum Italicum, fol. Satureia 461. Monte Sancti Ju-285 liani, &c.

hann, e.c.
286 Origanum capit. magis sparsis tenuioribus & longior. 463.
287 Scarsapepe vulgo & Moncepepe 464. Olitoribus notissma.
288 Pepolina vulgo, aliis Piperella 466. Saxosis littoribus, &c.
289 Ments aq. odorata, fol. totundo, cibis grata 453. Aquosis.
290 Mentastrum fol. oblongo lanuginoso 473. Incultis passim.
291 Absubrium alterum brevius, paucioribus ramis 476. Agro
Scheffs.

292. Achillea fol. Abrotani vulg. fl. albicante 481. Mont. cultis.
293 Millefolium pufillum, fol. digitalibus Ammi fimilibus 482.
294 Chylocome fol. Heliochryfi rarioribus, cap. fquamofo 485.
Pila moniis.

295 Chrysocome tenui folo & saxoso nascens 485.

296 Chryfocome pluribus eapitulis in unum aggregatis 485. Mont. 196 Chry 297 Chryfocome latioribus fol hirfut. pluribus veluti umbellis Sparfis 485. Planis. (Montibus.

19arlis 485. Panis.
298 Herba impia alia tenuior. 20 fimplicioribus corymbis 486.
299 Ardium lanugine Eupatorio fimile 488. Materiis & Pariet.
300 Cacalia fol. Tuffilaginis subtus candidis 489. Alpibus.
301 Chamamelum vulgo Chamomilla 491. Arvis frequens.

302 Cota vulgo Oculum vacca quidam 492. Ruderibus passim. 303 Chryfanthemum similis Cotula fol. & caulibus 494. Ruderibus 304 Chryfanthemum paucior. ramis, candidiore folio 494. Arvis. Calendula (ylv. minor, fl. magis pallido 495.

Afterifous fumple, caule dodrantali, fol. duris 499. Alpibus.

Badem fl. caruleo 496. Alpibus.

Afterifous ramola altior, cap. & fl. minoribus luteis 496.

307

309 Intentria vulgo radice odorata 496. Montof. aridis & incult.
310 Intenfaria vulgo radice odorata 496. Montof. aridis & incult.
311 Dorontoum fol. ab radice Inflagrinis pedic. longis 497. Al212 Cinaraia vulgo 300. Marifinis afperis frequens. (pihus.
313 Jacobea folio Eruca laciniato 500.

Jacobea Raphani folio, sed minus hirsuta 500.

Anthyllis quædam, fol. Lini asperis, st. Tripolii 500. Mon-314

316 Voga aurea fol. Laurinis ferratis, fl. Conyzæ major, 503, 317 Virga aurea caule fingulari, fl. inumbellis 503: Alpestribus. 318 Cachorium Romanum, longiore folio 506, 310 Aphaca angustiore folio 508.

320 Chombrilla 2 fol. hirfutis, rad. rotundis subflavis 509. 321 Chondrilla quædam, Collibus, Vineis & Adificiis vetustis 510.

322 Eadem ramis tuberculis nigris 510. Priore.

Amarago caule unico, cui in medio 3 funt fol. rot. 510. (Sylvis. Montibus. 324 Amarago altera, caulibus multis nudis 510. Monibus & 325, Andivia fylv, fl. luteo ex alis foliorum 511. Hortis incul-

11, &c. 12. Sonchus crispiore folio 512. Collibus umbross & fylvis. 327 Sonchus crispiore bicubitali cavo, fol majoribus 512. Mont. 328 Hieracium magnum, fol. Somehi lubhirluto 512. Edisciis.

329 Hieracium quædam in ruderibus, fol. nigricante 512. c. 13.
330 Terracrepolus vulgo, Olus lylvestre 513. Collibus faxosis &

Terrarepolus Vulgo, Our sylvettie 13; Contour facous & Ediferis.

331 Terrarepolus quadam, rad. Fabaceis 413. c. 15. Afferisla.

332 Ginestrella II. Terrarepola minore 513. Vinear. Juperciliu.

333 Ginestrella minima, foliis Giamineis 514. Montibus faxos.

344 Pilofella altera caule tolioso 514. Collibus gracili folo.

335 Ladiuca tylv. Scarola & Serraha dicta 516. Agrordimit.

bumid.

336 Luftuca montafol, brevibus non feiss & c. 516. Alpibus, 337 Ladariola vulgo, folio maculoso subhirsuto 517. Sylvis. 338 Ladariola alia, Sopragine vulgo, grandior & ramossor 517. (renofis.

339 Crithmum fylv. fol. & umbellis fpinofis 522. Maritimis a-

336 Crithmim (slv. fol. & umbellis spinosis 522. Maritimi: a 340 Carduni sativus, Carciossus vulgo 424. Hortis Cibi gratia, 341 Carlina vulgo 527. Alpibus sireq. in Pratis Apenninis, 342 Carlina altera, Alpibus Pistor. ac Lucensibus 529. 343 Spina Arabica 530. c. 41. Montibus & locis gracilibus. 344 Acanthion 530. Sylvestribus & torentium alveis. (Agris: 345 Acanthion maj. & nigrior omnibus Eriocephalo similis 531. 346 Cirium Agro Pisano uliginosis ad rad. Mont. S. Juliani 551. 347 Cirium alterum sol. lation. & brevioribus 531. Sylvis. 348 Circium 3 Stoppione vulgo aculeis durior. 531. Arotspassim.

349 Acorna fi, auteo patulo 532. Collibus afperis & Campis.
350 Senecio altioi & major, fl, aureo 537. Montibus.
351 Papaver Spumeum, tol. Papaver. Rheados 539. Incultis & Masit.
(Saxofis.

Marit. (Saxofis. 352 Papaver Spumeum, caule erecto, fol. tenuissime cissis s40. 353. Centaurea major Serratule solio 440. Monte Gargano. 354. Seabiosa solio integro 541. Arvit. 355. Ramunculus lavi ac molli solio 544. Circa Piscinas. 356. Ramunculus lauginosus Malva solio 544. Incultis, pratis. 357. Ramunculus hissuto semine sol. subrotundis 544. Arvis & Ramunculus hissuto semine sol. subrotundis 544. Arvis & Cultis

358 Ranunculus hirl. sem. fol. Apii tenuioris 544. Priore.
359 Ranunculus aq. fol. parum scissis, st. albo 544. Aquosis.
360 Ranunculus humiserpens, Apii palust. fol. non acris 545.

Ag. foveis. 361 Ranunculus insectus, fol. Plantag. angustiore 546. Humidis. 362 Ranunculus insectus folio Tritici 546. Humidis.

363 Ranunculus mont. fol. rotundo lanuginolo 546. Montibus. 364 Ranunculus mont. 3 folio minus scisso, fl. candido 546.

365 Chamamelum Eranthemon fl. rubicundo 546. Inter Segetes. 366 Trinitas aliis Tora fol. subrot. fl. cærul. seu rubro 457. Se-

quente.

Eadem fl. candido maculoso 547, Montibus & Opacis.

Anemone trifoliata 548. Monte S. Juliani & Collibus

369 Pulfatilla fol. Cicuta, fl. purpureo 550. Montofis & Sylvis. 370 Gariofilata fol. rotundo, fl. grandi, purp. f. luteo 550. Montofis

371 Oenanthe similis Filipendula, fol. Agrimonia 551. Montibus.

372 Fragaria bis in anno fructicans 554 Apribus Bargeis.
373 Heptaphyllon caule recto cubitali 555 Apris.
374 Heptaphyllon alter. humile, palmi altit. fl. candidis 556.

375 Tormentilla altera fol. fubtus candidis 556. 376 Pes Columbinus vulgo & Gruinum roftrum 558. Ruderibus, 377 Pes Columbinus fl. amplo Leucoji subrubente 559. Sylvis, 378 Pes Columbinus fol. rot. divisa in multas partes 559. Sylvis.

379 Balfaminum vulgo fl. ex purp. cæruleis, roftris prælongis 559. Sylvis.
Rubertiana brevior ac minus rubens, fol. viridibus 55.

381 Linum fylv. brevius, fl. luteo, capite exiguo 563.
382 Harmel alia, fol. Nigella, cap. tripartiro 573.
383 Rhododendron Herbaceum & pufillum, fl. albo 576. Alpibus.
384 Cepaa altera fol. brevibus denfis 578. Montibus.
385 Cepaa 40r digit. altit. fol. modice angulofis 579. Pariet. opacis.

Cepaa ramofior, fl. candicante, fr. stellato 579. Priore.

386 Cepaa ramofior, fl. candicante, tr. stellato 579, Estate.
387 Umbilicus Veneris grandior, fol. latiore hyemalis 579.
388 Napellus alter fol. Platani, fl. pallidis 585. Alpibus.
389 Dentaria maj. fl. albo, filig. simplicibus 585. Montibus & Celius.

390 Dentaria min. fobolifera, fl. purp. filiq. exilibus 586. De-391 Dentaria altera brevior non fobolifera 586.

392 Vulparia fol. Napelli, fl. Ranunculi 587. Alpibus. 393 Vulparia fol. rot. ferrato, fl. minore 587. Humedis Alpium.

394 Vulparia quædam fol. tenuffilmis, fl. pallidis 887. Alp. Li-395 Filix in paluftribus Pifanis arenofis 593. (guriæ. 396 Filix parva, foliolis nequaquam ferratis 593. Montibus umbrofis.

umbrogis.

397 Filiz parva, fol. tenuissimė denticulatis 593. Mont. umbr., 398 Hemionitis 595. Vetustis Adificiis, umbrosis & humečtis, 399 Ceterach, fol. dodrantali rainolo histuriori 596. Ilva saxol. 400 Adiantum nigrum paucioribus ramis 597. Montibus.

401 Adiantum alterum fol. Digiti longut. Pollicis latit. 598. Liguria Montibus.

Liguria Montibus.

(598, Sepibus.

402 Equifeturi (candens, longiff, caule, fol, nullis aut paucis

403 Equifeto fimilis, capillaribus foliis numerofiffimis 600.

Fluviis ferè stagnantibus

Fegatella I. Lichen parva & mutilis 601. Umbrofis.
Muscus fol. Cupress fed compress 603. Mont. umbrofis. 406 Museus longissimus ex Robore antiqua aut Abiete pendens

407 Musei marini varia species 603. cap. 24. 408 Rosa marina fol. rotundis, crebris foraminibus 608. 409 Bursa marina rotunda viridis 608. c. 29.

410 Spuma Maris, globus lævis ex ampullis constans 608. 411 Spuma Maris, fol. auriculatis mollibus 608. 412 Corallina fruticofa, cortice rubro, ramul. tortuofis 611.

413 Corallina frutic. cort. albo, ramulis crectis punctatis 611.
414 Eadem ramulis veluti denticulatis 611.

Eadem 4. lanugine nígric, aut cinerea, capillis in extre-mis granulofis 611. Ha omnes Testis s. Scopulis marit, adhærent.

416 Fungus marima minimus 619. c. 48. Lapillis mare nascitur. 417 Thlaspi saxatile, foliis rubsis. Mentzel, pugillo. Saxis. 418 Viola Cruciata marina id. Littoribus.

419 Viola lutea marina id. Littoribus.

420 Thymbra fpinola id. Monte fuliano.
421 Actofa mont. Mali Limon. fol. flagel: tamolis Boc. Mul. 164.
Alp. S.Benediff.
422 Actofa mont. fol. undulato, flag. non ramolis id. 164.
423 Sonebus pyramidalis Boc. Mul. p. 41. T. 31:
424 Tragopogon parvum, ex luteo purpuralcens CB. Etrus.

Cens CB. Etrur. ireq.
425 After mont. faxat. lut. angusto &c. Plantaginis fol. Boc.
426 Virga aurea mont. minor Bocc. Mus. 169, fatts. Montibus.

427 Cyanus mont, caule foliofo, cap, oblongo Boc, M. 20. f. 2.
428 Malva Betonice folio Boc, 15. fig. Pratis: (Montibus,
429 Rubeola Alp. faxat, tenuifolia Boc, Mul. 145. T. 101. Mont.
430 Rubia lævis Lini folio, fl. albis M. Virginis B. M. 83. T. 75.

Montibus.

T. 69. Montibus. Planta Monte Pania Etruria &c. E Boccone, & Rayo Planta Monre Pania Erruria Esc. E Boccone, & Rayo.
436 Chamaleon Alp. Sonchi fpin: fol. lucido, rad, nigra R. 3. p.
437 Helleborus minimus Alp. Afrantia: flore.R.475.3. (200.22,
438 Nepeta tuberola fpicata purp. Ray Vol. 3. p. 295. 7.
439 Nepeta faxarilis carul. minima id. 9.
440 Sideritis mont. praalta &c. fl. rubello R. 307. 17.
441 Brafica

```
441 Broffica fylve albido fl. nutante filiqua R. 410. 2.
  441 Braffica Iylvi albido ft. nutainte siigua R. 410. 2.
442 Turritis Iol. caulem ambientibus, polyceration R. id. 7.
443 Lysimachia siliquosa Asp. erecta, Allines folisis R. 420. 18.
444 Tithymathis dulcis, tuberosa radice R. 421. 54.
445 Plantæ Montibus Appenninis à Mentzelio, Raio,
446 Adonis st. luteo Mentzel. Pugillo. (&c.
447 Alline musicola id. Saxosis Montibus.
448 Anagallis fol. acutis oblongis, st. luteo id.
449 Amenone trifolia, fol. integris id.
450 Aguilegia sol. Thalictri, st. minutissimis albis id. Petrosis.
445 Bistorta minima. sicia proliterà id. Pratis Mont.
                                                                                                                                                                                 525 Jacobea mont. max. fol. incan. integris 6 ped. alt. id. 526 Fluviatilis Pifana fol. dentatis I. B. Ray 121.
                                                                                                                                                                                 527 Thymus repens Pifanus I. B.
528 Plantæ Infula Elba Nascentes.
529 Corallina nigra Chama-conchis innata Mentzel.
                                                                                                                                                                                 539 Echium max, fol. Bugloff, fl. magnis, id.
531 Gramen Ægylops umbell, maximum, 5 ulnæ altit. id.
532 Linaria marit. fl. luteis, rubris, purp. id.
533 Mulcus ruberrimus marinus id.
                                                                                                                                                                                 534 Serpillum erect. frut. fl. in spica multifida digeftis id. 535 Thlaspi marit. fol. oblongis strictissimis, fl. albis id.
    451 Bistoria minima, spica prolifera id. Pratis Mont.
452 Cerinthe fol. & stor. tenuioribus angustis purp. luteis id.
                                                                                                                                                                                 536 Tithymalus pediculis forum longissimis id.
537 Hemionitis altera Daléch. Lugd. 1218. Fig.
538 Lonchitis aspera Ilvensis Lugd. Lugd. 1221. Fig.
    453 Draba faxatilis minor. id.
    454 Helianthemum faxat, caule & fol. incanis oblongis, fl. al-
455 Orchis fol. & flor. ex toto luteis id.
                                                                                                                                                                                  539 Polypodium Ilvense Lugd. 174. Fig.
   45) Orom 101, a 101, ex 101 lutes 1a.
456 Tragorohis purp, barbulis longioribus id.
457 Pentaphyllum Fragiferum repens, fl. luteo id. Jugis.
458 Pentaphyllum fl. albo 3 unciar, altit. id. Petris.
459 Pimpinella Agrimonoides id. à Columna differt.
                                                                                                                                                                           Lanta Aquis, Humidis, Ripis, Udis, &c. No. 14, 15,
                                                                                                                                                                                    24,7,108, 29, 39, 40, 1,2,64,77,80,90,210,9,20,
  460 Polygala lutea maj. pedis altitudinis id.
461 Polygala lutea minor, 3 uncias longa id.
462 Polygala futefc, fol. pilofis & glabris id.
463 Polygala frut, fol. Myrthi, fl. variis id.
463 Polygala frut, fol. Myrthi, fl. variis id.
464 Polygala frut, fol. tenuibus, fl. alb. purp. id.
465 Polygodium faxat. maj. fol. parum feriatis & afperis id.
466 Ranunculus nem. fl. cæruleo fol. major. & minoribus id.
467 Ranunculus nem. fl. cæruleo fol. major. & minoribus id.
468 Ranunculus distores fol. latis, Rapiftri perfoliatis, fl. albo id.
469 Saxif agia alba faxatilis, puilla id.
470 Tblafpi repens, fol. Serpylli incanis, fl. luteo id.
471 Tblafpi repens, fol. Serpylli incanis, fl. albo id.
472 Trifolium Lupulinum faxatile unciale id.
473 Trifolium Lupulinum, faxatile unciale id.
474 Trifolium Veficarium, faxatile pufillum id.
    460 Polygala lutea maj. pedis altitudinis id.
                                                                                                                                                                     46, 89, 335, 44, 55, 9 & 62, 93, 403.
                                                                                                                                                                            Paluftribus 133, 208, 33,395.
                                                                                                                                                                            Maritimis 2, 16, 8, 36, 9, 48, 50, 2, 72, 7, 86, 7, 8,
                                                                                                                                                                     8,101,5,22,58,80,2,8,94,206,12,12,4,6,8,27,50,2,64,8,
                                                                                                                                                                   Trifolium Vesicarium, saxatile pusillum id.
Barba Hirci minor, fol. albo Cam. Hort. 27. Jugis Apen.
    474
                                                                                                                                                                     62, 5, 7, 79, 81, 2, 3, 4, 96, 8, 300, 6, 7, 9, 10, 1, 5, 7, 21,
                                      Plantæ Euganeis Montibus, è Mentzelio &c.
  476 Plantæ Euganeis Montibus, è Mentzelio &c.
477 Alfine media, fol. Solani acutis, fi. umbellatis Mentz.
478 Ranunculus nem. Stignatoides quibuldam id. (423, 30,
479 Veronica frut. durior, oblongo Chamedryos folio R. 3. p.
480 Nigella flore magno, Montis Ruah Mentz, pugillo.
481 Carophyllus arventis glaber minimus C.B. pr. 105, xi. fig.
482 Belliz mont. major, folio acuto C.B. pr. 121, 3, fig.
483 Trifolium Coellettum fol minus object folio C.R.
484 Trifolium Coellettum fol minus object folio C.R.
                                                                                                                                                                    & 4,6,7,30,3,4,6,41,2,3,6,9,90,3,63,4,7,& 72,83,448,9,90,2,3,4,6,7,400,1,5,20,1,2,6,9,30,& 44,7.

Mania, Muris, Parietibus, Edific. Tectis,&c. 32,53,66,
                                                                                                                                                                     70,85,102,59,61,85,220,94,9,321,2,8,30,85,6,98.
                                                                                                                                                                            Incultus, Ruderibus, Sterquilinis, &c. 15,53,104,9,26,
                                                                                                                                                                     42,75,6,87,270,2,3,90,302,3,8,9,10,51,6,76. Aridis, Siccis, Sterilib. &c. 6,106,51,222,52,60,309,76.
    484 Trifolium Cochleatum fol. minuto obtufo, fr. latiore C.B.
    pr. 140. 9. (287. &c.
485 Planta circa Florentiam. vide alia Ray Sylloge
486 Fragaria sterilis major & minor Mentz.
                                                                                                                                                                            Arenosis, Glareosis, Sabulos &c. 43, 136,221,2,8,58,9,73.
                                                                                                                                                                            Ericetis, &c. 168.
                                                                                                                                                                                                                                                                                                               L335,402.
    487 Fragaria fl. pleno id.
488 Fragaria fl. pleno, fructu Botryoide id. (30. Muris.
489 Convolvulus minimus, anguito auriculato folio R.3. 373.
                                                                                                                                                                            Agrorum marginibus, Sepibus, Vepribus, &c. 191,205,
                                                                                                                                                                            Agris, Campis, Planis, &c. 75,107,25,209,30,2,42,86,
                                                                                                                                                                   97,345,9.
Latis, Pratis, Pascuis & c. 49,68,108,24,70,3411428.
  499 Lychnis fylv. minima, fl. exiguo C.B. pr. 103. Agror. marg.
491 Planta Agris & Littoribus Liburni.
492 Mga fpiralis maritima Bocc. 69, Fig.
493 Mufcus ruberrimus marinus Memiz. pug. (xi. Seget.
494 Vicia Lathyroides minor, fol. longis &c. fl. binis R. 3, 449.
495 Hemiaria hirfuta C.B. Arenofis.
                                                                                                                                                                            Arvis, Cultis, Satis, &c. 61,79,81,2,97,107,66,240,381,
                                                                                                                                                                    38,48,54,7,8.
                                                                                                                                                                           Segetibus, &c. 79,83,111,38,365.
   495 Cichoreum prat. Vesicarium Col. Sepibus.
496 Cichoreum prat. Vesicarium Col. Sepibus.
497 Chryfanthemum tenuifolium Bæticum Boëlii.
498 Sideritis fol angustissimo, caule rubro R. Sylloge 237. Marit.
                                                                                                                                                                           Hortis, Vineis, &c. 51, 63, 126, 79,83,93,217,4,75,6, 11,2,5,32,40. Sylvis, &c. 80,93,6,135,234,316,24,
                                                                                                                                                                   321,2,5,32,40.
6,37,44,7,69,77,8,9,89,431.
Opacis, Umbrofis,&c. 30,102,19,44,366,7,85,6,96,7,8,
Comiti. Viis, 191,260 Paffin, ubiq;&c. 46,153.
   499 Medica doliata spinosa polycarpos Park.
500 Lathyrus fl. ex albo & coccineo Ray. Satis, Flor. Aprili.
  501 Trifolium album rectum hirlutum valde I.B.
502 Trifolium Fragiferum, fl. nitidis rubellis Ray.
503 Bulbus fol. Gramneo hirluto &c. Ray Syll. 269. defer.
                                                                                                                                                                                                                                  Locis Propriis.
                                                                                                                                                                                                                                  Apennini Mont. 34,265,341. Argentario
Monte 421. Gargano Monte 353.
6,21,82,284,399, Juliani Monte 78,193,
                                                                                                                                                                 Acuto Monte 202. Apennim Monte, 34,203,54.

Monte 115. Benedidi Monte 421. Gargano Monte 353.

Ilva Infula 21,31,54,116,21,82,284,399. Juliani Monte 78,193,
285,346,68. Agris & Littoribus Libuum 491 & 509. Liguria

Mont. 143,66,394,401. Luca 58,342,510 & 210. Pania Monte
346 & 44. Pija 12,32,134,208,44,69,94,346,95,521 & 7.

Piftoriensi Agro, &c. 230, 342. Plombiensi Agro, 9. Senensi
                                                                                                                                                                         Acuto Monte 202.
  504 Hyacinibus paluftr. vennus fi. alb. fimbriatis id. 268. Foffis.
505 Iris humilis latif. fi. violaceo I.B. Rupibus.
506 Iris pumila latif. fi. luteo R. Syll. 268.
506 Lie pumila latif, fi. luteo R. Syll. 268.
507 Orebis macrophylia Cele.
508 Limonium parvum Narb. fi. majore R. H. Pl. 395, 2.
509 Vide plura in Ray Sylloge p. 268. & 265, 6, £5c.
510 Plantæ Montane prope Lutam Ray Sylloge 267.
511 Hefperis (ylv.) latif. fi. albo parvo Park.
512 Thlafpi folio Sonchi lanati Ray Syll.
513 Thlafpi fi. albo monolpermos Ray Syll.
514 Alline Nyolotis fore maximo Ray. El. Mart. & Apr.
515 Sedum minus fem. fiellaro Ray Ruplus & agger. Sepium.
516 Guaicum Patavinum cive fimilis Frutes. R.Syll.
517 Acetola Mp. minima, fol. Afari Ambrol. Ray 3, p. 115.
518 Hieracium Dentis Leonis, fol. acuto, glabium &c. id. 143.
67. Maris.
                                                                                                                                                                        Agro 291.
                                                                                                                                                                Arbores & Frutices Etruria No. 1826, 33 & 9,516,20. Planta flore Stamineo 42 & 54, 421,25,175,517. Lactefcentes Fl. pleno 318 & 38,523,475,96,518. Pappofis Seminibus, Fl. radiato 31187,504,215. 65,25. Corymbifera 307 & 10.481,97. Capitata 340 & 9,51,8 & 4,427,36. Nodiflora & Nudo flore 291 & 300. Umbellifera 114, & 50,339,437,52. Stellatis foliis 151 & 9,429,30. Afperifolia 258 & 64,431,25,23,30. Verticillata 110,265 & 90,420,38,9,40,98,527,34. Nafflora 111, 66 & 73,7 & 81,225,388,94,418,933,50,522,32. Nudo lemine355 & 75,92,3,428,40,9,57,866,78,865,78,865,78,865,78,857,93,70,19,511,23,335. Pentapetala 112,60,1,82 & 204,447,34,45,5217 & 226 & 9,447,54,69,77,80,13,9,90,514,9,32. Phiffora 79 & 98, 113,460 & 4,72,3,484,99,502. Bulbofa & affines 222,4,30 & 57,455,6,503 & 7. Anomala 27 & 33,491,78,193,205 & 16,444, 582,4365. Frumentaca 55 & 77,531 Planta minus perfects 355, & 416,465,92,3526,93,37,89.
 67. Muris.
519 Pentaphylloidestrifol, Alpin, fl. Chamecifti R. 326. 5.
520 Rofa Alpina supina spinosissima R. Dendr, 25.
             Vide alie Planta Lucenfes Ray Sylloge 267 &c.
                                    Plantæ Pifana
522 Aconitum faxat. rotundifolium Mentzel. pugil.
523 Anchufa parva, fol. pilof. incanis, fl. parvis Bugloffa id.
                                                                                                                                                                57, 455, 0, 10, 508,24,36,5. Frumentaces, 508,24,36,5. Frumentaces, 62, 416,465,92,35,526,933,7,89.
 524 Efula minor fiut. spinis longis horridis id.
```

PETIVERIANA feu NATURÆ COLLECTANEA;

Domi Forisque Auctori Communicata.

A JACOBO PETIVER, Regia Societatis Socio, &c. Londini.

COMMU- Ivers Shells, Fossils, Minerals, Marbles and NIC. I. Plants found about Lisbon, and Communicated NIC. I. Plants found about Lisbon, and Communicated to me from thence, by the most Curious and Learned Don Pedro d'Almeyda, Son of the Noble Count d'Azumar.
1. Pecten Luste, minor, striss plurimis.
2. P. L. min, compressus, medio extits cavus.
3. Chama Medit max, percrassa Nob. Bon. 106, fig. 59. List. Hist. Conchyl. Tab. 414, f. 258.
4. Chama minor remuis ferè rubescens.

5. Eadem alba, medio rubro.
6. Chama Luste, minima, ferè Castanea.

7. C. L. alba, rotunda, perexigua. 8. Purpura rugosa, ore crispo. 9. Aporthais Edinburg. minor, nodosa Gaz, Nat. Tab. 79. f.6.

10. Buccinum testellatum, costis pulvinatis.
11. Rhombus minor fuscus, fascia alba.
12. Rhombus Gibraltar. albus perexiguus.

12. Rhombus Gibraltar. albus perexiguus.
13. Coebleola alba, compressa, parva, ventre pulvinato.
14. perexigua ex Anja, 4 milh à Liston.
15. Balanus compressa & Iquammata Grew 149. Tab. 12. fig. Sect. 2. Fossii Lustanica. Or Iornyas Fossii 2.
16. Chama fossii ventricosior, de Alcanara.
17. Chama fossii ventricosior, de Alcanara.
18. Rhombus tossiiis elavicula latà alte inciss.
19. Unicornu sost. Luste. orbibus perinessis.
20. • Barcin. orbibus elatis peracutis.
21. Stalachtes Oseocolla facie de Ervedal.
22. Stalagmites Botryoites è Grotto d'Alcaneda.
23. Chrystallus pullide lutescens, id.
24. Chrystallus pullide lutescens, id.
25. Chrystallus anthracinus columnaris, id.

Chryffallus anthracinus columnaris, id.
 Chryffallus anthracinus columnaris, id.
 Selenites Rhomboides pellucidus, de Alcanede, qr? Lang-Hill. Lap. Helvetii 27. Tab. 3. Sebeutz. p. 49. f., 71. 2. & 3.
 Hys.-Alumen ruffum de Alcanede.
 Marmor albefcens è Monte Cintra.

20. Marmor cinercum, micis afperfis, id.

30. Marmor flave(cens, lentiginolum, id.

31. Aarmor nigrum, Capillis rarisalbis, id.

32. Marmor diabaffrites è Mont. Clares inter Villam Vicofam,&

Estremos, Provincia de Alenteio. 32 * M.cinereo albedine mixtum. Priore.

33. Marmor carneum, lituris albidis, Lapidicinis de Loures, 3 mill, à Lisbon Copielè.

34. Marmor estelegans, lituris maculique variis. E Monte de Arabida, 4 mill, à Lisbon.

Sect. 3. Planta Kariores Monte Cintra nascentes, &c.

35. Plantago augustifolia, capit. Lagopi CB. Ray. H. Pl. 878.8.

36. Chamamelum fi. nudo. 37. Abrotanum fam. fol. teretibus, CB. 136. Ray 359, 1. 38. Cnicus cæruleus alperior CB. Ray 302. Resta Bovis Cintris. 39. Centaurium majus Lust, fol integro Nob. Ray 330. 4.

Centaurium majus Lufit, foi integro Nob. Kay 330. 4.
 Erjngium pumilum, capitulo caruleo.
 Erjngium marit. Lufit, ampliore fol. R. 3, p. 240. pl. 12.
 Conalmin Millefolii fol. Nob. R. 459. 6. Lugd. 718. f.
 Conalium flaveleose, finatum, nodolum Gazophyl. Natur. Tab. 76. fig. 7. de Ericera, 4 mill. d Lisbon.
 Sect. 4. African Shells and Drugs from Pernambus, &c.
 Chana Fernamb. maj. trequera. cold alart Coch. Pern S. 2.
 Chana Fernamb.

Sect. 4. African Shells and Drugs from Pernambue, &c. 44. Chaina Fernamb. maj. trequetra, coffd alaid Cocb. Petn. f. 35. 45. 40. tenuis minor pellucida, ferè rubelcens. 46. Auris marina vulg. facie, è Marzagan Africa. 47. Naurilus piacenuis, dorfo bideutato Nob. Lift. T. 556. f. 7. opt. 91? Bon. 91. f. 13. 48. Neitula Pern. varie varietates vid. Gaz. Nat. Tab. 67. &c8. Sect. 5. Drugs from St. Jago one of the Cape Verd Ales, &c. 9. Indigo Officinatum feu. Juli Ray. 926. c. 4. Jam. Cat. 141. 60. Anacardnum Occidentale Offic. R. 1649. c. 15. Jam.Cat. 145. 4. Caffia fillula Bi-filman CB. 49. 20. 2. R. 1747. 2. Jam. C. 146. 53. Cola amargofa Lutit. Arber permagna, certice valde amaro, Seminibus Olei plenis.

54. Spinbo Beto Lufit. Acacia filiq. falcatis cincreis, velutinis.
55. Mammee. Arbor Indica Mammei dicta G B 417, Ray 1665.
c. 14. Pluk. Tab. 268. ft. 4, Jam. Cat. 179.
56. Ouri ou Avila. Incolis. Bonduc cincerea Nob. R. 1743. C.3.
57. Semente de Purga Lufit. Ricinus Amer. major. fem. nigto CB. 432. Ray 166. 2. Jam. Cat. 41.
58. Tavarom Incolis. Coral filiq. articulatis, fem. coccineis.
59. Tamarindus Offic. Ray 1748. c. 9. Jam. Cat. Plant. 147.
60. Tortollo Incolis. Arbor venenata lactifera, fem. catharticis.
61. Jacapucaya Marcer. 128. fig. Zabucayo Pit. 66. ft. edit. 2.
18. 155. fig. opt. Ray Hift, Plant. 1677. c. 7.
62. Pareira brava Pomet. 1. 2. p. 68. fig. Wild Vine, Hist. of
Drugs 37. Tab. 15. ft. 14. A Specifick in Stone. H.
Acad. R. 1710. 8vo. p. 73.
C O M. II. Shells, Fofth and Corals, fent me from the Reverend F. Philip Bonann, S. I, at Rome.
63. Pecten Mediter. maj. coftis alte firiatis Nob. Bon. 98.
ft. 3. & 4. Lift. H. C. Tab. 165. ft. 2. Cappa Venera Italis.
64. Spondylus Medit. externer tuber mucricatus, Nob. Bon. 100.
ft. 20. & 1. Scataponzolo Tatentinis.

f. 20. & 1. Scataponzelo Tarentinis.

65. Pedunculus max. craffus lævis ferè radiatus, Muf. noft.833, A. Camadie Tarentinis, Bon. 107, f. 64, 5.
66. Pedunculus Neap, minor craffus, maculis rufis, G. N. 58.0.
77. P.N. striatus, ex uno latere ferratus, ex altero vertuculatus. P.N. striatus, ex uno latere serratus, e
 Lunata Neapolitana minor tossellata.
 Ead. suscaradiata.

70. Lunata Neap. lucens crassa, parum cuneata.
71. Auris rugosa è Sicilia.
72. Cochlea Sicula umbilico aurito, muerone compresso.

72. Cochlea Sicula umblico aurito, muerone compresso.

3. Trochus Tarent. carenis rubris quadratis.

74. T. Tar. spiralis, caten. eleganter marmor. & maculatus.

75. Neritula Pernambue, maculata s. liturata varia.

76. • Mac. f. liturata fasciata varia.

77. • Undulata varia.

78. Buccinulum Medit. gibbosum, ventre albo calloso sessible of the spiralis of the spir

80. B. Conseum exiguum, rubescens, marmor lucidum. 81. Unicornu minus, costis elegamer elatis Mus. nost. 705.

81. Unicornu minus, cofii stelgamer etatis Muj. noft. 705.
22. Unicornu Ancone perexile, tessulis tugostum.
83. Concha Vener, maj. maculata, ventre albo è Mozambique.
84. C. V. Media, Castanea, è Pantalera, G. N. 52. 10. C. 151.
85. C. V. affinis, alba, parva, ex Alexandria Ægypti. Pourcellanes en Coquilage Pomet. pt. 2. p. 104. c. 49. fig. 97.

H. Drugs, 302. T. 86. fig. 49. 86. Endem minor.

E. Idem minor.
 Murex Medie. aculeis rigidis brevibus, G. N. 68. 13.
 Purpura Medie, rugofa, fafeiis Castan. & alb. translucidis, List. 952. f. 1. qr. Bon. 150. f. 23.
 Furfa Medie. Fafeiis eleganter nodotis.
 Unicornu fossilis, fafeiis regular. nodosis. E Monte Pelia prope Urbem veterem Rome.
 Unicornu fossilis, fafeiis regular. verrucosis. Priore, vid. Buccin List. H. Concbyl. Tab. 1019, f. 82.
 Carallium Minuscoplanus raposissimus.

92. Corallium Album oculatum, ramoliffimum.

93. Corallium albefcens, ramofum. id. Pet. 153. 94. Epi-Corallum Ericoides album.

Epi-Corallum Ericoides album.
 Retepora, Efcara marina Imper. 625.& 30.f. 2.R.65.C.3.t.
 COM. III. Cruffaceous & Teffaceous Animals, fent me from the Curious Mr. John Salvadore Apothecary at Barcelona,
 Cancer Crifta Galli ditta Nob. Cancer Urfus ditt. Rondel,
 f64. fig. Migrane ou Ours edit. Gallicé, 404. f. C. Heracleoticus Aldr. Exang. 199. f. ed. Francof. 61. f. 15. Gallus marinus dift. à fimilitudine Chelarum.
 Cancellus chelie leganter rugofis, Bernard l'Ermite Rond.
 553. f. Brancha feu Brancha Lig. Bious cambus Provinc.
 Squilla lata Rond. 545. f. Gall. ed. 392. f. Gefn. aq. p. 215.
 Urfus Marinus Roma Ejudd. 216. Icons Sittardi.

99. Echinus Catalonicus aculeis longiffimis Nob. Carduus Maris Definition of the first section of the first sectio Inches long, very taper, and not thicker than a Common Rush.

100. Idem nudus, orbiculis majoribus Nob. Bon. 92. f. 18. It's the large Orbicular Veftigia of this Shell, that we meet with Fossill both here and in Switzerland.

101. Uva marina, Salvad, qi? Sepiarum ova Kond. 504, fa

102. Pecten Barein. minor, rubefcens.
103. Sphondylus max. ruber, inchs albus, qt? Rond. aq. q1. f.
104. Glycymeris Medit. maj. percraffus, leviter striatus.
105. Glycymeris zonis ferè fasciatis. The Girdles are most sen in the largest Sbells; for whilk fmall they are more Marbled, and the inner Edges sinely notch'd.
106. Mytulus Medit. vulg. Nob. Concha Rhomboides, Ron. 103. f. 32. Rond. 9q. 72. f. Gefn. aq. 207. edit. lc. 227. f
107. Pectunculus Barein. medius triquetrus. The broad Part of this Cocle, especialy the In-lid is purplish.
108. Lunata Medit. facisis valde rugosis.
109. Purra Medit. major. elevanter ferrata.

109. Purra Medit, major, eleganter ferrata 110. Tellina Medit. Olivacea, interdum radiata.

111. Musculus Liburn. oblongus, teres, qr? Dadylus Bon. 10s. f. 28. Solea Venetum Gesn. Icon. aq. 242. f.

112. Musculus Barein. ore hiato.

413. Pinna Medit, permaxima muricata Nob. qr? Pinna aculea-

113, Pinna Medit, permaxima muricata Nob. qr? Pinna aculeata Aldr. Exang. p. 533. fig. ed. Francof. 176. Tab. 16. ft. 10. Bon. 101 f. 24. Lift. 372. ft. 213.
114. Dentale Anglicum minus G. N. 65. o. Cat. 82. Lift. H. C. A. Tab. 547. ft. 2. Dentalium Offic. Dale Pharm. 546. 1. I. Inall be glad to fee the Worms in this Pipe Shell.
115. Coehlea Hort. Angl. fimilis, fed compression. Very like G. N. 65. ft. 4. but much larger.
216. Cochlea terress. Fibularia Earcinonensis. qr? Trochus t. Rond. aq. 92. f. but its more like the Shell as Gesner has copied it in his Icon. Aquat. 249. ft. ult. being there much vounder and blumter. rounder and blunter.

rounder and olumer.

117, Cochea ealsta Bon. 114, f. 11, 2, & 13, Rond. aq. 98, f. Scaragol vel Cagarolo di mar Hifpanis & Monspel.

118, Ejus Operculum G. N. 65, f. 5, 6, Umbilicus marinus Langii H. Lapid. Helvet, 116, Tab. 50, fig. Bon. 114, f. 14, Ruccinquam Baron, Paramid marin, are alrea allea. 119. Buccinulum Barcin. Pyramid. nigric, ore elato albo.

pellucidum, mucrone obtufo.

120. • pellucidum, mucrone obtulo.

121. • Medic. Izev, ex albo nigroque variegatum G. N. 45.14.

122. • Gibralt. mac. albis catenatis, fafeia pellucidà.

123. Burfa nodofa Pet. 89. Ecbinophora Bon. 115. f. 19. Lift. 1003. f. 68. qr. dldr. exang. 399. fig. reverà.

124. Burfa Medir. major, fafeiis fulcatis. qr. Bon. 115. f. 20. f. 21. Rond. 29. 83. f.

125. Bursoides Maurit. nodosa, ore croceo. qr? Bon. 115. f. 18. Lift. 957. f. 9. 126. Trompeta utriufque India. qr? Buccinum Rond, aq, 81. f.

reverlà Id. Gallice 52. f.

127. Trompeta rugosa minor, ore crispo. qr? Turbo magnus

Rond. aq. 88.f. 128. Unicornu Medit, muricatum Lift, 1019 f. 28. qr? Aldr. Unicornu Medit, muricatum Lift. 1010 f. 28. qtf. Aldr. exang. 354. f. 3. edit. Francof. 120. Tab. 7. f. 5. N. B. Almoss is not all the Shells in both the Latine and French Editions of Rondelet have reverted Figures, viz., their Mouths to the Right, which should be to the Left, as they are copied by Aldrovand and 6 esper.

Often Ratio him sind vertures?

129. Offrea Barein, hinc inde verrucofa.

130. Offree vertice the traction. This refembles the Virginia Rock-Oyfer, Lift, 201, f. 34.
131. Pecten Medius Fossilis, vid. G. N. 94, f. 1.
132. Peden minor, firit tenuioribus: vid. Mus. nost. 830.
133. Echinites minor, costis 5. verucosis. These are the Size of a Chark Button sand and somewhat the Mar.

133. Echinites minor, costis 5. Verucolis. These are the Size of a Cloak-Button, round and somewhat compress like Plot. 2. Hist. Oxon Tab. 5. f. G. but doubly bigger.
134. Vomica-sossilis major. These are smooth and convex on both Sides, the Largest rarely exceed the Dimensions of a Shilling, or the Thickness of an Inch.
135. Vomica hamispherica, circulis subtus capillaceis. This seems to be the last split, whose immand Superscies are compost of circular Fibres, like Scheutz. Lith, Helvet, sig.

48. .
136. Vomica parva convexa. These exceed not a small Lupine Seed.

137. Vomica compressa, tenuis minor. Very thin, and much flatter than the last, but double its Dimensions.

138. Brasteola parva pileata fossilis. Not broader than a common Spangle; concave on one Side, and convex on the other, rising in a Point.

139. Trompeta major fossilis. Like 126. It's a Span long, and near a Foot about.

neer a root about.

140. Veneroides foffilis fa/ciata. Like G. N. 97s f. 23. but this has furrow'd Girdles.

141. Rhombus minor, pyramidis vide Lift, 720, f. 14.

142. Rhombus minor patulus, clavicula cava vide L. 1750. f. 44.

143. Unisornu foffilie Noft, 20. like Muf. Pet. 738. A fair and classes. Poffili

elegant Fosill.

eigant Foull.

144. Unicorou fossile maj, inthe albo vitreatum. Like List.

521.1. 50. it's somewhat larger than the last, with many small salies, if not desaced, the Orbe blunt or roundist; is shines within like white glazed Ware or China.

145. Idem, Fluoreleens, matrice Argillach, Seems the same with the last, but composed of Spar, in a hard clayey p.

Bed.

146. Marmor flavescens Barein, dendrite. This has the Jame Mos-like Ramisscations as are in our Oriental Mochas.

147. Ferri minera Catal. rubiginosa & quasi exusta. 148. Flumbi minera Barcin, albo Fluore mixta. 1490 Armoniacum Catalon. sossile. Its upper Red striated like Talk, the rest heterogeneous and more glitter-

ing.

150. Stalactites Thuroides. Like Franckincenfe, rugged and yellow without, but within whitish.

Corals and other Mediterranean Submarines, 151. Corallum albidum Medit, nodulofum. Like our small Cornwal Coral, but this grows in Clusters and much lar-

152. Corallum implexum, tubulis intus & extremitatibus flellatis.

153. Corallum chelis brevibus obtus punctatis. 154. Epicorallum Muscosum. An Incrustation over some fine Sea-Moss.

155. Reticulum Tophaceum marinum Chabr. 577. Ic. 5. I. B. 3. l. 30. c. 54. f. Imper. 642. f. opt. Ray. 65. 3. 156. Ribes marina. From the Nature of their growing in

156. Ribes marina. From the Nature of their growing in Cluiters like Currans, perhaps an Ovary.

157. Burfa marina CB. 368. 12. Algae Pomum Monspel. I. B. 3. l. 39, p. 3. Pulmo marinus Rond. aq. 131. 28. f. Gefn. aq. Icon. 266. f. Ray 83, 8. I. R.& Chabr. bave figured this on the left Sides of the Root of the Alga angulif Vitrariorum, which others have copied without mention-

138. Pila marina Medit, vulg. G, N. 64, f. 4, Cat. 157. Chabr.
570. Ic. 1. I. B. 3. I. 30. c. 4. p. 783. Ray 83. o. It's
like a rough Maw-Ball, made up of the hairy Flufe about
the Rocts of the Grafs-wrack. Se.
159. Manus marina Gefn. aq. 524. fig. edit. Ic. 273. Chabr.
572. Ic. 4. I. B. 3. I. 31. c. 31. f. Ray 77. 7. This is like
Gelner's Figure which Cornelius Sittad furth him. N. B.
The Fingers in our Specimen are full of final feedy
Warts as in our common Wrach or Quercus maritima.
This elegant Sea Body Dr. Salvadore fent me growing to
the Pettyneculus Echinatus. the Pettunculus Echinatus.

160. Sertolaria Imper. 653. fig. opt. Chabr. 572. Ic. 3. Opuncia marina Park. 129. 4. f. 12. Ray 77. 5. Sea Band-

marina Park. 129, 4, f. 12. May 77.). See Daine-firings.

COM. IV. Barbadoes Trees, whose Specimens were collected there and brought me by Mr. Jam. Rheed. Arbores Conifera & Julifera. Trees bearing Cones, Catkins, &c..

161. Button Tree Pluk. Tab. 204, fig. 3, Ray Dendr. xi. 7. Dendr. Amer. 51. 1. Alni fructu, Lauri folia, Arbor mari-tima Jam. Cat. 135.

162. Barbadoes Baltard Cedar Pluk. 159. f. 4. Dend. Amer. 51. 3. Cencramidea 3, Ahn. Bot. 92. Alni fructu, Loti Arbor folio Barbadeus.

262. Rarbadoes Cytres Pluk. 197. f. 4. Alm. Bot. 201. pl.

163. Barbadoes Cypress Pluk. 197. f. 4, Alm. Bot. 201. pl. ult. Juniperus Barbad. Cupress folio, ramulis quadra.

Fulick Pluk. 239, f. 3. Alm. Bot. 395. pl. 4. Dendr. A. mer. 52. R. Dendr. 14. 3. Morus Barbad, fr. viridi, ligne Sulphureo tintorio, Jam. Cat. 128.
 Manchaneel. Apple Jam. Cat. 129. Pluk. 142. f. 4. Dend Amer. 52.6. Mancinella Barb. arbor Julifera, lactefeens appearance. Bei Ed.

venenata, Pyri folio.

venenata, Pyri folio.

Arbores Siliquiferae. Trees with Pods, &cc.

166. Bean-tree Jam. Cat. 142. Coral arbor Cluf. 253.4.

Ray. 1736. c. 1.

167. Pidgeon-pea Jam. Cat. 30. Pluck. 213. f. 3. Ray 1723

6. Anagyris India utriuique, filiquis catenatis.

168. Indigo Jam. Cat. 116. R. 926. c. 4. Park. 600. f.3

Chabr. 82. f. 6.

Co. Wild Indigo Jam. Cat. 148. Pajomirioka hexaphyll

169. Wild Indigo Jam. Cat. 148. Pajomirioba hexaphyll fubrotundis foliis. 170 Put

- 170. Purging Cassa Jam. Cat. 145. R. 1746. c. 8. CB. 403, I. 171. Horse Cassa Jam. Cat. 146. Cassa situal Brasiliana CB.
- 171. Horfe Calina Jam. Cat. 140. Lagra Bittila Brajiriana CB. 403. t. Ray. 1747. 2.
 172. Spanish Carnations or wild Sena Jam. Cat. 140. Barbadoes Flower Fence Ray 281. to. & Vol. 3, p. 482. 1. Poinciana India utriusque Nob. H. Mal. Vol. 6. T. 23, p. 1.
 173. Tamarinds Ray 1748. c. 9. H. Mal. V. I. T. 23, p. 39-174. 4th Nickars Jam. Cat. 144. Bonduc lem. casso Ray 1743.
- 175. Ielow Nickers Jam. Cat. 144. Bonduc fem. flavo.
 176. Arnotto Jam. Cat. 150. Maucaw, or Roucouttre Ray
 1771. c. 21. CB. 410.8. Cluf. Exot. 74. f. Hern. 74. f. opt.
 1771. Barbadoes Spanif Briar Ray 977. 2. Jam. Cat. 152. pl. 1.
 178. Spanif Ath Fluk. 140. f. 3. Ceratia 1. Ray 3. p. 113.
 Caroba Barbad. fol. Fraxini.
 179. Spanif Oak Pluk. 141. f. 2.
 Caroba Barbad tetraphylla. fl. flam, fpicatis.
- Caroba Barbad tetraphylla, fl. flam, spicatis.
- Catous Barraa tetraphylia, n. 11am, tpicatis.

 80. Barbados Rot-ban Almag. 80t. 96, pl. 1. qr? Ray 1760.

 Jetaiba Barbad. lobis minoribus.

 81. Moabite-tree Pluk. Tab. 1. fig. 6. Jam. Cat. 162. Ray 1754. c. 8. & Y. 3. p. 478, pl. 34. id. Dendr. 113. Intfia Barbad. tetraphylla, filiq. intortis, Jem. nigri lucidis.
- Dogs-prick Pluk. 172. f. 4. Alm. Bot. 126. pl. ult. Jam. Cat. 153. pl. 5. Ray D. 102. 3. Dendr. Amer. 52. 9. Caroba Barbad. Laurifolia, filiq. mucofa miniata.
 Black Sallow Pluk 221. f. 2 & Alm. Bot. 328.

- Black Sallow Pluk 221. f. 2 & Alm. Bot. 328. Breynia Barbaden/, tetraphylla.
 White Willow Pluck. 221. I. Jam. Cat. 153. pl. ult, Ray D. 100. 5. Brenia Barbad. Oleafri folio.
 Barbadoes Jeffemy- tree Pluk. 207. 2. A. B. 109. pl. 3. Jam. Cat. 154. 3. Ray D. 114. 4. Dendr. Am. 52.9. Nerium Barbad. arbor. fl. incarnato.
 White-wood Pluk. 204. 3. & A. B. 215. Jam. Cat. 154. pl. ult. Ray D. 114. 2. Dendr. A. 52. 12. Nerium Barbad. Album, folia Laurinis palmatis.
 Cabinet or Prince-wood Pluk. 230. 2. & A. B. 305. Spanifb-Elm. or Prince-wood Jam. Cat. 155. Ray Dendr. 115. 6. Dendr. Am. 53. 15. Nerio affinis, Lauri folio, fl. luteo amplo.
 Swamp Mangrove or Orfler-tree Pluk. 204. f. & A. R.
- 88. Swamp Mangrove or Oyster-tree Pluk. 204. f. & A. B. 241. Jam. Cat. 152. 2, R, 1772. 1. Mangle Barb. fol. Pyri rigido.
- 8. White Mangrove Pluk. 204, 4. & A. B. 241, Mangle Barbad. fol. Caroba advertis.
 90. Silk-Cotton Pluk. 188. f. 4. & A. B. 172. H. Mal. 7. 7. 49. p. 59. Ray 1004. 2. & 1899. pl. 5. & 6. Goffpium India utriufque, fol. digitatis planis.
 91. Rarbadces Cotton-buff Pluk. 188. f. 1. & A. B. 172.
 Coffiguing Rath. fol. trifido.
- 91. Rarbadees Cotton-buß Pluk, 188. f. 1. & A. B. 172. Godfipium Barb. fol. trifido.

 72. Musk Mallow Pluk, 127. 1. Jam. Cat. 98. Ray 1067. Bamia Barbad, hirlūra, fem, Mofchato.

 73. Ocra Jam. Cat. 98. pl. 4. Alm. Bot. 16. pl. 5. Bamia fructu efenlento, brevi decogeno.

 74. Long Oera Jam. Lat. 98. pl. 3. Alin. Bot. 16. pl. 6. & Mant. 7. Bamia fructu efeultonic, longo, recurvo.

 75. Dogwood-tree Jam. Cat. 143. Mant. 150. pl. 2. Ray D. 108. 9. Bagua fructu membranulis alato, Laferpirii more. more.
- more,
 Arbores frudu maximo. Trees with large Fruit.

 36. Coco-tree Jam. Cat. 132. Park. 1596, f. Dendr. Amer.

 2. p. 50. Palma Indica Nucifera Coccus dicha Ray 1356,
 4. Hort. Malab. Vol. 1. Tab. 1. &c. p. 1. Chabr. 27. f.
 4. & 28. f. 1. CB, 508. 1.

 37. Cashew Jam. Cat. 187. Park. 1568. f. Anacardium Occidentale Nos. Ray 1649.c. 15. H. Malab. V. 3. T. 54.
 p. 65. Chabr. 24. f. 6. CB. 510.

 38. Banana Jam. Cat. 192. Dend. Amer. 14. p. 51. Banana fructu maj. recto Nob. Ray. 1375. 2. Pifo 76. ed. 154. f. 2.
 CB. 508. I.
- CB. 508. 1. pp. Plantain-tree Jam. Cat. 189. Ray 1374. Park. 1496. fig.
 Mufa fructu adunco angulofo Nob. Pifo 75. f. ed. 154.
 f. I. H. Mal. I T. 6. p. 17. Chabr. 9. f. 5 & 6. p. 10. f. I. CB. 507. XI.
- D. Red Guayava Jam. Cat. 198. Park. 1671. Guayava fru-&u rubro majore Nob. H. Mal. 3. T. 35. p. 33. CB. 347. Ray 1455.
- 163 1455.

 1. Rapam-tree 3am. Cat. 202. Ray 1370. c 1. & 2. Park. 1649. f. 5 Papaya major mas & femina Nob. H. Mal. 3. T. 15. p. 21. &c. CB. 431. 2. & 434. 12. & 457. 4. 22. Cuflard Apple Jam. Cat. 204. Pluk. 134. 4. Anona anguitifolia, frudu majore luteo Nob. H. Mal. 3. T. 30. & 1. p. 2. R. Dendr. 77. 2.

- 203. Sower-fop or Prickly Apples Jam. Cat. 203. Anona fructu ipinulis afpero Nob. Ray 1651. 5. & Dendr. 77. 5.
- ctu Ipinulis alpero Nov. Ray 1651. 5. & Dondr. 77. 5. Fluk. 135. f. 2. qt id. 134. f. 2.

 204. Sweet-fop Jam. Cat. 205. t. Ray 1650. 1. Dondr. 77. 1. Pluk 134. f. 3. H. Mal. 3. T. 29. p. 21. Anonis fructu fquamofo dulci Nob.

 205. Water fop or River-Apple Jam. Cat. 205. 2. Pluk. 240. f. 6. R. Dendr. 78. 1. Anona 2q. fol. Laurinis, fiudus minore luces.
- minore luteo.
- minore luteo.

 206 Garlick-Pear Jam. Cat. 205. Ray 1644 c. 3. Dend. 70. 7.

 Tapia arborea triphylla Plum. E. B. 22. T. 21. Pet 4. f. 22.

 Pilo 60. f. ed. 140. f. H. 140 d. 3. T. 42. p. 4.

 207. Arbor Cucurbirtiera Barbad. fol. tenuibus apiculatis Nob.
 Cujete Plum. E. B. 23. T. 16. Pet. 2. f. 14. Pluk. 137. 7.

 208. Arbor Cucurbirifera, fol. crassis confertis.

 209. Citron. Fam. Cat. 208. Ray. 1654. c. 1. Citrus. vulg. Nob.
 Park. 140 d. 140

- Park. 1506. f.
- 210 Lemmon Jam. Cat, 200. Ray 1656. c. 2. Limo vulg. Nob
- Park 1507 f. 211. Lime Fam. Cat. 211. Limo fylv. fructu parvo fubacido Nob
- 212. Orrange Jam. Cat. 210 Aurantia vulg. Ray 1658c. 3. P.
- 213. China Orange Jam. Cat. 211.
- 214 Shaddocks Jam. Cat. 212 Pompelmo's Alm. Bot. 39. Ray Dend. 80. 1. Aurantium fructu maximo pallescente
- Arbores frudh medio. Trees with midling Fruit.
 215. Cabbage-tree. Jam. Car. 176. Ray 1361-12. Dend. Amer.
 1, p. 50. Alm. Bot. 275 pl. ult. Palma Regia Barbadenfis.
- 216. Palmetto Jam Cat 177. Ray Dendr. pl 2, 3. D. Amer. 7. p 50. Palma Barbad, non fpincla, fol plicatili feu Flabelliformi, frudu officulo nigro Alm Bot. 277 pl. 8.
- 217. Balfam-tree Jam Cat. 167. Ray D 51. 4. Dendr. Amer. 35. p. 74. Barbadoes Balfam-Apple Pluk 157. f. 2. Alm. Bot. 92. pl. 4 Gencramidea Barbad. Balfamifera, fol. rotundo craffo.
- 218. Barbadoes All-spice or Mango Pluk 170 f. 4. Alm Bot. 124 pl. ult. Lycium Cueurbitiferum Barbadense aromaticum
- 219 Barbadoes Dartwood or Ink-berry Pluk, 97, f. 5, 6, Alm Bot. 234, pl. 6, & ult. gr? Ink-wood or Berry Pl 205, f. 2. Alm. B. 246, 1. Lycium Barbadenfe, fol. lucido fubrotundo.

- tundo.

 220. Barbadoes Cedar Pl 157. I. A. B. 92. I. Ligon H. Barb. 141.

 41. & 73. Cedrus Barbad fol. Frazini, fr. ficco pentafori Nob. Jam. Cat. 182. pl. ult. R. Dendr. 41. 8. This is known by its peculiar Fruit and Sweet red Wood.

 221. Mallick-Tree Pl 217. f 5 A B 3c7 I. Jam. Cat. 180 id. Hift 40. Ligon 14. & 73. R. Dendr. 21. p. 42. Prunus Barbad Lauri folio, Malficifera.

 222. Soap-berry Jam. C. 184. Pluk 217. f. 7. CB. 511. I. Cluf. Exot. 42. f. Lugd 1877. c. 131. Stapel 363. f. Quisi Brafil Margr. 113. f. Pf. ed. 162. f. Arbor Saponaria. Americana Ray 1548. 2.

 223. Barbadoes Olive Pl. 209. f. 3. A. B. 269. pl. 6. R. D. 47. 6. Olea Barbadoenis.
- Olea Barbadenfis.
- 224 White Plum, qr? Pl 216 f. 8. Prunus alba Barbad. fol. leviter ferrato.
- 125 Barbadoes Plum, Pl. 218 f. 3; A.B. 306 3. qr? Jam. Cat. 181. Prunus Barbad, fol, venolo rigido.
 226 Barbadoes Damozen Fl. 17. f. 6, A.B. 306. pl. ult. Prunus
- Barbad, fol tenuiore. 227. Barbadoes Black-bud and Black-wood Pl. 205 f. 3 A. B.
- 227. Barbadoes Black-bud and Black-wood Pl. 205 f. 3. A. B. 246. 2. Jam. Cat. 135. Hift. 38. D. A. 23. P. 54. qt? Rap. 1687. c. 17. Arbo. Barbad. Lawroeeroff folio.
 228. Jack in a Box Pl. 208 f. f. A. B. 266. 5. Hernandia Plum. E. B. Amer. 6. T. 40. Pet. T. 3. f. 22. Hernandia fol. cordato amplo umbilicato, ff. hexapetalo.
 229. Barbadoes & weet-wood Pl. 176. f. f. A. B. 139. 8. Jam. Hift. 38. Evedexylon Barbad. fol. lato, Beretini frucho.
- 230 Bastard Sweet-wood Pl. 176 f 2. A. B. 139 pl. ult. qr?
 Ray Dendr. 23 p. 86. Evedexylum Lauri folio, fl. hexaper

- talo.

 231 Fire-Sprig Pl. 175: f. 6. A. B. 138: pl. 7. Ray D. 127. pl. ult. Efcaroxylum Barbad. fol. Cacao.

 232 Pidgeon-Fig Pl. 178. f. 4. Jam. C. 180 Ray D. 16. 5. Ficus falonifera, Pyri folio, fr. Cerafi. The Pidgeous much covert this Fig.

 233 Clammy Cherries Pl. 158. 1, A. B. 94. pl. 15 Jam. C. 160. 2. R. D. 45. 14. Cerafo affinis, fr. coccinco vifco-fo, fem. rugoto. 234. Bar.

234. Barbadoes Cherry Pl. 157. f. 4. A. B. 94. pl. 18. Jam. C. 172. R. D. 74. I. Simmeraka fr. rubro acido fulcaro, polyfrermos. Common in Gardens, &cc.
235. Ch. equet-Grape. Uvifera arbor Americana, fr. aromatico punctaro Pl. 237. f. 4. A. B. 394. pl. 7.
236. Mangrove-Grape Pl. 237. f. 5. A. B. 394. pl. 8. Uvifera arbor Balbad. Cacao fol. folonibus proliferis.
237. Ismaica Mangrove-Grape Jam. C. 183. Ray 1795. I. & Dendr. 40 5. Pl. 236. f. 7. A. B. 394. pl. uit. Guajabara Caribea fol. rotundis rigidis.
Sii Haus Sloan. fays. the Soamands with an Iron Pin write.

Sir Hans Stoan, fays, the Spaniards with an Iron Pin write, or rather style on these Leaves, when Paper and Ink are

238. Loblolly Piuk, A. B. 38, pl. ult. Guajabara Barbad. fol. rot. venosis mollibus. This bears its Fiuit on a long Spike

like the last. 239. ! eathercoat Pl. 222. f. 8, A. B 38. pl. 18. Guajabara Barbad, fol. subrotundis venosis ferrugineis.

Arbores fullu minore. Trees with small Fruit.
240. Birch-tree Pl. 151. 1. A. B. 67. Jam. C. 167. R. D. 50. 2. D. A. 33. P. 73. Betula Amer, bacca triquetra odore

241. Box Pl. 139. 6. A. B. 74. 7. Jon. C. 167. 1. R. D. 65. pl. ult. Buxus Barbad. fudu croceo dipyreno. 242. Great yellow Hercules Pl. 239. f. 6. A. B. 8. p. 396.

Fagara Barbad Citri folio.

243. Prickley Tellow wood Pl. 239, f. 4, A. B. 396, pl. 5, qr?

Jam. C. 138. R. D. 70, 15. Fagara Barbad, Arborn

Fullick fol. rotundicribus crenis.

Yilld-Honey-tree Pl, 142. f. 3. A. B. 43. pl. ult. Jam. C. 137. pl. 2. R. D. 75. 4. Baccifera argue ferrata, fir. minimo crocco. In Woods, &c.
245. Baftard Locust tree, qrt Jam. C. 165. R. D. 49. I. qr? Pl. 200 f. 6. Baccifera Amer. fol. Lauri, f. calycularo monocorres. General Medical

200 I. O. Baccifera Amer. 101, Lauri, J. Carlottel Mo-nopyreno, Grows in Meadows.

246. Barbadoes Sweet-Bay or Pimenta Pl. 155. f. 2. A. B. 88 6, Barbad. Lauri folio bacca ovali.

247. Round Barbadoes Pimenta Pl. 155. f. 3, A. B. 88. 7.

249; Avoind Barbad, fol. & fr. rotundis.
248. Black-Sage Pl. 221. f. 3. A. B. 329. Jam. C. 163. 2. Hift. 39. R. D. 31- 18. Camara Barbad. Spicata fol. Salviæ. 249. White-Sage Jam. C. 4. p. 164. Hift. 39. R. D. 17. 31. gr? Pl. 114. f. 5. Camara Barbad. fol. & flor. rotundis.

dis.

dis.

250. Bitter-wood Pl. 238. f. 4. A. B. 305. pl. ult.

Kylopieron Barbad. fr. oblongo calyculato.

251. Fiddle wood Pl. 162. f. 1. A. B. 108. 3 qr? Jam. C. 170.

5. R. D. 61. 1. Gitbarexylon Barbad. Lauri roliis.

252. Timter Fiddle wood Pl. 162. f. 2. A. B. 108. 5. Gitbarexylon Barbad. Lauri foliis. 2 ferè minoritus.

253. Fiddle wood with dented Leaves Pl. 161 f. 5. Citharexylon Barbad. fol. dentatis.

254. Lightwood Lignum Rhodium or Rorum Pl. 201. f. 3. A. B. 228. 2. Jam. C. 137. 2. R. D. 88. 30. D. A. 55. pl. 34. Baccifera Barbad. fol. Betule planis & perforatis.

255. Milk-wood, Pl. 185, I. A.B. 164 Jam. C. 136. Hift. 39. R. D. 87, 27. D. A. 54. 31. Galadoxyium Barbad. Laureurafi folio majore. This yields a Poylonous Milk from

all its Parts, and boils into Birdlims.

256. Posson-wood Pl. 230. f 8. A. B. 369. pl. 10. Jam C. 136. pl. ult. Hift. 39. R. D. 87. 28. D. A. 54. 32. Ligon 68. Tirhymalus Arbor Barbad, Citri fol. leviter cenaris, Common in Neadows.

257. Red-wood Pl. 175. f. 5. Alm. Bot. 138. pl.6. Erithroxylum Barbad. Hydrolapathi foliis,

Myrtus Barbadensis viminalbus virgis.

Spirit - wood Pluk. 139, fig. 6, Alm. Bot. 46, pl. 6.

Myrtus Barbadensis viminalbus virgis.

Spirit - wood Pluk. Tab. 215, f. 5. Alm. Bot. 300, pl. 3. Pneumatoxylum Barbad, bace calyculata terrasperm.

Arb. Barbad. flor. f. fruct. fere ignoris.

Barbadoes Trees, whose Flowers or Fruit are little known. 260. Barbadoes Dogwood Mantis. Almag, Boran 150. pl. 2 Pifcicula arbor Barbad, tol. rotundis.

Psfcicula arbor Barbad, fol, rotundis,
261. Black Dogwood Pluk, 172. f. 6. Alm. Bot, 127. pl. 2.
Cynoxylum Barbad, nigrum, Luarocerafi folio,
262. Barbadees Bon-wood Pl. 224, f. 2. Alm. Bot, 346, pl. 12.
Sideroxylon Babrad, fol, apicularis.
263. Whip wood Pluk, Tab. 296 fig. 2, Alm. Bot. 395. pl. 8.
Xylomaftix feu Flagellifera arbor Barbadanfis
264. Rat bane. A poylomous Tree Flowers like Hiney fuckle,
Arbor Barbad, Fagi foliis pulchre venofis.
265. Rufty-bough Pluk. Tab. 144. fig. 4.
Arbufcula Barbad, fol. ferruginess digitatis.

266. Barbadoes Fingrigo or Savin Pl. 107. f. 4. A. B. 219. 2. Fingrigo Barbad. fpinofa, parvis fol. & costia ala-

tis.

267. Black-wyth Pluk. Tab. 145. 4. Alm. Bot. 48. 3. Voluvius Barbad. triphylla, pediculo alato.

268. Broad-leaf Clymer. Pluk. 146. f. 1. Cafamea foto Barbad. feandens.

269. Weeping: Bower Pluk. 145. f. 3. Volubilis Barbad, aculeis 2. ex alis fol. apiculat.

Volubilis Barbad, aculeis 2, ex alis fol. apiculat.

N. B. Divers Trees in Barbadoss, Antego, Jamaica, &cc.
Sprigs of whose Flowers and Fruit, will be very acceptable.
Trees with Catkins, viz. * Bassard Cedars * Fufirek, Manchined. Trees with Pods, viz. Bean trees, Purging
and Horse Cassa. Spanish Asp. Elm, * Oak, Sinaced and
Machine Trees, Dogs-prick, Black and white Willow, * Cabinet on Prince wood, White and other Mangroves, * Dogwood, Commyn and Mountain Ebony, Indian Savin, * Wild
Traveside Trees. binet of Prince wood, White and other Mangroves, * Dogwood, Comm in and Mountain Ebony, Indian Savin, * Wild Tamarinds. Trees with large Fruit, viz. Banana's and Plantains. All Sop Apples and Gourd-trees, * Prickley-Pole, * Thatch and Dragon tree, Anchory Pear, Mamee, * M. Sapoia, * santa Maria, * Avocado Pear, * Sapotillar, Wild Pappaws, &c. Trees with midling Fruit, viz. Cabbage, * Palm Oil and Palmetto trees, & Great and finall Macaw, * Bulfom and Mango trees * Cedar, Maflick, Soap-berries and Olives. All Plums, Jack in a Box, * Fire and Five-Sprig, Black and Sweet woods, Black, Sweet, Couhange and other Cherries. All Grapes, Leather-coat, Loblolly, &c. Trees with Berries and other finall Fruit, viz. Eirob, Box, Herenles and yellow Woods, All Spice and weet Bays, Hone-tree. Baftard-Locus, Hog Doctor and Boar-tree, * Clowen and Psyfon berries, Bioby-tree, * Olive-bark and wild Jafmins All Sorts of orge Bitter-woods, Fiddle-woods, Iron and Light-woods, Milk and Poyfon-woods, Red and Rost-woods * Spirie wood, * Silver wood, & &c. N. B. Those with this * Mark, will be doubly acceptable to J. Periver.

CO M. V. Trees and Horbs, sent me from the Ifle of Providence, by that Curious Gentleman Capt. William Walker Chief of the Babama or Lucay Illes.

270. Btafiletto Dying-wood.

270. Brafiletto Ding-wood.

Brafiletto athor ipinola, foliis Buxeis.
271. Waite Cinamon Pl. 160. f.7. Jam. 165. ult.
Winteranus Offic. cortice albicante.

winterants Omc. cortice albicance.

272. Wild-Grape. Bers a small red Fruit, which makes good Wine. Walker. Vitis Provident, fol, alté dentatis.

273. Ligoum Vite. Jam. Cat. 186. Ray 1085, R. D. 85. Pl. 33.f. 3.4 A. B. 180. CB. 448. 1. 2. Cluf. exot. 312. f. uaicum Amer. Buxi foliis.

1 Marcum Amer. Buxi follis.
274. Madera Timber. Jerailo Betiv., Nat. Collect. 180.
275. Moho-tree Pl. 178. f. 3. quoad Pol. A. B. 144. 8. Mant 175. Jun. C. 95. R. D. 319. 16. Ketmia utriulique India. Thise folio lubius albica te.
276 * sweet Bark. A Tree W. qr. Pl. 220. f. 5.
Eliuberia Provid. fol. cordato tubula argenneo.
276. Soffon-tree. Celtis Amer. fol. Cirvi lubius aureo, fructuro Inflir. Rej. Herb. 612.
237. A final Tree unknown Walker. Lilac Provid. Mytti fol.

277. A Small Tree unknown Walker. Lilac Provid. Mytti fol flore tubulofo stamineo.

Sea fide-weed. Bears a red Berry, which will make In or dye a Purple, Walk. Solanum racemofum Americ, minus Jam. C. 85. Pl. 112. f. 2. A.B. 353. pl. 3. Ray V 278. Sea fide-weed. 3. P. 349. pl. 1. 279. A Plant made use of for Burns and Scalds W. Chrysan

themi forte species.

COM. VI. My Hearty Friend, Mr. John Partridge Apotherary, presented me with the following rare Corals gather near the North Pole.

280. Coralloides . merie. lignofa, pereleganter verrucofa. 201. Corallia marina fquemea, quantis deorfum spectantibe Lang, H. Lapid Helvet, p. 57. T. 17. f. z. Planta mari na Refeda facie Clus. Exot. 123, f. Chabr. 576, l., 5 Park, 1302. f. 4, Refeda lapidea CB 100. 5. & 365. 12 Ray 68, c. 6.
COM. VII. The Three following Animals from Buen Ayre.

were presented me by my Neighbour Mr. William Surith Junior.

282. Armadilla valde pilosa, fronte magno scutato. rate Account and Figure of this rare Creature we hap fuddenly to fee from that expert Anatomist Dr. Ja. Dou glass, F. R. S. &c.

283. Columba marina pulmires, Call'd there Pintado. Thi Captain George Islon caught with a baited Hook. 284. The Spar-pring d Lapwing. Vanelus humeris calcal armatis. Mr. John staploe floot this 50 Leagues up th Rio Hata, on the South Shore.

PETIVERIANA II, seu NATURA COLLECTANEA; Domi Forisque Auctori Communicata.

A JACOBO PETIVER, Regia Societatis Socio, &c. LONDINI.

COMUNIC. 1. PLANTS growing wild about PARIS, fent me from that Accurate Botanift, D. Sebafian Vaillant.

Fliviarilis fol. denticulatis, Hift. Pl. Paris 196. Chabr. 563.f. 5.

Herniaria glabra, 96. Chabr. 455.f. r. Ray 214.f. 6.

Herniaria angulfifolia, 220. B. pr. 43. R. 183.

Chondrilla Juncea vilcofa arvenfis, 188. CB. 130. R. 223. 9.

Hierac fol. Coronopi, 201. CB. 128. Tab. Ic. 181.2. H. 607.f. 3.

After mont. lut. Salicis fol. glabro, 77.CB. 266. 6. R. 266. 1.

Conyzis affinis, 8. CB. 265. 7. Lugd. 1282. Fig.

Jacobea vulg. fol. inftar Eruca vulg. 277. CB. 131. I. var.

Carduu prat. latifolius, 259. CB. 376. I. R. 305. 1.

Cyanus repens latifolius, 203. CB. 207. 5. R. 322. 3.

Chamselum maj. fol. tenuff. caule rubente, 416.

Eryngium mim. mitius, capitulo magno, 421. H. R. Paris.

Succija hisfuta, 141. CB. 269. 2.

Apium montanum, 216. Dal, Lugd. 702. f. 1.

Bulbocaffanum maj. fol. apii, 403. CB. 161. I. Dod. 434. f.

Bupleurum fol. fubrot. f. vulg. 180. CB. 278. 2. R. 473. I.

Meum latifol. adulterinum, 105. CB. 148. 4. R. 473. I.

Saxifraga Matth. Halovum, 445. Chabr. 383. f. 5.

Sefeli paluttre lactefcens, 367. CB. 162. xi. R. 314. 2.

Cruciata paluttre inches. S. 507. CB. 162. xi. R. 314. 2.

Cruciata paluttre lactefcens, 357. CB. 259. 8.

Lithofpermum Linaria folio German. 537. CB. 259.8.

Lycopus paluttris villofus, 288.

Marrubium album villofum, 291. B. pr. 10. 2. R. 557. 6.

Evimella 2. non vule. albo flore. 62. Cluf. 43. f. 2. R. 551.2. Lithofermum Linaria tolio Cerman. 537, CB. 259,8.
Lycopus palustris villosus, 288.
Mariubium album villosum, 291. B. pr. 10, 2. R. 557, 6.
Millosum album villosum, 291. B. pr. 10, 2. R. 564, 7.
Sideriisi hirsus procumbens, 534, CB. 233, 2. R. 564, 7.
Aritholochia Clemativis recta, 175, CB. 307, 5. R. 762, 5.
Linaria min. tepens & inodora, 209, H. R. Paris.
Linaria min. tepens & inodora, 209, H. R. Paris.
Linaria pumila supina lutea 110, CB. 213, 1. R. 754, 8.
Melampyrum purpurascente comă, 288, CB. 234, 1. R. 774, 1.
Pedicularia lutea, 294, Tab. Ic., 791, 1. H. 2. p470, f.R. 769, 2.
Viola Martia arboresc. purpurea, 230, CB. 199, 2, 1052, 1.
Ramunculus aq. Plantag. fol. angustissimo Par. 525,
Ramunculus nemorosus inteus, 522, CB. 198, 1. R. 625, 3.
Ramunculus Oleraceus major, 523, Tab. Ic. 52, 2. H.142, f. 3.
Sedum min. lato & crasso inteus, 522, CB. 198, 1. R. 625, 3.
Albardya sylv. tennissimo folio, 56, CB. 490, 2.
Tbloßi avense perfoliatum majus, 23, CB. 106, 7. R. 832, 7.
Tbloßi avense perfoliatum majus, 23, CB. 106, 7. R. 832, 7.
Tblaßi ment. luteum, 383, I, B. 2, 1, 22, p. 929, f. R. 830, 4.
Alfinastrum Gratiola solio, Par. 380.
R. 1003, 5. R. 1003. 5.

3 Caryophillus arv. umbell. fol. glab. 51.CB. 210. 4. R. 1028.8.

4 Centaurium purp. minimum, 412. H. Blaf. 566. R. 1022. 3.

5 Chamecittus Erice fol. lut. humilior, 465. CB. 466. 12. var.

6 Ciflus Ledon fol. Thymi, CB. 467.14. Clu/St. f.R. 1011.12.

7 Helianthemum fl. maculofo, 94. Col. 2. p. 77. CB. 465. xi. 8 Hyffopifolia maj. latioribus foliis, 529. CB. 218. 13. var. 5 Lyebnis fylv. angust. calye. turgid, striatis, 211. CB. 2053. R. 10 Lychnis vife. fl. mufcofo min. 211. Tab. 820. f. 2. H. 2. 492. f. 1.
11 Verbafeum fem. fl. luteo magno. 163. CB. 230. 3. R. 1094 2.
12 Anonis lutea fylv. minima, 52. Col. 301. f. R. 958. 7.
13 Fænum Græc. fylv. alterum polyceration, 195. CB. 348. 4.
14 Fertum Equin. Gall. filig. in flummitate, 191. CB. 349. R. 925. 1.
15 Trifolium Cochicat. polycarp. fol. crematis, 492. CB. 329. 4. R. 904, 21.

6 Trifolium mont, alb. 540, CB. 328. 5. Cluf. 245, f. 1. R. 943.6.

7 Vicia peren, incana, multiflora, 311. Bot. Monfp. 277.

8 Allium fylv. temifolium, 413. Lob. Ic. 193. 2. R. 1117. 4.

9 Orchis fem. procerior majori flore Par. 508.

0 orchis palmata Batrach. 500, CB. 86. 10. Lob. Ic. 133. 1.

1 Orch, palm. paluft. 202.111. CB. 86. 14. Lob. Ic. 1932. R. 1225. 3.

2 Orchis palm. paluft. 12. 111. CB. 86. 12. Dod. 241. f. R. 1225. 1.

3 Thairitrum, 5. vel prat. 1. Cluf. 234. Par. 537.

64 Feftuca Aven. sterilis humilior, 91. CB. 10. 8. R. 1289.
65 Festuca Graminea, essuis jubă, 91. B. pr. 19. 65. R. 1290.10.
66 Festuca Graminea, glumis histuis, 91. CB. 9. 11.
67 Gramen minimum, 87. Dal, Lugd, 425. f. R. 1279.15.
68 Gr. nemor. panic. albit capillaceo fol. 33. B. pr. 14.45 Th. 97.17.
69 Gr. prat. spica purp, ex urticulo prodeunte, 273. Lugd, 425. f.
70 Linagrossii paniculă minore, Par. 486.
71 Gensta ramosa fol. Hyperici, 451. CB. 395. 4. Lugd, 173. f.
72 Pinus marit, altera, 351. Matth. CB. 492. 6. Lob. Ic. 229. f.
73 Salix platyphillos leucophaus 357. Lugd 257. f.
Planta PARIS, quarum Specimina seca vel seminarecentia, valde grata crust Jac. Petiver.
74 Atriplex angustissimo & longissimo solio xi. H. L. Bat.
75 Blitum rubrum minus, 383. CB. 118. Cam. 235. f. R. 200.2.
76 Henniaria histuta, 96. Chabr. 455. f. 2.
77 Parietaria minor Ocymi folio, 295. CB. 121. Eocc. 147. f.
88 Perscaria latif. storis calyce candido, Par. 220.
79 Potamogiston ramosum angustifolium, 352. CB. 193, 7.
80 Dens Leonis tenuissimo folio, 331. B. pr. 62. Col. 2. p. 31. f.
81 Hieracium Enucafolium histutum, 99. Chabr. 319. f. 2.
82 Hieracium max. glabrum Eneca folio Par. 470.
83 Hieracium ulteum hissutum 99. Chabr. 319. f. 2.
84 Hieracium ulteum hissutum 90. Chabr. 319. f. 2. 80 Dens Leonis tenuissano folio, 331. B. pt. 62. Col. 2. p. 31. f. 81 Hieracium Exucafolium hirsutum, 99. Chabr. 319. f. 2. 82 Hieracium max, glabrum Exuca folio Par. 470. 83 Hieracium max, glabrum Exuca folio Par. 470. 83 Hieracium min. Dent. Leonis fol, subaspero, 98. CB. 127. 5. 85 Hieracium min. Dent. Leonis fol, subaspero, 98. CB. 127. 5. 85 Hieracium min. D. L. folio oblongo glabro, 341. CB. 127. 6. 86 Hieracium murot, laciniat. minus pilotum, 97. CB. 129. 2. 87 Hieracium Pulomodies, 470. Tab. fc. 184. 1. H. 608. ft. 88 Scorzonera angustifolia prima, 143. CB. 275. R. 249. 4. 89 Scorzonera spusitifolia prima, 143. CB. 275. R. 250. 10. 90 Scorzonera palustifolia prima, 301. H. R. Paris. 91 Chrysanthemum Alpin, fol Abrotani multissis, 474. CB. 134. 92 Conyza incana, 178. CB. 265. Lob. Ic. 347. 1. 9. 94 Jacobea mont. lanug. angustif. non laciniata, 474. CB. 131. 8. 92 Cardust stellatus, fol. integris ferratis, 323. B. Monfp. 292. 93 Jacoba mont. lanug. angustif. non laciniata, 474. CB. 131. 8. 92 Gardust stellatus, fol. integris ferratis Par. 302. 95 Sobondjium hiritu fol. angustioribus, &c. 305. 90 Mubia (ylv. Monfp. major, 528. I. B. 3. 715. R. 480. 2. 100 Heliotropium maj. Autumnale Jalmin odore Par. 96. 101 Elatine fol. acuminato, fl. ceruleo, 487. CB. 253. 3. 102 Viola Mart, Glv. min. fol. mucronat. oblong. &s strictioribus, CB. 199. I. var. 103 Pulfatila fol. crassione & majore, fl. laciniato Par. 131. 104 Quinquefolio Fragistro affinit, 350. CB. 326, 5. R. 616, 2. 105 Sadum minus teretifolium alterum, 147. CB. 283. 2. 106 Confolida Regal.arvensis 432. CB. 142. 4. R. 708. 4. 107 Braßica (ylv. fol. circa rad. cichoraccis 160. CB. 112. 8. 108 Cbamachys spuria maj. angustifolia, 169. CB. 249. 14. 109 Tblaspi Aliston dist. campetire min. 52. CB. 107. 2R. 829.2. 110 Campanula arvensis minima, 252. Dod. 168. ft. x. 111 Caryotyhylus (ylv. vulg. latifol. 185, CB. 229, 1. 112 Alfine hirstut minor, 120. CB. 251. 3. 113 Geranium Columb. tennius laciniastum, 85. B. pr. 138. 2. 114 L. Lobis (ylv. 112. Tab Ic. 293. 2 122 Orobanche major fœidiffima, Par. 123.

123 Helleborine fla. ibb vel Damafonium mont, lat. 349. CE. 187. 7.

124 Helleborine fla. ibb vel Damafonium mont, lat. 349. CE. 187. 5.

125 Tithymalut mont, non actis, 537. CE. 292. 3. R. 870. 34.

126 Tithymalut paluti, fruticolus, 368. CE. 292. R. 861. 8.

127 Vileriana fylv. major altera, folio lucido, 237. H. P. Par.

128 Triehomanus fol. elegant. inclins, 535. T. Ic. 797. i. H. 474. f. 3.

129 Genifia alba, 430. Tab. Ic., 1100. 2. H., 2. p. 802. t., 2.

130 Quereus fol. molji lanugine pubefcentibus, 353. CB. 420. f.

B. COM.

```
6
```

```
COM. II. Bafil Plants fent me from Dr. Zuinger, Phylician in
       that Girj.

131 Polygonum littor, min. Flose, spadiceo albicantibus, 83. B.
        pr. 131. 3. Ray 213. 2.

132 Hieracium Chondrillæ fol. glabrum 37. CB. 127. 3.

133 Hieracium Chondrillæ fol. glabro, rad. Succisa majus, 37.
        CB. 127. 4.
134 Hieracium Chondr. fol. glabro, rad. succisa minus 38. CB.
        133 Hieracium Chondr. fol. hirsutum 37. CB. 127.2.
136 Hieracium Dent. Leonis fol. obtuso, minus 37. B.pr. 63.3.
137 Hieracium minus glabrum, fol. eleganter virentibus, 37. B.
        138 Hieracium muror, lacin, minus pilolum 38. latifolium.
139 Hieracium muror, lacin, minus pilolum, 38. angulifol.
140 Pilofella major cretta, CB. 262. 2. R. 241. 16.
141 Pilofella major cretta, CB. 262. 2. R. 242. 16.
142 Carduut in Avena proveniens, CB. 276. 8.
143 Chemadry: spuria minor, angulifolia CB. pt. 117.5.
144 Melampyrum luteum angulifolium, B. pt. 112.
          145 Alcea vulg. minor, CB. 316. 2.
146 Sedum Alpinum hirfutum luteum, CB. 284. xi.
145 Alcea vulg. minor, CB. 316. 2.

146 Sedum Alpinum hirfutum luteum, CB. 284. xi.

147 Polygonatum angustifol. non ramosum, CB. 303. 8.

148 Papaver Erraticum minus, CB. 171. 13. pr. 28. z.

149 Cynosorchis militaris mont. spica rubente conglomerata, B.

150 Cynosorchis milit. prat. elastior st. variegatis, B. pr. 28. 3.

151 Orchis palmata prat. angustifol. major, B. pr. 60. 6. Fig.

152 Orchis palmata angustifolis minor, CB. 85. 6.

153 Orchis palmata angustifolis minor, CB. 85. 6.

154 Orchis palmata mont. maxima, B. pr. 30. 9. Fig.

155 Orchis arbortiva susca, CB. 86. 1.

156 Gramen arvense panicula crispa, B. pr. 6. Fig. R. 1270.9.

157 Gram. murorum rad. repente, B. pr. 2. 5.

158 Gr spica crissata subhirtuum, B. pr. 8. 19.

159 Gr. pratense spica subenseum, B. pr. 8. 19.

150 Gr. to inceris brevibus maj. rad. nigra, B. pr. 34. xi.

161 Gr. nemoros, paniculis albis, capillaceo folio, B. pr. 14.45.

162 Festuca dumetorum angustifol. majus, B. pr. 10. 68.

163 Festuca dumetorum angustifol. majus, B. pr. 10. 47. Fig.

164 Gr. birstuum, angustifol. majus, B. pr. 10. 47. Fig.

165 Gr. Caryophyl. foliis, spica divulta, CB. 3. 6.

166 Gr. Caryophyl. foliis, spica divulta, CB. 3. 6.

167 Gr. Caryophylatum nemorol, spica multiplici, B. pr. 9.22.

168 Gr. nemorotum, spicis parvis asperis, CB. 7.4.

169 Filix fontana minor, pinmulis dentatis, CB. 358.4.

170 Filix ramosa minor, pinmulis dentatis, CB. 358.4.

18 ASILIE Plantarum Catalogus, quarum Exemplaria sicca vela Semina recentia, valde grata erant, pari Commutatione fac, Petiver.
                                        Semina recentia, valde grata erant, pari Commutatione
       Jac. Petiver.

171 Acetofa arvenf., mm., non lanceolata, 33. CB. 114, 15.

172 Arriples fylvestris altera, 34. CB. 119. 2.

173 Blitum album minus, 34. CB. 118. 2. Ray 200. 4.

174 Blitum rubrum minus, 34. CB. 118. 5. R. 200. 2.

175 Camphorata glabra, 113. CB. 486. 2. R. 211.

176 Lapathum mm. feu minimum, 33. CB. 115. 5.

177 Lapathum aquaticum minus, 33. CB. 115. 5.

178 Perfearia angustifol. 29. B. pr. 43. R. 183.

179 Plantago angustifol. angustifimo folio, B. pr. 98. 3.

180 Plantago trinervia angustifimo folio, B. pr. 98. 3.

181 Chondrilla juncea viscola arvensis, 39. CB. 130.1.R. 223. 5.

182 Cichoreum mont. angustifol. histuite asperum, CB. 126. 3.

183 Hieracium Dent. Leonis folio, moncelonon, 37. CB. 127. 8.

184 Id. culmir è rad. pluribus, Cat. 37. var.
          183 Hieracium Dent. Leonis folio, monoclonon, 37. CE. 127. 8. 184 ld. eulmis è rad. pluribus, Cat. 37. var. 185 Hieracium montanum Rapifolium, 38. pr. 64. 14.R.237.xii. 186 Hieracium mont. hirfutum ramol. parvis flor. CB. 128. 9. 187 Hieracium mont. latifol. glabrum majus, CB. R.233.13. 188 Hieracium moror. anguß, non laciniatum, B. pr. 67.22. Fig. 189 Hieracium profunde finuatum, pubefcens, B. pr. 67.23. 190 Hieracium prat. latifol. non finuatum majus, CB. 120. 2.
          190 Hieracium prat. latifol. non finuatum majus, CB. 120. 2.
191 M. minus, 30. CB. 129. 3. Pratis palustribus Michelfeld.
192 Laduca mont. purpuro-cerulea major, CB. 123. 3. R., 223.8.
193 Senecio minor, latiore folio i. montena, CB. 131.2.
194 Sonebo affinis, Lampfana sylvatica, 36. CB. 125.2.
195 After mont. luteus, fol. Salicis glabro, CB. 266.6. R., 266.1.
196 Cacalia foli crassis & hirsturis, 58. CB. 198.2. R. 299.1.
197 Conyza palust. ferratifolia, 79. CB. 266.4. Ger. 347. s.
198 Gnaphalium vulg. majus, 78. CB. 263.4. Ger. 347. s.
199 Gnaphalium minus repens, CB. 263.6. qt? R. 296.6.
201 Virga aurea angustifolia, 79. CB. 268.4.
202 Virga aurea darifol. ferrata, 79. CB. 268.2. R. 297.6.
203 Bellii sylv. media, caule carens, 77. CB. 261.6. R. 349.1.
204 Tanacetum minus album, odore Camphora, CB. 132.3. R., 346.3.
205 Tanacetum mont, inodorum, minore flore, 40. CB, 132.1, R., 352.12.
```

```
A I. Jell

206 Cardous lanceatus angustifolius, 104. E.pr. 155. 4.
207 Cardous pratensis latitolius, 102. CB. 37.6.1. R. 305. 1.
208 Cardous prat. Asphod. rad, fol. profunde & tenuiter laciniatis, CB. 377. 4. Ger. 589. 6.
209 Cardous prat. polycephalus, 102. B. pr. 156. 5. R. 309. 5.
210 Cardous spinosis similinus angustifol. vulg. CB. 385. 3.
211 Cardous spinosis latifol. spinerocephalus, 102. pr. 385.1.
212 Carlina acaulos, magno flore 103. CB. 380. R. 288. 1.
213 Carlina caules cas magno flore CB. 380. R. 288. 1.
214 Cirsum angustifolium, 102. B. pr. 155. 2.
215 Cirsum singustifolium, 102. B. pr. 155. 2.
216 Cirsum singustifolium, 102. B. pr. 155. 2.
217 Cirsum singustifol sair. CB. 377.6. Dody 37. f. R. 307. 9.
216 Cirsum singustifol. 81. E. pr. 126. 1. R. 326. 13.
218 Scabiosa capit. gluboso major, 80. CB. 270. 2.
219 Scabiosa mont. latis, non laciniata rubra, CB. 270. 4. R. 379.
220 Succisa histua, 80. CB. 269. 2. R. 380. 21. var.
221 Stebe major, call galis non splendentibus, 81. CB. 273. 3.
222 Eupleurum angustifol. 81. CB. 278. 2.
223 Angelica aquatica, 47. CB. 156.6 R. 334. 3.
224 pium mont. fol. tenuibus divisis, Cat. 46. var.
225 Carusfolia, 47. CB. 158. 3. Ray 415.4.
226 Circus latis foride. 48 CB. 144. 2. R. 45. 47.
    224 Apium mont, fol. tenuibus divifis, Cat. 46. var.
225 Caruifolia, 47. CB. 158. 3. Ray 415.4.
226 Cicutaria latifol. feetida, 48. CB. 161.3. R. 451. 5.
227 Daucus Mpin. multifido longoque folio, 45. CB. 150.2.
228 Daucus mont. Apii fol. major, CB. 150.5. Get. 858. f. 3.
229 Daucus mont. Apii fol. minor, CB. 150.6 qr? R. 463.5.
230 Daucus pratenfis Apii folio, B. pr. 77. 2. R. 449. 7.
231 Millefolium aq. umbell. capillaceo brevique folio, CB. 141.2.
R. 459.5. Dod 535. f. 1.
232 Sefeli mont. Cicuta fol. Tubhirfutum, 49. B. pr. 85. 1. R.
    452.7.
233 Sefeli prat, tenuifolium, 49. B. pr. 85. 2. R. 453. 3.
234 Spbondylium Alpinum glabrum, 47. B. pr. 83.3, Fig. R. 499.4
235 Mollugo mont, latifol. ramole, 95. CB. 334. 1. R. 481.2.
236 Palmonaria angult. fl. cerul, rubente, 77. CB. 260. 2. R. 489.3
237 Brunella folio laciniato, 77. CB. 261. 2. R. 551. 2.
238 Brunella min. alb. laciniata, CB. 260. 1. R. 552. 5.
239 Hedera terrefiris montana, 88. CB. 306. 2. R. 567. 2.
240 Lamium alba linea notatum, fl. Milzatella, 66. CB. 231. 5
R. 560. 4.
    240 Lamium alba linea notatum, 1. Milzatella, 66, CB. 231. 5
R. 560. 4.
241 Pfeudoffachys Alpina, 68, CB. 236. 2. R. 555. 5.
242 Pieudoffachys Alpina inodora, 68. B. pr. 113. 2.
243 Serpyllum angulfifol. hirfut. 63, CB. 220. 8. K, 522. 10,
244 Sideritii vulg. hirfuta, 66, CB. 223. 4. R. 563. 4.
245 Urtica fatua fol. non ferratis, 66, CB. 232. 3. Lob. Ic. 527
246 Scrophularia Ruta canina dicta wulg. 68, CB. 236. R. 766. 9
247 Aconitum Lycoff. albis pallidite floribus, 54, CB. 183. 24, Millefalium ac. communu maius, 42, Burg. 23, 8, 61, R. 106. 9
         247 Acontum Lycod. Ams future process, 54. Co. 163. 248 Millefolium aq. cornurum majus, 43. Bp. 73. 5. Fig. R. 19. 2
249 Millefolium aq. cornurum minus, CB. 516. defer.
250 Pulfarilla fol, tennius incilo, fl. minore, B. pr. 94 r.,
251 Quinquefolium minus sepens lutetum, 92. CB. 325. 3.
252 Quinquefolium mont. ered. hirfur. lutetum, B. pr. 139. 3
    R. 613. xi.
253 Ranunculus nemorolus luseus, CB. 178. 1. Fuseb. 152.f.
254 Ranunculus palustris letratus, 54. CB. 180.2. R. 587. 7.
255 Sedum Alpin. Gramin. fol. lacteo flore, 83. CB. 284.4.
256 Sedum arvenle st. rubente, CB. 283. 7. B. pr. 132.9.
257 Bryonia lavis, 1. nigra baccifera, 86. pr. 135. R. 661.3.
258 Polygonatum latif. minus, st. majore, 87. B. pr. 129. R. 665.
259 Brosse Passer and Seducia, 31. CB. 108. 3.
260 Bus sa Passer in media, 31. CB. 108. 3.
261 Dentaria heptaphyllos, 91. CB. 322. 1. Ray 785.3.
262 Dentaria pentaphyllos, CB. 322. 2. R. 184. 2.
263 Eruca carulea in atenotis cretenes, 28. Bp. 145. Fig.R. 793.4.
264 Myagrum seridum, 42. B. pr. 51.1. R. 820.3.
                                                     R. 613. xi.
         264 Myagrum feeridum, 42. B. pr. 51.1. R. 820.3.
265 Nafturium aq. erect, fol. longiore, 30. CB. 104.3.
266 Nafturium prat, fol. ret. fl. majore, 29. CB. 104.4.
           267 Rapifirum monotpermon, 27. B. pr. 37. 2. Fig. 268 Thisfpi Alpin. majus, capit. roruadis, CB. 106.6. R.822.6 Thisfpi Alpin. minus, cap. rotundo, 3r. B. pr. 48.6. Fig.
      R. 821. 5.

270 Thiafpi mont, incan, lut, Serpylli, fol. majus, CB, 107. 172

271 Campanula Alpin. Linifolia cerulea, B. pr. 34.4. R. 740.16

272 Rapunculus nemot, anguliif, majno fl. major, CB, 93. xi.

273 Rapunculus nemot, anguliif, parvo flore, 20. CB, 93. 13.

274 Rapunculus picatus albus, 25. CB, 93. R. 743.1.

275 Gentiana autumnalis ramofa, 55. CB, 188.2. R. 720.8.

276 Gentiana cruciata, 55. CB, 188.1. R. 745.1.

277 Gentiana cruciata, 55. CB, 188.1. R. 745.1.

278 Gentiana major lutea, 55. CB, 187.1. R. 716.1.

279 Linum (ylv. angulfifol. fl. minore, 62. CB, 214.3. R. 1073.9.

280 Millefolium, aq. Equifetifolium caule nudo, CB, 141.5.

281 Alfine major, 73. CB, 259. 10.

282 Alfine major, 73. CB, 259. 10.
                                                       R. 821. 5.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            28:
```

NATUR

283 Cayophyllus, Iylv. vulg. 60. CB. 200, I. R. 050. I.
284 Cayophyllus II tenuiffine diffecto, 61. CB, 200, I.
285 Caryophyllus arvent, birfut. Ilmajore, CB. 210. I. G. 477. f.xi.
286 Caryophyllus arvent birfut. Ilmajore, CB. 210. I. G. 477. f.xi.
287 Caryophyllus arvent birfut. Ilmajore, CB. 210. I. G. 477. f.xi.
288 Geranium Cieuta Iol, maj. inodorum 90 CB.
289 Geranium Iol. rot. minus, profunde laciniato, Cat 90.
290 Verbascim Eem. II. luteo magno, 60, CB. 237. 3. R. 1094. 2.
291 Kiyella arventis cornuta, 44, CB. 145. I. R. 1070. 3.
292 Lotus pentaphyllos corniculata, 94. CB. 332. I. R. 968. 7.
293 Lotus pentaphyllos fruticosus, 94. CB. 330. 2. R. 968. 7.
294 Trisolium capit. Ipumoso aspero majus, 93. B. pr. 140. 8.
295 Trisolium capit. spumoso aspero majus, 93. B. pr. 140. 8. R.
296 Trisolium capit. spumoso aspero minus, B. pr. 140. 8. R.
297 Latbyris Iylv. minor, 96. CB. 344. 4.
298 Latbyris Iylv. minor, 96. CB. 344. 5. Dod. 529. f. 1.
299 Orabus Iylvat. purp. vernus, 97. CB. 331. 2. Dod 542. f. 2.
300 Securidica dumet. min. pallide cerulea, 97. CB. 349. 5.
301 Securidica dumet. min. pallide cerulea, 97. CB. 349. 5.
302 Vicia Iylv spicata, 97. CB. 345. 8. R. 903. 19.
304 Vicia Iylv spicata, 97. CB. 345. 8. R. 903. 19.
305 Fumaria bulbota rad. non cava major, CB. 144. 2. R. 975. 5.
307 Fumaria bulbota rad. non cava major, 44. CB. 143. 1. R. 975. 4.
308 Allium spite. latif. capitat. purp. majus, 21. CB. 74. 10.
310 Allium fylv. taiti. capitat. purp. minus, 21. CB. 74. 10.
311 Allium mont. bicorne, angulissol. fl. purp. 21. CB. 74. 22.
313 Pleudo. Asphodelus Apinus, 18. CB. 29. 10. R. 1194. 1. 312 Allum mont, bicorne, angulitiol. ft. purp. 21. CB. 74. 22.

R. 1119. 2.

313 Feudo. Afphodelus Alpinus, 18. CB. 29. 10. R. 1194. t.

314 His vulg, German. f. (lybethis, 19. CB. 30. 1. R. 1180. t.

315 His prat. angustif. humilior. 19. CB. 32. 3. Dod. 246. f.

316 Cynosorchis latifol. hiante cacullo major, 21. CB. 80.1.

317 Cynosorchis angustifol. hiante cuculto, 22. B. pr. 28. 1. R. 1216.16. R. 1216.16.

18 Cynoforchis militaris major, 22. CB. 81. 3. Ger. 165, f.12.

19 Cynoforchis militaris minor, 22. CB. 81. 3. Ger. 165, f.12.

20 Orchis fol. feffilibus non macularis, 22. CB. 82. 3.

321 Orchis odore Hirci long, angultioreque fol. 23. CB. 82. 2.

322 Triorchis lutea fol. glabro, 23. CB. 84. 3. R. 1217, 24.

323 Triorchis lutea altera, 23. CB. 84. 4. Ger. 167. f. 1.

324 Pfeudorchis, 24. CB. 84. 8. R. 1226. 1. Cam. H. 1115, f.35,

325 Orchis palmata mont. maxima, 24.B.p. 7, 30.9. Fig. R. 1224, 4.

326 Orchis abortiva futca 24. CB. 86. 1. Dod. 553 f. 2.

327 Ophis trifolia, 25. CB. 87.2. Ger. 326. f. 2. 137 Ophni tritona, 25. CB. 27.2. Ger. 326, f. 2.
138 Ophnis trifolia minor Cat. 25.
139 Helleborine angulif, palustr. s. prat. 55. CB. 187.3. R. 1230.2.
130 Helleborine mon tangulif, pupurateens, 55. CB. 187.7.
131 Helleborine mon tangulif, pupurateens, 55. CB. 187.7.
132 Nymphea alba minor, 57. CB. 193. 2. G. 663. f. 3.
133 Thalichtum prat. angulifilmo folio, 95. B. pr. 146. Fig. R. 404.

332 Nymphea alba minor, 57. CB. 193. 2. G. 663. f. 3, 133

333 Thalichrum prat. angulifilmo folio, 95. B. pr. 146. Fig. R. 494.9.

334 Tirhymalus fylv. lunato flore, 84. CB. 290. 7. R. 871.41.

335 Tirhymalus Linaria fol. 84. CB. 290. 2. R. 866. 15.

336 Tirhymalus Cypar. fol punchis croceis notatis, CB. 291. 1.

337 Tirhymalus Cypar. fol punchis croceis notatis, CB. 291. 1.

338 Tirhymalus palufris fruticofus, 85. CB 292. 2. R. 864.8.

339 Tirhymalus mont. non acris, 85. CB. 292. 2. R. 864.8.

341 Valeriana fylv. maj. montana, 50. CB. 164. 5.

441 Valeriana fylv. maj. montana, 50. CB. 164. 5.

442 Valeriana Alpina prima, 50. B. pr. 86. 2.

443 Valeriana Alpina prima, 50. B. pr. 86. 2. R. 390. 9.

443 Valeriana Alpina prima, 50. B. pr. 86. 2. R. 390. 9.

444 Gramen Caninum vineale, 3. B. pr. 1.1.

456 Gr. Canin. fupinum minus, 3. CB. 1.7. R. 1256.9.

467 Gr. prat. panicula & glumis longioribus, Cat. 4.

486 Gr. mont. panic. fpadicea delicatiore majus, 5. B. pr. 6.12.

496 Id. minus, Cat. 5. B. pr. 6.12. Monte Wafferfall.

50 Gr. paluft paniculatum altiffmum, 5. CB. 3.1.

515 Gr. paluft paniculatum minus, 5. B. pr. 7. 16.

52 Gr. paluft paniculatum minus, 5. B. pr. 8. 20.

53 Gr. fivicatum anguit. montanum, 6. B. pr. 8. 21.

53 Gr. fivicatum anguit. montanum, 6. B. pr. 8. 21.

54 Gr. Typhoides max. fpica longiffima, 6. B. pr. 10. 25. Fig. 67. Typhoides max. fpica longiffima, 6. B. pr. 10. 25. Fig. 67. Typhoides afperum alterum, 7. CB. 4. 4. G. 6. 6. 9. f. 2.

60 Gr. Typhoides fpica anguffiore & longiore, 7. CB. 4.5.

61 Gr. Typhoides, fpica anguffiore & longiore, 7. CB. 4.5.

62 Gr. Typhoides, fpica multiplici, 7. CB. 4.7. R. 1298.13.

364 Gr. Sparteum Bafil, capillaceo folio 7. B. pr. xi. 29.
365 Gr. Junceum polystachion, 8. cg. 5.7. R. 1309. 16.
366 Gr. Junceum fol, & spica Junci minus, 8. cg. 6. xi.
367 Gr. Arundinaccum spica multiplici tenuiore, Cat. 10.
368 Gr. Arundin. endoe minus spivaricum, 10. cg. 7. 7.
369 Gr. mont. panic. Miliacea sparsa, 12. B. pr. 17.50.
370 Gr. Sorghi panicula erectum, 12. cg. 8. 1. R. 1283. I.
371 Gr. lastif. spica Triticea compacta, 12. B. pr. 18. 53. Fig. 371 Gr. latif. spici Triticea compactă, 12. B. pr. 18. 53. Fig. 372 Id. folio angustiore, Cat. 12. 373 Gr. angustiore, Cat. 12. 373 Gr. angustis spica majus, 12. B. pr. 18. 58. Fig. R. 1257. 1. 375 Gr. Hordeaceum mont. f. majus, 12. CB. pr. 18. 58. Fig. R. 1257. 1. 376 Gr. Loliac. latif spica angust. 13. B. pr. 19. 60. R. 1263. 2. 377 Idem fol. longioril us, Cat. 13. 378 Festuca Graminea, glumis vacuis, 13. B. pr. 19. 64. R. 1290 9. 379 Festuca dumetorum, 13. B. pr. 19. 69. R. 1262. 2. 380 Gr. nemonos. f. prică rufescente molli. 10. CB. 7.3. 381 Gr. hirsur, latifol. minus, iunceă paniculă. Cat. 10. 380 Gr. nemorol. Apică rutelcente molli. 10. CB. 7:3.
381 Gr. hirfur. larifol. minus, junecă paniculă, Cat. 10.
382 Id. majus, Cat. 10.
383 Cyperoides angult. Ipica Ipad. viride minus, B. pr. 19.41.
384 Cyperoides angult. Ipicis longis ereftis, 9. CB. 6.4.
385 Cyperns longus inodorus fylvaticus, 15. B. pr. 24.
386 Juneus acumine reflexo major, 14. CB. 12.1. R.1304.xi. 386 Juncus acumine reflexo major, 14. CB. 12.1, R. 1304. xi. 387 Secale luxurians, 17. CB. 23. 4. 388 Secale vernum, vel minus, 17. CB. 23. 3. 3. 388 Secale vernum, vel minus, 17. CB. 22. 3. 3. 390 Zea Amylea, vel Zeopyrum Amylaum, 17. CB. 22. 3. 391 Zea dioccos, vel major, 17. CB. 22. 2. Ger. 62. f. 391 Zea dioccos, vel major, 17. CB. 22. 2. Ger. 62. f. 392 Equifetum paluftre minus polyflachion, 15. B. pt. 24. 1. 393 Equifetum paluftre minus polyflachion, 15. B. pt. 24. 2. 394 Equifetum paluftre minus variegat. B. fillienfe, B. pt. 24. 3. 395 Equifetum mudum minus variegat. B. fillienfe, B. pt. 24. 4. 306 Filix aculeata major, 90. CB. 385. I. pt. 151. 2. 399 Filix aculeata mijor, 99. CB. 358. I. pr. 151. 2.
396 Filix aculeata mijor, CB. 358. I. pr. 151. 2.
397 Filix aculeata mijor, CB. 358. 2. pr. 151. 3.
398 Filix fontana major, f. Adianth. alb. Filicis folio, CB. 258. 1. 399 Filix non ramosa pinnul, tenuiss. & tenuissime dentatis, 399 Filix non ramola pinnui. tenunis de tenunia de centrale CE 358 x. 62. 358 x. 62. 358 x. 739 Filix Querna 99. CB 358 x. 730 Filix Querna 99. CB 358 x. 730 Filix Querna 99. CB 360. 1. Dod. 472. f. 1. 401 Mufcus vulg, pennatus major, 100. B. pr. 151. 1. var. 402 Mufcus valle, pennatus minor, 100. B. pr. 151. 1. var. 403 Mufcus ramolus sepens, fpicatus, 100. B. pr. 151. 4. 404 Mufcus ramofus major, 100. B. pr. 155. 5. R. 123. 2. 406 Mufcus ramofus major, 100. B. pr. 155. 6. Nuclear tenunia pennior de viridior, 100. B. pr. 151. 4. 406 Mufcus ramofus major, 100. B. pr. 151. 4. 406 Mufcus ramofus major, 100. B. pr. 155. 5. R. 123. 2. 406 Mufcus ramofus major, 100. B. pr. 151. 4. 407 Mufcus ramofus major, 100. B. pr. 151. 4. 408 Mufcus ramofus major, 100. B. pr. 151. 4. 409 Mufcus ramofus major, 100. 8. 409 Mufcus ramofus major, 100. 8. 409 Mufcus ramofus major, 100. 8. 409 Mufcus ramofu 5. var.
407 Mufcus ramol eredt. minor, 100. B. pr. 151. 6. R. 123. 3,
408 Mufcus faxatilis Ericoides, 100. B. pr. 151. 7. R. 123. 4,
409 Mufcus polytrichoides, 1. fol. capil. rigid. B. pr. 152. 10.
410 Id. alter minor, B. pr. 152. 10. var.
411 Id. 3. minimus & mollis, B. pr. 152. 10. var.
412 Mufcus parvus fieldaris, 100. cB. 361. 13.
413 Mufcus terreftrs Covalloides recetus cornib subefcentious. 414 Museus terrett. Coralioides erectus cornib-subescentibus, B. pr. 152. 11.

B. pr. 152. 11.

415 Museus aquaticus, folio expanso, 101. B. pr. 152. 14.

416 Pinus special expanso, 101. C. B. pr. 152. 14.

417 Pinas special expanso, 101. C. B. 473. 3. R. 1421. 8.

418 Salix vulgaris subens 111. C. B. 473. 3. R. 1421. 8.

419 Salix facilis, 111. C. B. 474. 9. Park. 1431. 4.

420 Salix facilis, 111. C. B. 474. 9. Park. 1431. 4.

421 Salix facilis, 111. C. B. 474. 9. Park. 1431. 4.

422 Salix humilis, capitulo lquamoso, 111. B. P. 159. 2. R. 1423. 2.

423 Salix bolongo incano folio 111. B. pr. 159. 2. R. 1423. 2.

424 Salix humilis latifolia erecta 111. B. pr. 159. 4. R. 1423. 5.

425 Buxni foliis rotundioribus 111. C. P. 471. 2. R. 1694. 2.

426 Alnus folio incano, 107. C. 428.3. R. 1410.2.

427 Alnus nigra polycarpos, 107. C. 48.3. R. 1410.2.

428 Alnis effigie, lanato folio minor, 109. CB. 452.2. R. 1461.C. 9.

429 Tilia montana, maximo folio 106. CB. 426. 2. R. 1695. 3.

430 Ulmus campestiris, 106. CB. 426. 2. Gev. 107. F. 1.

431 Genisa spinola minor Germanica, 104. CB. 395. 3.

432 Genisa spinola fiagittalis, 105. CB. 395. 2. R. 1725. 5.

433 Chamagenista lagittalis, 105. CB. 395. 2. R. 1725. 5.

434 Ceraso affinis, 108. CB. 451. 15. R. 1549. c. 15.

435 Rosa stvensis candida, 113. CB. 484. 17. qrt R. 1471. 14.

437 Sambucus racemosa unbra, 110. CB. 470. 6. R. 1480. 5.

Plantæ Bassia locis Proprii, viz.

Circa Urbem pratis, 134. 6. aridis * 217. 21. 83. humidis * 207.* 23. * 38. collibus * 276. Agris 286. * 7. 436. marginibus 210. 92. 336. * 7. Viis 143. 79. 80. Sepibus 244. 5. 85. * 9. 93. 302. 3. 4. 6. Fimetis 226. 81. Ruderibus * 240. Mæniis 140. Muris Mufcus terreft. Coralloides erectus cornib. tubefcentibus, B. pr. 152, 11.

Muris 221. *410. 1. Fossis * 419. Alnetis 435. Dumetis 203. 11. 8. * 34. 300. 1. 5. Sylvis cæduis * 340. Frumentaceis 198. 5. 200. Segeribus 291. Graminibus 141. Montibus 430. Binninghen * 417. Birfa arenonis * 383. 421. dumetis * 167. * 379. * 406. helbidis 316. paludosis 384. ad pontem * 263. Birface arcis colle * 322. Benehen agris uliginosis * 361. Brulingen viis 143. St. Christian monte 438. Cliben. * 377. dumet. 165. 207. 212. 34. Prais * 102. Crentzachi monte 140. 320. 52. fec e arcis colle * 322. Benehen agris uliginotis * 361. Brulingen viis 143. St Christians monte 438. Cliben * 377 dumet. 165 207. 312 74 Pratis * 193. Crentzachi monte 140. 229. 52. * 72. 94. 9. 301. * 13. 26. * 50. * 69. 74. * 81. 2. * 403. 4. 72. 5. Saxosis * 188. 258. 27. 348. Umbrof. & humidis 190. 366. Dornach 270 Fliehen ad Balneum 434. Hiltelingen * 248. Huningen sylvis 168. * 94. 257. 75. 7. 355. 426 sylvis humidis 354. agris 145. 81. 256. 67. Lagenbruch sylvis. * 196. Landskon 428. arce 327. montois 437. Michelfeld 350. 81. aquis * 231. 49. * 332. * 423. paludibus 197. * 364. * 86. * 92. * 3. 4. udis * 178. 352. 80. * 1, 424. dumetis * 189. 274. Salicetis * 295. * 355. 7. * 423. pratis 150. 1. 3. 60. 8. * 280. * 9. * 24. * 30. * 3. * 50. 4. * 313. 20. 81. * 93. 4 paludosis pratis 164. * 91. 20. 84. * 315. 29. 38. * 41. Monchenstein 156. 306. 81. pratis * 190. muris 314. arenosis ad pontem * 225. sylvis mont. 330. Muteto monte * 144. 54. * 64. * 82. * 60. 22. 5. 201. 2. 5. 22. * 835. * 9. 61. 2. 99. 318. * 9. 319. 82. * 279. p. 32. herbossis 412. dumet. humidis * 247. * 367. sylvis 274. pratis 152. * 275. pratis mont. 149. * 317. saxosis 166. Olingen agror. semitis * 486. Reichenstein monte 146. 428. Rhem ripis 181. 246. arenosis * 422. faxosis 309. dumetis 249. * 424. * 425. * 425. Rhem ripis 181. 246. arenosis * 422. faxosis 309. dumetis 249. * 425. And 182. * 425. And 182 Oilingen agror. femitis * 486. Reichenstein monte 146. 428. Kheni ripis 181. 246. arenolis * 422. faxofis 300. dumetis 250. beh der Baar * 296. 321. 955. Riehen feget. * 389. 90. 1. dumetis 307. fepibus * 167. Wiese ripis 156. 316. 1. saxis * 408. arenosis 131. 204. 64. 90. 414. 22. 23. ad pentem * 238. parts 347. 420. agris 308. dumetis 347. 90. * 413. nemora ad pontem * 206. Alneto 253. * 82. 305. Wilenst 1912 368. 400. Vineis 266. uliginosis * 401. 2. Wasserfal monte 135. * 44. 7. * 85. 7. * 92. * 6. 212. * 32. * 4. * 5. * 6. * 27. * 32. * 34. * 44. 7. * 9. * sax618 331. * 42. N. B. Ha* in duplo pergrata erunt, Jac. Petiver. COM. III. Plants gathered on Mount Serato, lately fent me

from Mt. John Salvadore at Barcelona.
Hieracium Pyrenaicum Dent. Leonis fol. latissimo Schol.

439 Hieracium Pyrenaicum Dent, Leonis tol. Iatifiimo Sebol. Bor. 189. Inflir. Rei Herbar. 472. Ray Vol. 3. p. 139.14.
40 Elychyfum fylvefire anguftifolium, capitulis conglobatis, CB. 264 9 Phytopin 5. 4 8. Lob Ic 486 1. Ad 203. f. Belg. 570. f. Ray H. Plant. 283.xi.
441 Globularia montana humillima repens El. Bor. 571. Inflit. 467. Scabiofa X. five repens, Cluf. v. l. 4 f. Pan. 540 f. R.

381.27

442 Jacea nigra angustifolia, vel Lithospermi arvensis soliis, caule aspero, CB. 271.2 Prodr. 127 1. varietas R. 326.

443 Laferpitium angustissimo & oblongo fosio, El. B. 274. Inst. 324. Laserpitio Lobel. similis, asgustifol. I. B. Vol. 3. I. 27. p. 237. f. 2. Chabr. 399. lc. 5. 444 Gallium faxat. minim. fupinum & pumilum, E. B. 94. Infl.

445 Polium mont. luteum, CB. 220. 2. Phyt. 417. 2. Tab. Ic. 364. Hift. 2. 80. f. 1. Polium luteum, Lob. lc. 457. 1. Ad. 304. Filt. 2. 80. f. 1. Forum intentil, 200. 1c. 407. f. Ad. 207. Belg, 572. f. R. 525. 8.
446 Euphrafa pumila faxaiiis, oblongo, angusto, ferrato & villoso folio, fi. purpurascente Salvadore.
447 Ranunculus Gramineo folio, bulbofus, CB. 181. 7. pt.

327-30. Ray 588. 2
448 Veronica Hilpanica fol. tenuissime laciniatis, st. ceruleo Salv.
449 Convolvulus argenteus umbellatus supinus, EB, 73. Infl. 84.
Campanula Lychnidea, I. B. 2. 1. 20. p. 803. f. opt. Chabr.

264. f. 3. Ray 735. 25.
450 Aphyllanthes Monlpeliensium, Adv. 190. f. Lob. Ic. 454.2.
B. 538. f. Caryophyllus cerul. Monlpel. CB. 209. 8. pt. 392.

13. R. 990.12 451 Helianthemum fol. Rorifmar. splendent. subtus incanis, EB. 216. Ledon 8. Clus. 80. f. 2. Hisp. 165. f. Ray 1010.

452 Helianthemum fol, Rorifmarini utrinque incano Salvad.

452 Helianthemum fol, Rorifmarini utrinque incano Salvad.
453 Geranium Pyrenaicum, fol. cineraccis, rad. crafis, magno flore variegato, El. Bot. 233, Ray Vol. 3. P. 515-46.
454 Coronilla minima, EB. 510. Infl. 650. Ray 925. L.
Lotus enneaphyllos Dalech. Lugd. 510. f. CB. 349. 4.
COM. IV. Plante Ilvenfes. Plants fent me from the Reverend.
Bruno Tozzi, which he gathered in the Island Elba or Ilva,
lying in the Tyrrheme Sea, against Tufcany.
455 Clinopodium Creticum Alp. Exot. 264, f. Ray 554. 4.
Calamintha Cret. angusto oblongo folio, Inst. 194.
456 Linaria Ilvensis faxat, st., pallido rittu purpureo Tozzi.

Viola Ilvenfis montana, fl. albo.

457 Viola Hvenfis montana, fl. albo.
458 Viola Hvenfis mont, fl. ceruleo.
450 Viola Hvenfis mont, fl. duteo.
460 Tithymalus Hvenfis fruticolus perennis.
461 Hemionitis altera Dalech, Lugd. 1218, fl. 2.

462 Polypodium Ilvense Lugd. 1230. f.2 Chabr. 558.4.R. 137.3.
Filicula ramosa Luste. pinnulis ad Ceterach accedentibus El. Bot. 432. Inflit. 542. Muf. noftr. 212. Ray Vol. 3. P.

Et. 201. 432 Inter. 201. 463 Erinaces Ilvenses fi. luteo Tozzi. qr? Pl. Etrur. Cat. 21. 463 Erinaces Ilvenses desideratæ fac. Petiver, 464 Genista Ilvenses, Lugd. 174. f.
Vide aliæ desideratæ in Etruriæ Plant. ratior. Catalog. viz.

Nº. 21. 31. 54. 116. 21. 82. 284. 520, 8cc.
COM, V. Egyptian Plants lent me from Peter Anthony Michael
Botaniti to his Highnels the Grand Duke of Tulcany.
465 Parietaria Egyptiaca fol. fubrotundo ferrato, fuperne glau-

co feabro, inferne incano & tomentofo Mich. que Gaz,

466 Filego Ægypt. pumila spicata, Mich.
467 Cotonaria Ægypt. Chamadryor solio tomentolo Nob. Planta
Ægypt. incana & tomentola, Uva crispa solio, frudu peltato
Mich.

468 Jacea Egypt. Spinola Mich.

400 Polium Agypt, toment, erectum, fol. vermiculatis Mich.
470 Serpylli facie, planta Ryptisca Mich.
471 Melilotui Rypt, filiquis secundum cauliculorum longitudinem ex foliorum alis exeuntibus Mich. Lotus Reypt fol. eleganter crenato D. Lippia D. Stoschio.

472 Hypericum Reypts gummifer elegantifim, fol. subrotundo bullato Mich. Mytro-ciffus species Pennei, Cluf. 68.

473 Tribulus terrestris Egyptiacus.

474 Tithymalus Rgypt. exiguus, fol. superioribus crenatis Mich.
475 Kail Rgypt. villosum, calyce itellato aculeato. D. Vaillant.
N. B. Vide plura in Iconibus nostris Plantar. Rgyptiacarum.

COM, VI. The following Curiofities were presented me by my hearty Friend Mr. John Burnet, Surgeon to the Englift Factory at Porto Bell.

476 An Abortive Negro near full grown.

477 Pifcis triangularis Amer. fronte ventreque bicornutis. male Cunnie fifth from the West Indies. Its Nose and Back Cloud-streakt with Black, somewhat like Tortoisessell.

78 Piscis triangularis Amer. minor, stellis albis. This is said to be the Female to the Last. Its Belly wholly compos'd of

fmall Diamond Angles.

Buccinum rubelcens, ventre fasciato St. Thoma.

479 Duccinum tuneticus, ventro and parvo lericeo St. Thomis.
The Inhabitants cat the fower Pulp of this, to quench Thirft in Fevers.
481 Colocynthis Guineensis Pomiformis, sem. parvis.
481 Colocynthis Guineensis Pomiformis, sem. parvis.
Admirotre Trass generis Gazoph, Nat. Tab.

482 Taggee Guin, radix forte Trass generis Gazoph. Nat. Tab. 17, fig. 10, A fort of Earth Nuts which the Negroes east plentifully of. I should be glad to see its Leaves and

483 An Ofirich Egg from Buen Ayres.
484 Radix Gentianæ facie à Buen Ayres. A specific Emetic ir all Imposthumes.

485 Radia: Tin toria, Rubis forte frecies. (Raiz roug Hilpanis, With this Root they dye a deep Red and probably may be an Ingredient in the following.

486 Glaitma rubrum è Buen Ayres. A Composition like Storas but red; with this they dye a very sine bright Scarlet, a may be seen by some Wool, this Curious Gentleman hat lately brought from thence to the Directors of the South Sea Company, from whom we may now expect greater

Discoveries.

COM, VII. Miscellany Communications, from divers Hands, 487 Corallium Balearicum globostum, tubulis brevibus stellatis.

Broke from a Rock in fort Mahon Harbour, by our Curi.

Broke from a Rock in Port Mahon Harbour, by our Curious Friend Mr. James Campbell, Surgeon to that Fort, & 2 & Cambodia Brids-ngls., Hilt, of Drugs, 2.1. p. 265. Nidu gelatinus Cambodienlis Nobis, Dale Suppl. 21. p. 265. Bont 66. fig. Pomet. pt. 2. l. l. c. 21. p. 72. Ray Ornith. 7. p. 151. id. Angl. 9. p. 215, Syn. Avium. 6. p. 2. Two 0, these intire Nests mostly cover'd with Feathers, were generoully presented ms by Mr. 30hn Courtney Surgeon. 489 Brasilian Frogriss. Rana Piscatrix minor Grew Muss. Reg Soc. 10. defc. Water Batt, Wafer xi. p. 196. Guacucus. Brasil. Marcgr. 143. fig. Ray Ieth. 89. Tab. E. 2. f. 3. This strange Fish Dr. Crawford sent me from Jamaica. 490 Stella marina Indica reviculata Lobel in Phatmacop. Rond 139, fig. opt & deser. This elegant & Sar Star. Mr. John Douglas Surgeon, sent me from Antegoa.

Douglass Surgeon, tent me from Antegoa,

PETIVERIANA III, feu NATURA

COLLECTANEZ

Domi Forisque Auctori Communicata.

A JACOBO PETIVER, Regia Societatis Socio, &c. Londini.

COMMU- PLANT E Baleares. Plants found in the NIC. I. Plands Majorca and Minorca, by the Curi-

NIC. I. Islands Majorca and Minorca, by the Curious Mr. John Salvadore, Apothecary as Barcelona, and Mr. George Bouchere, Surgeon at Port Mahone.

1 Plantago fol. lato Coronopi Nobis. Bouchere.
2 Plantago minima anguttifol. villoia. Salvadore.
3 Perexil Balear, fol. minore Beta. Bouch,
4 Urtica Balear. Pilulifera, fol. altè incifis. Bouch.
5 Chrondrilla Bal. Ipinola, Cichor. fol. fl. luteo. Salvad. qu' Sonchus frut. petræus African. Ipinolus, Park. 804. f. 7. Ray 224. f. 10.
6 Cichoreum caulibus florum Junceis, Nob.

6 Cichoreum caulibus florum Junceis, Nob.
7 Conyza lutea radice odorata.
After luteus rad, odora, CB 269.3 Ray 264.13
Afteris species, an Baccharis, Colum, 253. f. opt. c.97.
8 Conyza minima Dod. soliis crispus.
9 Elichrysum Balear. Gnaphaloides saxatile, flor. in strictiorem umbellam congestis, Salvad.
10 Gnaphalium Roseum splv. polyanthos. This is as much branched as the Gnaphal. Roseum Hort. B. pr. 122. s.
11 Bellis sylv. minor Balear. ramola & villosa, Salv.
12 Bellis maritima, mm. s. minima Roris Solis soliis Cirnea Bocc. Mus. 149. Tab. 107. Ray Hist, Plant. Vol. 3. p. 228.
28.

Calamintha Balear. frutesc. fol. minoribus villosis

Salv.

Marum Syriacum vulgo, Nobis.

Marum Cortufi I. B.3. 1.28. p.243. fig. Chabr.418.f.5.

Marum Matth B.537. f.1. Cam. Epit.403. f.
Our first Knowledge of this Noble and Celebrated Cephalick, I find, isowing to that Judicious Padua Botanifi Jacobus Antonius Cortufus, who Communicated it to both Masshiolus and John Baubine, which they justly own, Its growing wild so near as Port Mahone I could scarce believe, had I not received Specimens of it from Mr. Salva-

lieve, had I not received Specimens of it from Mr. Salvadore and Mr. James Campbell, who were both there.

15 Marum Balear, marit. fruceleens, ft. albo.

16 Purple Poly-Mountain Lecaan, p. 74, 30.

17 Polium mont. 5. purpures flore, Cluf. 362. f. Hisp. 243. f. Polium candidum tenellum tomentosum, ft. purpureo, 1. B 3. 1. 3. 1. 28. p. 300. f. Chabr. 431. f. 4 Ray 524. 4.

17 Serpyllum Balear laxat. fol. rot, non crenaro, Salv.

18 Sideritis Hispan, frutescens seu lignostor, E. B. 160. Inft.

19 Teuerium, CB. 247. I phyt. 471. I Ray 526. I.

Teuerium multis, I.B. 3. 1.28. p. 293. F. Chabr. 429. f. I.
20 Cymbalaria patva hirluta Nob.

Cymbalaria Patva initità Prob. Linaria Hederaceo folio villofo f. Cymbalaria Alpina, E.B. 134. Inft. 165. Digitalis Hifpan, purpurea minor. E.B. 134. Inft. 165. Digitalis Verbafei folio Boc. Mul. Tab. 85. f. Ray 3. p. 306

1 & 97. 5 Digitalis angusto Verbasei folio montana Boc, Mus. p. 108. 22 Corruda altera, Clus. 178. f. r. Husp. 459. f. Ray 684. 4. Afparagus aculeatus alter 3 vel 4 spinis eundem exort, CB. 490. 2

23 Corruda 3 Clul. 178. f.2.: Hifp. 461. f. Ray 684. 5
Afpiragus aculeatus, spinis horridus, C.B. 480. 3
24 Corruda Hifp. spinis fliquar. facie, Nob.
Afparagus Hisp. acules crassionibus horridus, E.B. 250. Inst.

Anonis Balear, perennis glucinosa villosa, folio minore serrato, flore luteo Salv.

26 Auonis Ulifiponensis lavis, calyce paleaceo, Nob.
27 Melilotus lutea minor, floribus & siliculis minoribus spicatim & dense dispositis, Ox. 161. 5 Tab. 16. ser. 2, f.

Melilotus nova Berardi feu erecta, folliculis rotundis minor, Ray Hist, Plant. p.051. pl.6. 28 Genista Balearica faxatilis, pallide virens, flore luteo, Sál-

vadore.

29 Tragacantha Bal. fol. incanis, fl. albo striato, Salv.
30 Tragacantha Balear. ramosistima, fpinis brevibus, Nob.
31 Anthyllis Balearica Serpilli solio.

32 Alfine Balear. longius radicata, tenuissimo folio, fl. purp. Salv.

33 Lychnis Balearica Saponariæ folio molli, Nob. 34 Lychnis Balear, viscosa faxat, tereti crispo folio, Salv. 35 Helianthemum Balear, Satureia fol. angusticai, flore luteo,

36 Myrto Ciftus Pennei, Clus. 68. fig. Pan. 67. Ger. 1098. f. 16. Jonft, 1279, f. 16. Park 665. f. Ray 1011. 13 Bot. Hort, 4. pl.68.

77 Pinca latifolia, fl. patvo cæruleo, Salv. 38 Kali Crassula muoris folio, CB. 289. Phyt. 566. 4. Kali Floridum repens Neapolitanum, Colum. pt. 2. p. 73. f.

Add Fiorium repens treup in unum, Colum, pr. 2. p. 73. f. opt. c. 35. Ray 213. 44
39 Limonium Balear. Bellidis min. folio, fruticofum, Salv.
40 Limonium minus, Bellidis folio, fagellis Femiculaceis, Boce.
Mul. 143. Tab.103. Ray Vol. 3. p.246. pl.6.
41 Limonium min, flagel. tortuolis, Boc. M. 143. T.103. R.3.

p.246. 42 Limonium minimum, Park.1234, 5 R. 396. inter. pl. 8 & 9. Limonium maritimum minimum, CB.192. 6 pr. 99.2 Boce,

Limonium Hifp. multifido folio, E.B. 284. Infl. 342. Limonium Tamarifci folio nonnullis, R.3. p.247. Pluk. 28.

f. 4.
45 Alaternus Balear. fol. ferratis fubtùs ferrugineis.
46 Maftick-tree, Lecaan 68.17 fig.Ray 15790. c. 4.
Lemifeus, Dod.87, fig. Cluf.14. fig. opt. Hifp 85. fig.
Lemifeus vulg.CB. 399. I Lob. 1c 2. p. 96.B.z. p. 11.3. f. Obs.

538 f.
47 Lentiscus angustif. Mashliensis, Hort. R. Paris Bot. Monsp.

48 Lentiscus Balear- fol. obtusis, maculis candidis.

Lenticus Balear. 101, obtuits, macuits candicus.

Stanamunda Balear. 2 Chuft; tomentofior.

Stonecrop Sanamund. Lecaan 75.34.

Sanamunda 3 Cluf. 89. f. Hifp. 178. f. Jonft. 1596. f. 3. Park.
202. fig. 7. Ray 1589.6.

Sefamoides minus Dalech. Lugd. 1670. f. 1. Park. 203. 8.

Thymelsa tomentofa, folio Sedi minoris, CB. 462.7.

N. B. There are divers others both. Herbe and Teses in Mer.

Thymela a tomentofa, folio Sedi minoris, CB. 462.7.

N.B. There are divers others, both Herbs and Trees in Mr. Boucher's Colledions, which I here omit, until I receive what the Curious Mr. Campbell a Refident there, has been pleas'd to promife me by the first, and all Oppertunities, which I shall publish as they come to Hand, COM. II, Lustianie Frumenta, Gramina, Cyperi, Junci, &c., Ravivers & Desiderates, Jac. Petwer.

SECT. 1. Frumenta & Gramina Spicata.

51 Hordeum Nudum. Gevada Santa, Lusti.

52 Gramen Hordeaceum vulleare.

52 Gramen Hordeaceum vulgare. 53 Gramen Hordeaceum marinum pulchrum, ND. Gramen Hordeaceum Lusitanum,

74 Orlmen 1831 lops longits fpicata Lufte, ND. 56 Gramen Ægylops longits fpicata Lufte, ND. 57 Alopecuroides ramofa, ND. 58 Gramen alopecurus lanuginolus.

59 Gramen Alopecuroides aquaticum Touronense, ND.
60 Gramen Alopecuroidesicampestre vernum Eustr. ND.
61 Gramen Alopecuroides hirturan pathire Lustr. ND.
62 Gramen Alopec. patustre bulbosum, ND.

PETIVERIANA III, seu

63 Gramen Alopec. Segetum elegans, ND. 64 Gr. Canarium pumilum fupinum Luft. ND. 65 Gr. Canarium spica ampla Luft. ND. 65 Gr. Canarium spica ampia Lustr. ND.
66 Gr. Cristatum campestre Lustr. ND.
67 Gr. Paniceum spica simplici.
68 Gr. Paniceum spica simplici.
69 Gr. Paniceum spica apera.
70 Gr. Panice spica aristis longis armata.
71 Gr. Panice, plurimis spicis congestà panicula.
72 Gr. Panice, plurimis spicis per culmum spariss.
73 Gr. Phalaris sultena Lustr. ND.
67 Gr. Phalaris kulbosi 2 species. ND. 74 Gr. Phalaris bulbofi 3 species, ND. 75 Gr. Phænix vulgare. 75 Gr. Phænix vulgare. 76 Gr. Phænix alata venustissima, ND. 70 Gr. Phanix alata Ventullinia, ND.
77 Gr. Phanix calvâ fpicâ, ND.
78 Gr. Phanix calva falcata fpicâ minima, ND.
80 Gr. Phanix multiplicibus granis (picata, ND.
81 Gr. Phanix tarioregrano longius fpicata, ND.
82 Gr. Phanix multiplicibus granis, (picata elegans, ND. 25 Gr. Foama: muitis tentitous granis, spicata ciegans, ND. 84 Gr. Phaenix pluribus ten. granis densé fpicata, ND. 85 Gr. Phænix pilosi spica, ND. 86 Gr. Secal, bulbos. spic. longa multis longisque aristatis Lufe. ND. fit, ND. 87 Gr. Spart. argent. caudata spica, rad. longa Luf. & Batic. ND. 88 Gr. Typhinum longa caudā fpicata, ND.
89 Gr. Tribuloides majus & minus.
90 Gr. Dadylon spicis villosis Lusts.
91 Gr. duplici seu medio aperta spica, ND.
SECT. 2. Frumența & Gram Paniculata.
92 Ægilops barbata, ND. 93 Arundo Cypria feu Donas minor. 94 Avena sterilis. Balanco Lufit. 95 Gr. Avenaceum Alopecuroides, ND. 90 Gr. Avenaceum Aiopecurotaes, ND. 90 Gr. Avenaceum bulbolum Lust. ND. 93 Gr. Avenaceum bulbolum Lust. ND. 93 Gr. Aven. capillari tenuissimo folio, ND. 99 Gr. Aven. elegans Salaciense, ND. 100 Gr. Aven. longa contractiore panicula. 101 Gr. Avenac pratense Lusitanicum.
102 Gr. Aven. Tremulum montanum elegans, ND 103 Gr. Bromoides paniculatum molle marinum, ND.
104 Gr. Brom, panic. molle, arift. recurvis obstitum elegans, ND. Gr. Festuca Avenacea maxima & major, ND. 106 Gr. Fettuca Avenacea minor & minura, ND.
107 Gr. Xerampelinum latif. minus, fpar a paniculă108 Gr. Xerampelinum latif. minus, fpar a paniculă108 Gr. Xeramp, tenui breviffuno folio, panic. contractiore,
110 Gr. Amabile tremul. max. paniculă alba & spadicea. III Gr. Amab. trem. maj. panic. copiofis elegantismis. 112 Gr. Amab. trem. minus Speciofum. 113 Gr. Amab. trem, minimum elegans. Bollebolle Lufit, 114 Gr. marinum Paniculofum. 115 Gr. Miliaceum seget. Lustanicum. 116 Gr. Miliaceum astivum vestibus infestum. Milhana Lufit,
117 Gr. Miliac, punilum elegantissimum, ND.
118 Gr. palustre Paniculatum.
119 Gr. Plumotum parietinum pulcherrimum, ND. 120 Gr. Pratense brevi fol. rad. nodosa Vernum. 121 Gr. Segetum paniculă sericea contracta, ND.
122 Gr. Segetum paniculă sericea sparfa, ND.
123 Gr. Sorghi paniculă erecta.
124 Gr. Sorghi paniculă alterum. 125 Gr. Sparteum Avenacea panic. dumetorum, ND.
126 Gr. Sparteum panicula comofa. 128 Gr. Sparteum panici. brevi, foliculo inclusa.
SECT. 3. Gr. Mifcellanea & incognita.
128 Gr. Cufpidatum odoratum pratense, ND.
129 Gr. Geranites intractabile, ND.
130 Gr. Torojum aquaticum, ND. 130 Gr. Torojum aquaticuli, ND.
131 Gr. Torojum campestre, ND.
132 Gr. Triviale ruder. & muror. Miliacea pendula paniculà.
SECT. 4 Cyperi, C, peroides & Juncea,
133 Cyperus radice long a odorata, Albafor Lusir. 134 Cyperus radice rotundo dotrata minor Lulis. ND.
135 Cyperus radice esculenta seu Trasi. Junzas Lulis.
136 Cyperus radice rotunda inodora Lusis. ND. 137 Cyperus radice rotunda inodora marina, ND. 138 Gr. Cyperoides caudatis spicis. 139 Gr. Cyperoides caudatis spicis intortis.

140 Gr. Cyp. Vetonicæ Caryophylli fol. spica simplier. 141 Gr. Cyp. Vetonicæ Caryoph, fol. triplici & quadruplica Spica. 142 Gr. Cyperoides schinatum. 143 Gr. Cyp. Cyperi veri umbellis, venustissimum pusillum annuum Autumnale. nuum Autumnale.
144 Gr. Cyp. pumilum Autumnale elegans, ND.
145 Gr. Cyp. pumilum Autumnale, globofis capitulit, ND.
146 Gr. Hiritutum nemorofum aliud Luft, ND.
147 Gr. Holofteum monospermon Luft ND.
148 Gr. Holofteum polyspermon Luft
149 Gr. Holofteum Matth. plur. granis, capitulo congessis, ND. 150 Gr. Holosteum idem apice ornatum ND. 151 Gr. Junceum capitatum, ND. 152 Gr. Junceum conatum, ND. 153 Gr. Junceum conatum, apice donatum, ND. 153 Gr. Juneeum Conatant, aprice donatant, ND.
154 Gr. Junceum plur, capitulis in unum congessis.
155 Gr. Juncoides, contractiore panicula, ND.
156 Gr. Juncoides fparsi panicula Lusts. 4 species.
557 Gr. Spicatum majus & minus marinum.
158 Juncus seu scirpus medius. 159 Juncus lævis panieula plur, glob. medio eulmo prodiens, ND. 160 Juneus exiguus palustris. COM, III. Fossila Varia à Clar. D. Georg, Anton. Volckman Lignicii Silesiæ. 161 Granati prope Freymalde in Bohæmia. 162 Granati ex monte Granatorum prope oppidum Schmeideberg. 163 Amethystus in radicibus montis Riphai ad pagum Krummem-bubel 164 Jaspis ruber ex monte Boschelberg dicto, prope Urbem Landeshudt. 165 Smaragdus ex m. Riphao feu Giganteo. 166 Topazius candidus monte Riphao ad lacum majorem. 167 Minera Oti in granis rariffima Germ. Goldbohnen ex Ofodina ad rivullum rubrum prope pagum Schreibers-han. Lavantur etiam in ipfo jam dicto rivulo. 168 Æs rude Plumbei, purpurei & aurei coloris ex Metalli-fodinis Kuptlerbergi. 169 Marmor Masselense ex Ducatu Olsnensi, cum Turbinulis, Rotulis & aliis marinis. 170 Terra Medica alba cruda Lignicenfis. 171 Terra Sigilata alba Lignicensis. 172 Terra Sigilata lutea (potius cinerea) Lignicensis. 173 Jolithos seu Lapis Violaceus, in petrosis inditorum super-ciliis ut in cacumine monte Giganteis. Calefactus odorem ciliis ut in cacumine monte Gigantes. Caletactus odorem fpirat Viola Martia, & reponitur ad Vestimenta ut iis odorem consiste & Tineis pratervet.

174 Lapilli Ophthalmici & Thermis Lignicensisus in villa Grunnial. Oculi expurganti quid in eos insiderit.

175 Lapis cum Coralliis punctularis, Entrochis seu Rotulis, Petruculis, & aliis marinis refertus, ex monte arenoso 176 Silices circulares monte Giganteo.

177 Dendrite ex Plumbi & Argenti fodină. Wags mitt Gett dicta, ad opidulum Gotts-berg in Ducatu Janraviens.

178 Dendrite in Sabuletis prope pagum Schonborn & Camerau.

prope Cuntzendorff in Ducatu Schwidnicenfi.

ad Schwidnicium.

179 Pteri-lithos cum Filice minore, è Carbonariis ad pagum

Hermudorff propè Gotts-berg. 180 Pteri-lithos cum Adiantho albo Filicis folio CB. è Carbo-

nariis ad pagum Alt-wasser propé Schwidnicium. 181 Lisboxilum dense striatum & articulatum è Lapidicina Lanshudtensi juxta Templum.

182 Semina varia è Carpolithis excifa.

183. Volithus alias Hammites, vulgo Pifa Carolina, ex Thermite
Carolinis in Bohamia.
COM. IV. Trees and Shrubs growing in Carolina, Vinginia and
New England, with their Vertue, Ufe, &cc.
SECT. 1. Timber-trees and Shrubs with dry Pruit, as Acorns,

Cones, Burrs, Caskins, Nuts, &c.
184 Alb.tree. Is tough like our English, but differs something in the Leaf, but more in the Bark, and bears no

185 Water-Aft. Is brittle, the Bark is Food for the Be-TIETS. 186 Afpen tree. It grows in Rapabannock River.

187 Beech. It grows very large; 'tis not a durable Timber, and therefore little used, except for Fire wood, 138 Buck-beech. Another fort found in Carolina, &c.

180 Birch. Grows on the Banks of Rivers ; its Buds in April are much eaten by the Paraketoes,

190

- 190 Bald Cypress. Because it loses its Leaves. Its Nuts yeilds a most fragrant Balfam, which cures all green Wounds and Cuts; its Bady they scoop into Canoes and Pereaugers, some so large as to carry 30 Barrells, of one entire Piece of
- 101 Chestnut. Is a large and durable Wood fit for Pallifadoes, House frames, Thresholds, &c. its Nuts finaller than ours, but fweeter.
- 192 Chinkapin. A fort of Chestmut with a small round Nut. and the Kernel much sweeter: It is used to Timber Boats,
- 193 Highland Elm. The Indians use its Bark for green Wounds.
- 104 Low-ground Elm. Of this Bark they make Ropes.
 105 Sweet-gum. Because in the Spring it yeilds a fiagrant Gum, upon cutting its Bark or Wood, of great use in Tetters, Scurfs, Inflammations, &c. it bears a round prickly Bur. The Wood has a fine Grain, fit for Drawers, Scrutores, Tables, &c.

 106 Horn beam. It grows plentifully in some Parts.
- 197 Maple. There are two forts, used to make Trenchers,
 Spinning wheels, &c.
- 198 Black-Oak. A durable Wood under Water, and bears a
- good Mast for Hogs.

 199 Chestnut-Oak. From the largeness and sweetness of its Acorns : A very lofty Tree, chiefly growing in low
 - Land.
- Lanc.
 Live Oak. An Evergreen, its Acorns as pleafant as Chefinuts, and yeilds an Oil, as fweet as the Olive.
 Red Oak. Is a porous Wood, and used to split in Rails for Feneces, it also makes good Clap.boards.
 Ring-Oak or White-iron. From the durable Quality of its Wood, and is eseemed the best for Ship-use, its Planks being beautiful time.
- being longer than the Live Oak. 203 Scaly White Oak. From its fealy broken white Bark; it is used in building Ships and Sloops: it bears a large Acorn, but never grows to the Bulk or Height of the Cheft.
- 204 Spanish Oak. Splits very well into Clap-boards and Lad-
- 205
- Bastard Spanifo Oak. Bears good Acorns, and its chief Use is for Fencing and Clap-boards.

 Turkey Oak. From a small Acorn it bears which the 206 Turkey Oak.
- Wild Turkeys feed on. 207 Water Oak. Is an Evergreen, growing in Swamps, Fresh-
- water Ponds, and by River Sides.
- Ponds, and is useful in many Things.

 200 Pitch-pine, A large Tree with short Leaves; it yeilds Rosm and Turpentine, by the Heat of the Sun, and Pitch and Tar by that of Fire.
- 210 White-pine with long Leaves.
- Of this and the last they make Masts, Yards, LII Yellow-pine. and other Necessaries.
- * 211 Almond-pine. From the Sweetness of its Kernels, which are Food for Hogs. It ferves also for Masts.
- 212 Dwarf pine. An Evergreen as the rest are.
 213 Spruce or Hemlock-tree. The Fishermen in New England,
 214 tan their Nets and Sails of a tawney Dye, with the Bark of this Tree,
- 214 The Sycamore grows in Swamps and by River Sides, its Bark finely mottled with Blue, White, &c. bears a Bur like the Sweet-gum.
- 215 Tulip-tree or Poplar. From its Grain and Bulk, fome being feven Yards about ; they faw it into Planks for Houseshingles and other Uses, it makes also, a very pretty Wain-
- foot.

H 4,000 2 H

- 217 Black Walnut. A very big Tree, its Wood firm and durable, and some say, never Worm-eaten; they make Tables and Chests of Drawers of it.
- *217 White Hiccory. Is a fort of Walnut, its Wood will not bear the Weather long; with these Nuts, the Savages make divers Difbes and Banquets.
- 218 Red Hiccory, the Heart being very red, firm and durable; they make Mortars, Peffles, and other Turnery Ware of it.
- 219 Flying-bark'd Hiccory. From its brittle and scaly Bark, the Shell soft, Kernel bitter and Leaf fragrant; of its Wood they make Coggs for Mills, &c. 122) Willow. Grows on fresh Water Banks, but differs from
- ours in Bark and Leaf.
- SECT. 2. Timber-Frees and Shrubs with Berries, &cc.

- flicks, it grows as strait as if plained, and is of all
- 222 Pickly 4th. Of this both English and Natives make Poless
 it growing up like them; it's very thorny and light,
 bearing Clusters of purple Berries; the Root purges and
 vomits, used in Cachenies.
- 223 Red Cedar. 223 Red Cédar. An Evergreen, its Wood sweet, very durable, and much used for Tables, Wainfoot, Coffins, &c.
 224 White Cedar. Like the last, but a taller Iree, and grows
- firait as an Arrow; its Wood very light, free to fplit, and
- fleair as an Arrow; its wood very makes the best Shingles.

 225 Dogwood. Bears a white Flower, and blooms the first in the Woods, has a fine Grain; of Use within Doors, but not lasting. The Bark of its Root is held an infallible
- 226 Black Gum. Bears a black Berry, which the Indians mix with their Pulse and Soops, it giving a prettey Flavour
- and Scarlet Colour.

 227 Bitter Black gum. Its Berries like the last, but bitter; the Wood of both these are used for Cart Naves.

 228 White Gum. Bears a long Bunch of Flowers, its Wood much curled and knotted, yet might be of use.
- 220 Holly two forts, one with a large, the other with a small Leaf, many are 2 Foot diameter; they make good Trenchers and other Turnery Ware.
- Honey-tree. Like the next but more prickly; it bears a Cod; one Side contains the Seed, the other Honey, of 230 Honey-tree.
- cod; one Side contains the Seed, the other Honey, of which they make very good Merheglin.
 231 White and yellow Locuff. Are pretty tall Trees; the Indians make Bows of them, being tough and flexible.
 232 Salfafras. Bears a white Flower and black Berry, the Bark of the Root is a Specifick in the Gripes and Hearthurn; it's also of other Sovereign Use: Of its Wood they make Reads. make Bowls, &c.
- SECT. 3. Dying, Medicinal, Ornamental and other Trees and Shrubs.
- 233 Laurel tree as tall as Oaks, the Leaves and Berries dye Yeilnw

- Pettow.

 234 Gall berries. A pretty Evergreen Tree, in Swamps and Ponds; it bears a black Berry, with which the Women dye their Cloaths and Tarn black.

 235 Indico. It grows plentifully in Carolina, &c.

 230 Perfon vine. Its Leaf like Hemlock, the Juice stains Linnen, never to wash out, it marks a blackiff Blue Colour, by breaking a Bit of the Vine and writing with it.
- 237 Candle Bay. Its Berries yeild a fragrant Wax, which be-
- fides its Ute in Surgery, they make Candles off.

 238 Candle Myrtle. Of the Berries of this, they also make Candles which will stand the hottest Weather and burn very Iweet.
- 230 Sand-bank or Sea Caffins or Yaupon. Because this Kind particularly grows there only; in some Places 12 Foot high, in others but 3 or 4: It grows like Box, whose Leaves it refembles, but thicker and dented; bears a finall red Berry, but in December when ripe, is brown. 240 Swamp Cassina. In rich low Ground and Swamps, its
- Leaves greener and larger.

 241 Dwarf Cassina, never grows a Foot high. Sheep and Deer delight much in this Plant. This is their Indian Tea, used and approved of by all the Savages on the Coaft of Carolina, and fold at a good Price to the Wellward Indians, it grows plentifully on the Coaft of Florida, and is held in
- great Efteem by the Spaniards in New Spain

 242 Pellitory-tree. From the Hotness of its Bark, which chewed in the Mouth, cures the Tooth-ach. It grows on Sand-banks on the Sea Shore.
- 243 Small Bamboo. It grows in low Land, a fort of Clymer, its Reeds rarely thicker than ones Finger, and very tough; the Indians boyl and eat the Root, which is a round Ball, and when dry, to hard that they make Cane-beads of them,
- which are carved into pretty Figures.
 244 Oak Vine. It bears a fort of Bur, and runs about Trees; it is so porous that they suck Liquors through a Length of 2 Foot.
- 245 Dwarf Palmetto, grows in Carolina, &cc.
- 246 Sugar-tree, grows at the Heads of Rivers, and near Moun-tains; this by tapping yeilds a Juice which they boyl into a Sugar.
- 247 Sorrel or Somre-tree. Because its Leaves have that Taffe;
- fome are a Foot diameter.
 248 Red bud. Bears a purple Bloffom, ripe in April and May, it's Flower an excellent Sallad.

: 2

249 White Honey-fuckle. Grows branched and always in low moift ground: This and the following flower in April and May.

250 Jagged Honey-fuckle. Because its Flowers are deeper cut, This grows in clear dry Ground.
251 Swamp Honey-fuckle. Grows in swampy Woods and River Sides about 2 or 3 Foot high and bears a great Bunch of fine white Flowers.

252 Wood Honey-fuckle. About a Foot high; its Flowers on small Footialks, several together from the main Stock which is notthicker than a Wheat-straw.

253 Woodbind. Is here ever green and long in Flower.
254 Jalmin Clymer. From the Shape of its Leaf, but larger; it grows round Trees, and makes a fine Shade and a quick grower; 'tis an Ornamental Plant with a black Berry.

255 Scarlet Trumpet-Vine, Makes a fine Abbur, bears a large red Bell-Flower and a long Cod.

256 Maycock. A Summer Clymer, with a glorious Flower, it bears and a constant of the consta

- it bears an Apple, of an agreeable Sweet mixt with Sowre.
- Sowre.

 257 Larks-beel-tree. From the refemblance of its Flowers.

 258 Yellow Jafmin. Of a pleafant Smell, growing in Woods.

 SECT. 4. Fruit Trees, Shrubs and Buthes, viz.

 259 Red-Cherry. A large Tree in the Woods, not much unlike the Cornel berry.

 260 Clufter cherry. Grows high and in Bunches like Currans, they have a bitterith tweet Rabilia and yield a coinfication.

they have a bitterish tweet Relish, and yield a crimson uice.

261 Black and white American Dainfons. These grow on all

the Sand banks along the Coaft.

262 Box Fium. From the Tellownels of its Wood, which is fomewhat porous: The Fruit has a Physical Taile. 263 Early Indian Plum, This makes a fine Shew when in

Flower 264 Late Indian Plum. Its Bloffoms white, small, and very sweet, the Fruit red and pelatable.
265 Wild Fig. Grows up the Mountains in Virginia.

266 Common red Mulberry. Is very fweet and one of our ear-

lieft Fruit, next the Strawberry.

267 White Mulberry. Very common and fit for Silk-worms.

268 Black Mulberry. Bears a small Fruit, but very sweets.

269 Papau, Bears an Apple of the Size of a Hen's Egg, yellow, fost, and very sweet. its Leaves very broad and Stones large,
270 Summer Persimon. Agrees with all Soils.
271 Winter Persimon. Because the Fruit ripens not till the

Proft appears.
272 Black Grape, With a pale Flesh-coloured Juice.
273 Black Bunch grape. Teilds a crimfon Juice, grows com-

mon and bears plentifully; they are of a good Reliff but fmall, yet have a large Stone and thick Skin.

[mall, yet have a large stone and these solutions and the large stone and the large stone and foreign the frequent in Swamps and low mout Ground.

275 White Summer Fox-grape. This and the laft grow not in Clusters, having but 5 or 6 in a Bunch and ripen in the Shade; they are about the Size of a Damfon.

276 Black Winter Fox-grape. Ripens in September in all Soils, here of September with your the Series Sea Confis.

but most plentisally on the Sandy Sea Coasts.
White Winter Fox grape. The Fruit clear and transpa-277 White Winter Fox grape. The Fruit clear and transpa-rent, with smaller Grains: This and the foregoing are leafant, but all glutinous. Of an agreeable Tafte, and four times as big

278 Red Haw.

as ours in Europe.

- 279 Black Haw. A flender Tree : Thele are eaten both by Men and Eirds.
- 280 Black berries. Are bitterift, and not fo palatable as in England:

- 181 Blue Bilberry. Not unlike our common English.
 282 Great Biberry. Grows in Savanas, Meads, and
 This has both a larger Fruit and Seed. Grows in Savana's, Meads, and Woods :
- 283 Small Bilberry. As pl-alant as the blue, but larger; grows 3 or 4 Foot high, in low good Ground, and Riveranks.
- 284 Tree Bilberry. Grows 10 or 12 Foot bigh, and as thick as a Man's Arm, in low Grounds; the Fruit is pleasant and bears much.
- 285 April Currans. A very beautiful Tree, on the Banks of Rivers, in Clayer Ground; its a pretty red Fruit, in gone quickly. 286 Bermudas Currans

A Buth grows in the Woods, like our

English, and much eaten by lone.

English, and much eaten by lone.

227 Winner Currans. A pretty buthy Tree, about 7 or 8 Foot high, very spreading; are ripe in Odobers. they make Tasts of them, and dry them instead of Currans.

COM. V. Some American Plants, with their Specifick Vertues and Wonderful Effects, lately fent me by the Reverend and and wonderful Egeat, tately tent me by the Reverend and Learned Dr. Cotton Mather, at Boston in New England, and Fellow of the Royal Society, London. 288 Ophiophuga, Cottonis Mather. Hieracium Novæ Angliæ Succise folio, Flor. parvis ramo-

fis, Nob.

A Poultifs of this bruifed and laid to the Part bitten by the Rattle-Snake, it immediately fetches out the Deadly Poyfon: it's also remarkable, that if put into the Shoes, no Serpent will dare to come near them. A Tea of it is a good Ophthalmick, C. M.
N. B. I have already 4 or 5 different Sorts of these Rat-

M. B. I have already 4 or 5 different Sorts of these Rattle-Snake Plants from Carolina, Virginia and Maryland,
and this, another, altogether new to me.
289 Caltha Sylvatica or Wood Marygold, C. M.
Flos Solis N. Anglia, fol. feffilibis (cabris, caule rubente,
Nob. This is, perhaps, the greateff Vulnerary in the
World; a Balfam of the green Leaves, with Oil Olive,
cures the most grievous Punätures of the Nerves, and
Cuts of all Sorts, with an admirable Efficacy and
Quickness, ordinary Wounds in 4 or 5 Hours, to the
great Assonition of the Parient, and extraordinary
Cuts in a very few Days at farthest. The Indians will
sight like Milton's Devile, if this Traumatick be near fight like Milton's Devils, if this Traumatick be near them, C. M.

This fort of Americk Chrysanthemum, Dr. Morison calls Vosacan, and now grows in our Physick Garden at

Chelley .

290 Great Bur Comfry. A fort of Caryophyllata Avens, or Herb Bennet.

291 Small Bur Comfry. It does Wonders in internal Wounds, relieves Oppressions in the Somach, from clotted Blood, not to be parallel'd, C. M. This seems another fort of Avens, but being without Flower or Seed, I cannot determine

18. J.P.
292 Formofa, C. M. by the Indians Satanfchoo. Two Spoonfuls of the Water in which this Herb is boiled, cures the Malady which we call the Stomacb-ach, as allo Inflammations of the Eyes, being washed with it, C. M. This with us is called the Cardinal-flower, from its beautiful fearlet Colour. Vid. Ray Hist. Plant. 746. 1:

fcarlet Colour. Vid. Ray Hist. Plant. 746. 1:
293 Taututtipoag, so called by the Indians.
The whole Plant with the Root boiled and applied to the The whole Plant with the Root boiled and applied to the Face, cures what we call the Ague there, and also any Tumour; it also does Wonders in Cancers and other Ulcers by bathing. A Tea of this inwardly, and a Pultifs to the Part grieved, is the grand Medicine here for the foul Disease, C.M. This is a fort of Geranium Batrachoides, longin radicatum, Riy 31, p. 1061, 204 Fagiana or Cancer Rape, C. M. Orobanche ramosa N. Anglia, sub Fagis nascens, Nob. A Pultifs of this Plant land to the Part, and a Tea of it inwardly, does Wonders in Cancerous and Scrophulou Cales, as also in Maironne-

in Cancerous and Scrophulow Cales, as also in Malignant-Fevers; it strengthens and invigorates after Faigues and Westinels. Grows only under Beech Trees in shady Places, from Midfummer till Autumn.

COM. VI. Divers Miscellany Curiosities sent me from Bombay and Callecut, by Mr. Alex. Christie, Surgeon, residing in

those Parts.

205 Faprlio major è nigro & pallidè cærulescente, alis inferioribus finuosis macultique atris ornatis, è Callecut.
206 Libella major, apicibus alarum lanceatis, alis inferioribus amplis maculti è Callecut.

ampus macuri e cauteur.

The following Shells from Bombay.

297 Cochlea auriculata, fafciis caftaneis, pulchreobliquis Gazophyl. Natur. Tab. 101. Fig. 9.

298 Cochlea umbilico magno finuolo, maculis caftaneis. Gaz.

Nat Tab. 101, Fig. 10.
299 Buccinum oblongum minus, coftis ebtufis parce elatis.
Gaz. Nat. Tab. 101. Fig. 14.
300 Buccinum breve minus, coftis dense positis. G. N. T. 101.

fig. 15.

301 Murex breve minus, fasciis spinosis, G. N. 105.18. 102. f. 13,

303 Buccinum dentatum album, coftis obliquis. G. N. 102. 104 Rhombus fasciis capillaribus suscis, cingulo medio albo.

G. N. 101. 17.

305 Operculum album, intus auritum. G. N. 102. f. 21

306 Rubeola erecta, fpica Typhoides carules. F
(wampy Grounds, the latter End of the Rains. Found in the Indians for Arr

GRAMINUM. Muscorum. Fungorum. Submarinorum, &c.

BRITANNICORUM

A Methodical Concordance of British Graffes, Mosses, &c. in Order to their being more easily known and better Figur'd.

A JACOBO PETIVER, Regia Societatis Socio, &c. Londini.

CAP. I. Rumenta & Gram. Spicata. Spiked Corn and Graffes. Sect. 1. De Triticis & Gram. Triticeir.

CAP. I. Rumenta & Gram. Spicate.

Sect. 1. De Triticis & Gram. Triticis.

Wheat and its Graffes.

I. Naked Red Wheat. Bobart. Hist. Pl. Oxon. p. 175. I.

Triticum nudum, spica & granis rubentishus, Ray H. Plant.

1237. I. Synoff. 177. Pl. I. edit. 2. p. 244. I.

2. Naked red Straw d' Wheat. Bob. H. Ox. 175. 2.

Triticum nudum, culmo & granis rubris.

3. White Lammas Wheat. R. Ox. 175. 4. Tab. 1. sig. 1. opt.

Triticum nudum, fpica & granis albis, Ray 1237. 2. Syn. 172.

2. ed. 244.2. C. B. 21. pl. 1. Phyt. 46. I. Theatr. 352. sig.

Matth. 317. f. 2. Lugd. 378. f. Tabern. 258. Ic. 2. Hist. 735.

I. Get. 58. sig. Dod. 489. f. Lob. 25. Ic. Belg. 27. I.

Obs. 14. 1. Adv. 5. Jonst. 65. f. Park. 1120. I. Chabr. 173. I.

4. Mixt Lammas Wheat, Bob. Ox. 175. 3.

Triticum nudum, spica albicante granis rusescentibus, seu mixtum. N. P. Most of these have sometimes short, but irregular Beards and Flower about Midsummer.

5. Conc-Wheat, Bob. Oxon. 176. pl. 13. T. I. s. 2. f. opt.

Triticum aristaum, spica villosa quadrata longiore.

It's a tall Corn, composed of four Rows of Grain, set in grey hairy Glumes or Huks in a large Spike near 6 Inches long, with very roughand long Beards.

6. Grey Wheat or Duckbill, Grey Pollard, Ray 1238. 8.

Syn. 178. 3. ed. 245. 3. Triticum aristaum, spica villosa previore & turgidiore, B. Ox. 176. 4. T. I. fer, 2. f. opt. Its

Spikes groffer, shorter and whiter, and rises not so high.

7. Naked Duckbill. Triticum nudum spica villosa quadrata breviore. Differs from the last in being beardless.

8. Red-ear'd bear ded. Wheat, Triticum aristaum, granis & spica rubentibus, glumis lavibus & spiendentibus, Ray 1238. 6.

S. 177. 2. ed. 244. 2. B. Ox. 175. 1. F. 11. f. opt. CB 21. 8.

pt. 47. 6. Th. 371. f. Tab. 259. 2. H. 735. 3. G. 59. 4.

Lob. 27. B. 28. 3. Jonst. 6. F. Park. 1120. 3. Lugd. 377.

1. Tabernemont's Figures and Lobels feem somewhat to differ, but not much. This holds its Beards, tho' ripe.

9. Many-ear'd Wheat, R. 1238. 4. S. 177. 3. d. 245. 5.

Triticum aristaum spica multiplici, Bob.

10. Polonian Wheat, Ray Vol. 3. p. 597. 3. S.236. ed.

245. 4. Triticum Polonicum majus, glumā foliaceš, Pluk. Tab.231.f. 6. opt. B. Ox. 175. 8. Tab. 1. fer. 2. f. bona. Sown in Worcefterhire.

ri. Barly Wheat, Ray 1908. S. 236. ed. 245. 6.

Triticum arift. spic. Hordei polystichi, B. Ox. 176. 11. T. 1.
f. 2. f. opt. CB. 22. 4. Th. 423. f. Tab. 262. 1. H. 752. f.
Ger. 66. f. 1. Chabr. 175. f. 5. J. B. 430. Lob. 30. f. 2. B.
37. 2. Ob. 18. 2. J. 72. f. P. 1123. Its Spike like fquare Barley
of fix Rows, bearded, but the Grain of Wheat. Sown about Ishp
and other Places in Oxfordhire.

Graming Tritical. Wheat. Graffe.

and other Places in Oxfordshire.

Gramina Triticea. Wheat-Grasses.

12. Common Dogs-grass. R. 1255. I. S. 179. I. d. 247. I. B Ox 178 8 T. I. f. 7. f. Tab.

13. Common Dogs-grass. R. 1255. I. S. 179. I. d. 247. I. B Ox 178 8 T. I. f. 3. f. Opt.

Gr. Caninum offic. vulgare. CB. I. Il I. Ft. 3. I. Th. 7. f. Tab.

201. 2. H. 637. 2. G. 22. I. Lob. 20. 2. B. 21. 21. Ox. xi. 2.

Ad. 2. P. 173. I. Dod. 558. f. mala. 23. I. No good Figure

as yet of this Common Grass, except Mr. Robart's Spike of it.

Too frequent in Gardens and some Fields in June, &c.

13. Beaided Dogs-grass. Gr. Caninum aristatum vulgare,

R. 1255. I. Var. S. 179. I. R. 247, I. Differs from the Common in being bearded.

14. Bearded Wood Dogs-grass. R. 2. p. 598. 1. S. 235. d. 247. 2. Gramen Canin. (ylvaticum ariflatum elatius, Bob. Ox. 177. 2. T. 1. f. 2. f. opt, In Stocken-Church Woods plentifully.

fully.

15. Sea-Dogs grafs. R. 1255. 6. 5. S. 179. 2. d. 247. 3.

Bob. 198. xi. T. 2. f. Gramen Caninum marit. vulg. CB. 1.

8. pt. 3. 3. Th. 14. f. Tab. 203. 2. H. 637. 4. G. 23. I.

Lob. 21. 2. B. 22. I. I. 25. I. Chabr. 180. 6. Common in

Salt Ditches and Sand Banks in Tune, July. &c.

15. Bearded Sea-Dogs grafs. Gramen Caninum marit,

arifiatum. A Variety of the last, and found with it, but more

raye. A Variety of the laif, and round with it, but more rare.

17. Buddles Sea-Dogs-grafs. Gramen Caninum maritimum fpicis rarioribus craffis Inflit. Rei Herb. 516. First Difcovered by that accurate Bosamift the late Reverend Mr. Adam Buddle, on the Suffolk Coast towards Yarmoutb in July.

18. Swaddle headed Sea-Dogs grafs. R. 1256. 3. S. 179.3. d. 247. 4. Gr. Caninum marit. fpicá foliaceà. CB. 2. 9. pt. 3. 4. Th. 15. f. opt. Tab. 203. I. H. 638. I. G. 23. 2. L. 2b. 22. f. B. 22. 2. P. 1277. 3. B. Ox. 178. 12. T. 2. fe. Found by the Curious Mr. Sam. Date in Merfey-Isle, near Colchefter. It Heads in June and July.

SECT. II. De Lolius & Loliaceis. Darnel and its Grafs.

19. Corn Darnel. R. 1262. c. 7. pl. 1. S. 181. I. d. 249. II. O. X. 181. T. 2. f. 2. f. Lolium fegetale CB. 9.1. pt. 23. pl. 102. Th. 121. f. Matth. 331. f. Tab. 239. 2. H. 675. f. G. 71. I. Lob. 35. I. B. 44. I. O. 21. 2. Ad. 10. Dod 538. F. 1145. I. J. 78. I. Lugd. 447. f. Found too often amongst Wheat in July, &cc.

20. Bearded Darnel. Lolium fegetale sriftatum. B. Ox. T. 2. f. 2. f. opt. Grows with the last, but more rare.

21. Tall Brize Darnel. R. 1257. c. 2. pl. I. Syn. ed. 248. Gramen Spica Briza majus CB. o. I. D. 18. pl. 16. 65. Th.

248.

Gramen Spica Briza majus CB. 9. 1. pr. 18. pl. 56. fig. Th. 133. P. 1144. f. 5. B. Ox. 205. 4. T. 6. f. 3. f. Pretty common about Oxford in Copfes and Hedges. 22. Common Way Darnel. R. 1263. 3. S. 181. 2. d. 249. 2. B. Ox. 182. 2. T. 2. d. 2. f. opt. Gramen Loliaceum vulg. CB. 9. 3, pt. 22. 101. Th. 128. f. Lob. 34. 2. O. 21. 1. Ad. 10. Dod. 549. f. J. 78. 2. P. 1145. 2. Lugd. 1416. f. Frequent by Path-ways and in Graffy Paftures. 23. Bearded Way Darnel. Gramen Loliaceum vulg, ariftatum.

24. Thin Darnel grafs. Gramen Loliaceum, spicis rarius dispositis. B. Ox. 182, T. 2. s. 2, s. opt, gr? P. 1145. 4, f. 25. Broad Flat Darnel-grafs. Gramen Loliaceum spicis brevioribus compressis. B. Ox. 182, T. 2, s. 2, f. opt, gr? P. 1145. 5. f. o.

P. 1145. 5, f. o.

26. Branched Darnel-grafs. Gr. Loliae. multiplici fpicata
panicula. R. Syn. 235. B. Ox. 182. T. 2, f. 2, f. opt. P.
1146. f. opt. Thefe 3 last grow in Meadows, &cc.
27. Sea Darnel-grafs. Gramen pumilum Loliaeeo simile.
Ray S. 182. 4, d. 250. 4. Pluk. Tab. 32. f. 7. opt. qr? Ray
1287. 18 f. 190. 15, d. 259. 16. qr? B. Ox. 182. 6. T. 2.
f. 2. f. qr? P. 1165. f. & 1278. 6. Found in the Ile of Sheppy
by Mr. James Sherrard and my self. It spikes in July, &c.
28. Ruß Darnel-grafs. Phonius marit. spici aculentà. R.
1263. 5. S. 182. 3, d. 250. 3. Ger. l. 1. c. 22. pl, 8. Park
1146. f. 6 opt. B. Ox. 182. 8. T. 2. f. 2, f. opt. Frequent
in Salt Marthes in July, &c.
29. Small Heath Martweed. R. 1260. 8. S. 180. 2. ed.
248. 2. Spartum minimum Anglicum. Park. 1199. f. 7. opt.
qr? B. Ox. 217. 8. T. 7. f. 3. f. qr? CB. Th. 70. f. On Purney-Heath plentifully, Flowring from the End of April, and
holdsits Spike till Winter.

Sect. III. De Secali & Gram, Seculinis, Rye and its Grals, 30. Rye. R. 1241. I. S. 178. d. 245. B. Ox. 179, I. T.z. f. 1 f. opr.

Secale Hybernum vel majus, CB. 23.2. pt. 50.2. Th. 425. f. Matth. 225. i. Tab. 258. i. H. 720. i. G. 61. f. Lob. 28. i. B. 31. i. O. 15. i. Ad. 6. Dod. 499. fig. J. 68. f. P. 1128. i. Lugd. 396. f. i. Sown in autumn in light fandy Soil. It's in Spike a Month before Wheat.

13. 3. **Burnt Rie.** Secales Uftilago. CB. 24. i. pt. 52. i. Lob. 35. 2. B. 45. i. O. 22. i. Ad. ii. Jonft. 77. 3. P. 1128. f. 2. Found among the.

31. Small Rie. Secale Vernum vel minus, CB. 23. 3. pt. 50. 2. P. 1129. 2. B. Ox. 179. 3. Lugd. 396. f. 2. It's a fimiler Corn, with fewer Stalks and a flender Spike. It's fown in the Spring.

32. Wild Rie, or Wall Barley, R. 1258. I. S. 180. I. d. 248. I.

Ι.

240 1. Secale Viarum, Nob. CB. 9. 2. pt. 24 109. Th. 134. fig Tab. 235. 1. Hist. 670. 1. G. 66. 2. Lob. 30. 1. B. 37. 1. O. 18. 1. Ad. 7. P. 1147. f. B. Ox. 179. 4. T. 6. 53. f. Very common on Walls, Waste Grounds and Path-ways, from May till Autumn,

33. Great Wild Rie. Secale spontaneum majus. q.? P.rk, 1147. 2. CB. 9. 1. pt. 24. 110. Thal. 51. Mr. Buddle observed this amongs! Corn about Barns in Survey.

this amongit Corn about Earns in Survey.

34. Meadow Rie, R. 1258. 2. S. 180. 2. d. 248. 2. B. Ox. 170. 6. T. 2. f. 1. f.
Secale Platenle, Jonff. C. 22. pl. 4. qr? majus. Park. 1144 fig. Frequent in Meadows from May till mowed.

35. Wood Rie, R. Vol. 3. p. 590. 11. S. 235. d. 248. 4
Gr. Secalinum majus fylvaticum. Bohart. H. Ox. 180. 12
qr? Park. 1144. 7. fig. In Stocken-Church Woods plentifully in June &c.

Iy in June, &cc. 36. Shorr Sea Rie, R. 1258. 3. Syn. 180. 3. d. 248. 3. Pluk. 33. f. 2 opt.

Secale maritimum minus, Nob. B. Oxon. 179 5. T. 6. f. 3. Its Heads thort, with spread Brittles. In Sale Mar hes from June till aurumn

37. English Matweed or Helm, Jonst, 42 f. 3. R. 1259. 3 S. 160 1. d. 248. r. S. 160 1. d. 248. I.

Spartum Anglicamm, fpicâ Secalinâ, Nob. CB. 5, 3. pt. 25,

113. Th. 67. f. Cluf 121. f. 1. Tab. 230. I Hiit. 674. f.

G. 38. 3. P. 1198. 3. Chabr. 192. 2. Lob. 891 I. B. 122. t.

O. 45. 3. N. B. The fingle Spike in Bob. Ox. T. 4. under

fig 16. very well reprefents this Graft, which I have observed on our own Coafts in divers Places, viz. the Isle of Sheppy,

Deal, &c. on the fandy Shores, from July to Autumn.

38. Buddle's Sea Mitweed. Spartum Estexianum, spicâ

gemina clausa, Hort, nost, sice. Ray 3. App. 248. The Reverend Mr. Adam Buddle inst discovered this Graft, A. D.

1703. in the Marshes on the River Wallfleet near Fambridge

1703. in the Marshes on the River Walfser near Fambridge-Ferry in Dengey-Hundred in Estex. since which that diligent Botanist Mr. James Sherard found it plentifully in the Swail near the Mouth of Feversham Creek about August and September. SECT. IV. De Hordeis. Of Barley.

30. Common Barley, R. 1243. c. 5.1. S. 178. d. 246.

1. B. Ox. 206. T. 6. fer. 3. f. opt.
Hordeum distintum, CB. 23. 3. pt. 50. 3. Th. 440, f. Tab. 474, 2. H. 764. 2. G. 64. 2. L. Lob. 20. 2. B. 33. f. ult. Dod. 501. 2. 1. 70. 1. P. 1130. 1. Lugd. 398. f. Sown in the Spring, and ripe in August.

40. Battledoor, or Sprat-Barley, R. 1243. 2. Syn. 178. 2. d. 246.

d. 246. d. 246. Hordeum diffichum, spica brevi lata, B. Ox. 206. 2. T. 6. f. 3. f. opt. Zrocrithon f. Oryza Germanica, CB. 22. 5. pt. 48. 3. Th. 422. c. 15. Chabr. 175. f. 4. J. B. 2. l. 18. c. 15. p. 430. f. Grows lower than the Common, with short flat

Spikes and thick Grain. Sown in the Spring. 41. Winter, Square or Bear Barley, R. 1244. 3. Syn. 178.

41. Winter, Square or Bear Barley, R. 1244. 3. Syn. 178. 2. d. 246. 3. Hydreum Phyllichum hybernum, CB. 22. 1. pt 49. 1. Th. 438. f. Tab. 274 1. H. 764 1. i. bb. 28. 2. B. 32. 1. O. 15. 2. Ad. 2. Dod. 501. I. Jonit. 70. 2. P. 1130. 2 Lugd. 399. f. B. 0x. 206. 3. T. 6. f. 3. f. Its Spikes are commonly 4 rowed. Sown in the Autumn, and therefore more frequent in the North, where they call it Big. 42. Burnt Barley. Hordei Uftilago, CB. 24. 2. pt. 52. 2. Lob. 29. f. B. 33. f. J. 70. f. P. 1130. f. It's a limuty Blite, lound a nongli other Barley. Sect. V. De Paniceis. Panick and its Graffes. 43. Naked Logs Panick, R. 1201. 2. S. 181. 2. d. 249. 2. B. 0x. 189. 15. T. 4. f. opt. Gramen Paniceum spica divida, CB. 8. 1. pt 20. 92. Th. 136. f. Tab. 279. 2. H. 814. 2. G. 79. 5. Lob. 42. 2. B. 53. 3.

O 25.2 Ad 15 Dod 559 2 have met with this about Fulham Jonft 85 5 P 1154 1. 1

44. Single, smooth Paniek Gramen Paniceum spica simicilaryi, R 1261 I S 180 I d 249 I B Ox 189 I d f q q C B 8 3 pt 20 94 Th 138 f Tab 228 i; 663 I G 20 8 I q ? Lob 13 2 lt's sometimes found plici lævi,

in Stubble Fields.

45. Rough Panick, R. 1262. 3 Syn. 181. 3, d. 249. 3. B. Ox. 189. 11. T. 4. f. opt.

Gr. Paniceum fpica afpera, CB. 8, 4. pr. 21. 95. Th. 139.

f. Tab 200. 2. H. 636. I. G. 14 I. J. 15 f. P. 1172.

2. Chabr. 183. 3 Found about the Neat-boules, Putney and Rowbampton, It spikes in July and August.

46. Rough Forley Panick, R. 1265. 7. S. 239 d. 251.5.

Gr. Alopecuroides tpica aspera, CB. 4. 6. pr. 10. f. 25. Th. 59. f. pr. 13. 51. P. 1168. 6. Chabr. 185. f. 6. Lob. 45.

2. B. 57. 2. Lugd. 432. f. 2. In all the landy Grounds in Fersey. Dr. Sberad. 59. f. pt. ... Luga. 2. B. 57. .. Luga. Carley. Dr. Sherard. Panick,

2. B, 57. 1. Luga 49.

ferfey. Dr. Sheraid.

47. Cone Panick, R. 1288, 25 S. 190. 19. d. 259. 22.

B. Ox. 189. 12. T. 4. f. opt.

Panteum ferosimum fpica pyramidata, Inflir, 515. B, Ox.

189. 12. Fluk. 33. f. 6. Found amongst Corn in July.

48. Soft Sea-Panick, R. 1266 9. S. 183. 5. d. 251. 4.

Ck. 44.

Marian marisimum villofum Nob. Bob. Ox. 191. 3. T. 4. L2.

Panicum maritimum vii o'um Nob. Bob. Ox. 191. 3; T. 4. f.z. f. opr. Adv. 469. defer. 1. B. z. J. 18. p. 474. Park. 1166. 3. f. & et? P. 68. 3, fr. onft. 87. z. f. o. In Sale Marshes in July &:.

VI. De Alopecuris & Typhinis. Fox and Cats-tail Graffes. 49. Common Meadow Fox-tail, R. 1264. 1. S. 182. 1. d. 250. 1.

Gr. Alopeuroides prat. vulgare, Nob CB. 4. i pt. 11. 43. Th 55. f. Tah. 210. 2. H. 642. f. G. 9. I. P. 1159. 2. & 918 64. f. 1. & 3. Loh. 8. I. B. 10. I. Chabr. 199. 3. Jonal. 10. I. B. Ox. 191. 8. Very common in Meadows in

Alopec. segetale, Nob. R. Th. 50. Slender Corn Fox tail. Gr. 50. Slender Corn Fox tall. Gr. Alopec, legetale, Nob. R. 1261. 4 S. 18c. 3, d. 251. 1. CB. 4. 5, pt. 12 49. Th. 53, f. Tab. 209 1. H. 641. 1. C. 9, 4. P. 1169 f. Lob. 9. 2, B. 11. 2. Jonft, 11. 4. H. Ox. 192. 12. T. 4. f. 2, f. opt., qr? Chabr. 185. 5. Frequent in Corn, &c. from May to

51. Dales Fox tail with crooked Beards. Gr. Myosuroides spice breviore, aristis recurvis, R. 1269. 8. S. 184 1. d. 251. 2. B. Ox. 192. 17. In most Places and Path ways. It Spikes in Autumn.

7 Keet in Autumn.

52. Water Fox-tail. Gramen Alopee. aq. geniculatum, Nob. R. 1264. 2, S. 182. 2, d. 250 2. CB. 3, 2, pt. 8, 24. Th. 42. f. Tab. 217 1. H. 654. 2. G. 13. 2. P. 1275. 8, t. Lob. 13, 1. B. 14, Jonii. 14, 2. B.b. Ox. 192. 15, T. 4, f. 2, f. opt. Very common in shallow and dry Ponds in way and June.

53. Long Cats tail Grafs. Gramen Typhinum maximum, CB, 4. I. prodr. 10. 25. f. pt. 11. 44. Th. 49. f. Park. 1170 I. f. H, Ox. 193. I. T. 4. f. 3. f. qr? Chabr. 185. 3. I fometimes meet with a Grafs in theadows which the gures refemble,

54. Common Cats tail Grass. Gramen Typhinum vulgare, R. 1267. 2. S. 183. 1. d. 251. 1. CB. 4, 1. Th. 51. f. Tab. 217. 2. H. 655. 1. Ch. 185. 1. G. 10. 1. B. Ox. 194.2, In Path-ways by Hedges and Paffures.

55. Bulb Cats-tail Grafs. Gramen Typhinum bulbofum, R. 1267, 3. S. 183. 2. d. 251. 2. CB. 4. 4. pt. 46. 8. 7. Th. 52. f. Chabr. 185. 2. & 4. Tab. 218. 1. H. 655. 2. G. 10. 2. Lob. 10. 1. B. 11. 3. O. 10. 1. Dod. 562. 1. Lugd. 433. 2. Park. 1170. f. 2. & 3. Bob. Ox. 194. 3. T. 4. 1. 3. f. It's lefs, and found with the Common in June, July, & 2. 56. Sea Cats-tail Grafs. Gramen Typhinum maritimum minus, R. 1267, 4. S. 183. 2. d. 32. d. 32.

in June, July, &c.:

56. Sea Cati-tail Graft. Gramen Typhinum maritimum minus, R. 1267. 4. S. 183 3. d. 252. 3. gr? Park. 1170. f. 4. I have found this on the fandy Shores both here and in Holland. It Heads in June, &c.

SECT. VII. Gramina Cristata, &c. Crested and other Grasses. Sect. S dows

58. Square Crested Grass. Gramen Cristatum quadratum, R. p. 603. 2. Syn. ed. 252, I. A luxuriant Variety of the

59 Loole Crefted Grafs. Gramen Criftatum spica laxa, CB. 3.1. pt. 5. 12. pr. 8. 18. f. Th. 43. f. P. 1100, 1. f. Chabr. 184. 2. I have met with this loofe spiked Grafs.

in Greenwich-Park and elfewhere, but not common.

95 * Hary Crefted Grafs. Gramen fpice oriflată fubbirfutum, CB. 3. 2 pr. 8. 19 Th. 43. 2. Prik. 1160. f 2 B. Ox. 192 18 & 194 7 T. 2 f 3, fopt. Ray 1269. 3 Var. & 65. 5. 9. 8. 195 3. 4 d 25. 3 f 4. Vide Plura Botan, Hort. III., pl. 7. On Hilly Downs. I hive found it on Black Heath.

60 Blue Crested Grafs. R. 1270. 13 Syn. ed. 253. 262 &

324. Gramen glumis variis, CB. 10. 8 pr. 21. 73 f Th. 158. f Park. 1152 f 6. B. Ox. 102. 16 Its Spikes are first blue, then pale and white. Found in Westmorland.

and write. From 111 Westmortand.

6. Mr Ray's Small Spring-Grass. Gramen parvum præcox, fpicê Jaxê canescente, Ray Syn. 191. 21 d 260. 22 Pluk, 33 f 6. B. Ox. 192. 24 qr? Ray 1271. 17 S 184. d 253. In Endy Darren Soil, from the midt of April uil after Mid-

SECT, VIII. Gramina Miscellanea. Miscellany Graffes.

62 Rough Grafs, R. 1287. 19 S. 190. 16 d 259. 17. B. Ox.

102. 38 T 6. f opt.

Gramen spectrum aspero solio, CB 3.5 pt. 5. 11 pr. 9. ft. opt. Th. 45. f Chabr. 183. f 4. Lugd. 427. f2. Park. 1160 f 7. Very common in Passures and by Hedges, from May till

63 Doody's Rough Grafs. Gramen afpero fimile, led levius, qr? B Ox. 203 pl 40 R 3 p 612 4 Mr. Doody olserved this pretty common about London.

pretty common about London.
64 Cocksfoot Grafs, R. 122.6 S 184. 2 d 253. 2.
Gramen Dadylow latiore folio, CB 8. 4 pr. 19.87 Th. 114 f
Tab. 221. 1 H 658. f 1. G 25. 2 Lob. 24 1 B 24. 2 O 13. 1
Ad. 4. Jonft. 27. 2 P 1178. 1 B Ox. 184. 2 T 3. f opt. Found
plenifiely in the plough'd Fields about Elden in Suffolk &cc.
65 Small Sea Gocksfoot. Dadylow marit. minus, R. S. 184
1 d 253. 1 qr? Lugd. 421 f 2. CB 8 col. 1. 3 Th. 113. f B
Ox. 184. 4 T 3. f. 2 f opt. Grows plenifully on the Sandy
Shores between Penzance and Marketjeu in Conwall.
66 Floating Cocksfoot, or Flote Grafs, R. 1281. 7 S 255. 4
d 186. a.

Gramen aquaticum fluitans, multiplici spica, CB 3. 1 c 2. pr. 7 23 Th. 41. f Tab. 216. 2. H 654. I. G 13. 1. P 1275. 8 f Lobbitz 2 B14 I Ch. 187. 5 Jonst 14. I B Ox. 183. 16 T 3. f Common in Ponds and flow Waters from May 121 Sept. 67 Common Rheed, R 1275. 1 S 185. 1 d 254. 1 B Ox. 8. 1 T 8. f

218. I T 8. f
Arundo vulgaris, CB 17. 1 pt. 30. 2 Th. 269. f Tab. 254. I
H 703. 2 G 32.1 Lob 51. I B 70. I O 28. I Ad 27. Dod 602. I Ch.
193 I Jonft. 36. I P 1209. f I. Well known on Hiver fides, &c.
from Ma, till Autumn.
68 Wood Rheed, R 1282. 12 f 185 2 d 254. 2
Gramen Arundinaceum panicula molii [padicea majus, CB 7. 3
pt. 8. 30 Th. 95. f Tab. 211. 2 H 648. 2 G 7. 2 Lob. 6. 2
B8. 2 Chabr. 186. 3 J 9. I Pirk 1181. f 3 opt. & 4 B Ox.
2.18. 2 T 8 f opt. In brambly Woods, as in that against the
Boarded River plenifully from June till Autumn.
69 Small Rheed Graft. Calame groftis minor glumis ruffis
& viridibus. qt? Gramen Arund, panicula molli [padicea minus,
CB 7. 4 Its Panicles Jone green, others brewn and yellowish,

CB-7.4 Its Paniels Ione green, others brown and yellowish, are smaller and more loose than the Wood Rheed. The first discovery of this Grassis owing to Mr. John Scampton a Curious Boranif, who sent it me from Leiesflershire.

70 Chaffy Rheed, R 1280. 3 & 4 Var. Syn. 186. 3 d

255. 3.

b Ox. 203. 41 & 2 T O. f 2. f Opt. Gramen Annalinaceum forcamen (ex fent. D. Vaillant) CB 6. 2 pt. 8. 30 Th. 94 f Tab. 212. 1 H 648 3 C 21. 12 f P 1181. 1 f 2. On the Banks of the Thames, and other Rivers, from Mid-May to

71 ferfey Chaffey Rheed. Gramen Arund. acerofa gluma Jerfeiasum, RS 239, d 255. Dr. William Sherard found this in the Isle of Jersey, on the Sea Coast over against Normandy.

mandy.

CAP. II, Frumenta & Gramina Paniculata.

Pani. ulared Corn and Graffes.

SECT. IX. De Avenis & Gr. Avenaceis Oars and its Grafs.

72 White Oats, R 1253, IS 178. A d 246, I
Avena vilg. S. alba CB 23, I pt. 51, I Th. 469. Matth. 326.

f 1. Tab. 275, 2 H 791. I G 68. I Lob. 31, 2 B 40, 2 O 16, 2

Ad. 9. Dod. 511. I J 75, I P 1134. I Lugd. 403, f Chabr.

176. 4 B Ox. 209. I T 7. f. It's fown towards the End of February and Beginning of March, and ripe in August.

73 Black Oats, R 1253, 2 f 179, 2 d 246 2 B Ox. 209. 3

Avena nigra, CB 23, 2 pt. 51, 2 Th. 472. 2

74 Brown Oats. Avena fuscal, rubra B Ox. 209.

This is a fuller Oat and commonly fown in Staffor assire.

75 Naked Oat. In Cornwal, Pillis and Pill-corn, R 1254, 3 S 179. 2d 246. 3 Avena nada CB 23. 3 pt, 51. 3 Th. 471. f. Tab. 276. 1 H. 791. 2 G 68 2 Lob. 32. 1 B 41. 1 Dod, 511. 2 J 75. 2 P 1134 2 Chahr. 176. 5 B Ox. 209. 4 T. 7. f. Topt. It's finaller than tite White, with a ctofer and more upright Tuft, and thorter Pedicles; it easily cashs its Husks. 76 Hairy Oats or Haver, R 1254. 4 S 179. 4 d 276. 4 Peffuca utriculis lanugine flavescentibus. CB 10. 13 pl. 24. 106 Th. 149. fopt. 10h. 33. 2 B 42. 2 O 20 3 d. 21. Chab. 176. 6 P 1148.4 Lugd 406. f. It's taller than Oats, with crooked Beards and hairy yellowish Husks. Grows amongst Barly and other Corn, and ripens earlier.

other Corn, and ripens earlier

77 Burnt Osts. Avena Ufiliago, CB 24, 3 pt. 52, 3 Th. 476, f Tab. 70 3 H. 684, f G 70, 3 Lob. 36, 2 B 45, f 3, Jonft, 77, 2 Found too often with the other Oats,

77. 2 Found too often with the other Oats,
78 Dale's Silver Oat. Gramen Avenaceum Mont, spica simplici aristis recurvis, Ray 1290. 11 S 184. 2 d 252. 2 B Ox.
213. 21 T 7. 12 f opt. Its thining Spike 2 or 3 Inches long,
with few alternate unbranched Glumes. Grows on hilly Ground in Effex, Kent, &c.

79 Doody's Silver Oat. Gramen Aven. hirsurum, panicula

79 Doday's Silver Oat. Gramen Aven. Initiating panicula purpurea-argenteo spleudente, Ray 1909. S. 192. 7d 252. 38 262. 10 B Ox. 213 22 Differs from the last in growing taller and panicle branched. Found in the Passwer about the Earl of Cardigan's House at Twittenbam in Middlesex.

80 Bob-rooted Oat, R. 128. 4c 8. 1S 191. I d 269. I B Ox.

20 BOD-1001cu Cai, 214 38 T 7, fopt. Gramen nodofum Avenacea panicula CB 2, 1 pt. 21, 97 pr. 3, f 2. Th. 18, f opt. Lob. 23, 2 B 23, 2 Ad. 2, G 22, 2 J 23, 2 f Chabr. 180, 4 Lugd 429, f 1. Park. 1176, f 2 Grows in Corn

and Hedges,
81 Merret's Dog-Oat. Gramen Canin. Avenace't paniculà
non nodessum Mer. Pin.

B Ox. 214. 37 F 7. 12 fopt.
Differs from the last in having a threddy Root and a longer
Tuft, Common in Hedges and Psssures.

82 Bobart's Fine Oat. Gramen Avenac. sparsa panicula special, locustis minimis, B Ox. 215. 41 R 3. p 611. 4 Grows a
Foot and half high, with a handsome Tust a Span long, in graffy
Places.

Places.

83 Ray's Golden Oat. Gramen Aven. prat. elatius, panicula flavescente, locustis parvis, R 1284, 18187, 2 d 256, 2 B Ox. 215, 42 T 7.13, fopt. Frequent in Meadows about Midfummer.

84 Doody's great fandy Oat grafs. Gramen paniculatum, lo-cultis parvis purpuro-argenteis majus & perenne Doody, R. S. ed. 258. 12

Gramen nemorosum panie, albis capillaceo folio CB7.1 pr. 14. 45 Th. 97. 1 B Ov. 200. 9 T 7, f 3, f ult. In fandy Woods and Heaths, from June till Ausumn.

85 Ray's Imail landy Oat grafs. Gramen paniculatum locu-fis parvis purpuro-argenteis annuum, R 1286-14 S 189-11 d 258.

Jis parvis purpure argenteis annuum, R 1286-14 S 189.11 d 228, 11 G 22. Nat Tab. 66, f. s. B Ox. 200. 11 T 5.f 3, fopt. In Jandy barren Places, from Mid May till August.

86 Doody's great Water Oar. Gramen Arund. aquat, panicula Avenacea, R 1500, S 186. 2 d 254, pl. ult. B Ox. 215, 46
First found by Mr. Doody on the Banks of the Thames, between London and Chessey.

87 Ray's nak. d Meadow-Oat. Gramen paniculatum elatius, spicis longis muticis squamosis, R 1286. To S 188.9 d 238.9

R Ox. 182. 15 Ta. 61. 2 for 2 Ray 1466. For Freeters in paid

B Ox. 183, 15 T & f 3, fqr? Park, 1146, 3 f Frequent in moist Meadows from May till Mowing.

88 Naked Wood Ott, R 1289, 48 192, 9 d 262, 12 Gramen Avenac. louthis ratioribus CB 19. 3 P 1151, f 3, Chab. 177, f 6 B Ox. 215, 49 T 7, f 2, f opt. In shady Woods and Hedge.

89 Naked Mountain Oat, R 1289. 3 Syn. ed. 202 13.

Gramen Mont. Avenac. loculits subris, CB 10. 2 pt. 10. 41 pt. 20.

1 f 1 Th. 155. f Ch. 177. f 5. P 1151. f 5 B Ox. 215. 48 T 7. f
2. f Mr. Fitz Roberts first observed this, about Kendale in Westmoreland.

90 Ray's Naked Oat. Gramen Avenae. parvum procumbens, paniculis non ariflatis, R 1288. I S 192. 8 d 262, 11 Pluk. 34, f 1. B Ox 177 6 T 1 f 3, f opt. On Putney Heath, and in divers Pastures.

Vers Pagiurer.

91 Common Drank, R 1289, 5 S 191 2 d 260, 2

Ferluca Avenaça flerilis elatior, CB 9, 7 pt. 23, 104 Tb. 146. f
Tab 234. 1 H 666. f I G 60, I Chab. 177. I Lob. 32. 2 B 41.
2 O 20, J 76.1 P 1148. I H Ox. 212. II T 7. f 2. f opt.

Frequent in Hedges and Field-fides, from May till August.
92 Small Drank, Ray 1280, 6 Var.

Felluca avenacea sterilis humilion, CB 10. 8 pr. 23. 105 Th. 148. 8 Found in dry Places in May, about a Span high. 93 Bobart's upright Orank. Festuca avenacea sterilis, spicis erectis, R 3, P 611. 3 S 237. d 261. 3 Pluk. 234. f qr?

Ger. 60. f. 2. Its lower L. beyond Botley near Oxford. Its lower Leaves very hairy. In the Hedges

Deyond Hottey near Oxford.

94 Jersey upright Drank. Festuca Avenacea sterilis, paniculis confertis erestionibus, aristis brevioribus, R. S. ed. 201. 4.

B. Ox. 212. 13. T. 7. S. 2. f. opt. On sandy Sea shores, as about Sand-down Castle, where Mr. James Sherard also found it. Spikes in June.

opices in june.

95 Doody's fine awned Drank. Gramen Avenaceum glabrum,
panicula è spicis raris firigosis composita, aristis tenuissimis, R.
1909. Syn. 192. 6 d. 262, 9 B. Ox. 214. 13. By Rivulets and
Ditches in divers Places.

96 Darnel Hedge-Drank. Gramen Avenaceum dumetorum spi-catem, R. 1262. C. 6, 1. S. 181. d. 249. B. Ox, 214, 33. It spikes after Midsummer, in Wood - Hedges, and Thic-

197 Ray's Hedge Drank. Gramen Avenac. dumet. paniculâ 1987 Ray's Hedge Drank. Gramen Avenac. dumet. paniculâ 1988 Partis, R. 1289. 8 S. 192. 5. d. 261. 8. B. Ox. 213. 26. It tusts in 1988 Bobart's hairy Hedge Drank. Gramen Avenacea dume-torum paniculatum majus hirsutum, B. Ox. 213. 27. T. 7. S. 2 1997. Found with the last, but is more hairy and longer

99. Capons - tail Grafs, Ray 1286. 15. S. 189. 12. d.

258, 13. Gramen Murorum spica longissima, Jonst. e. 22. p. 29. f. 2. P. Gramen Murorum spica longissima, Jonst. e. 22. p. 29. f. 2. P. 1162. f. 8. B. Ox. 215. 43. T. 7. S. 3. f. opt. Lob. illust. 7. On Walls and dry barren Places from May to August.

100 Ray's Cocks tail. Gramen paniculatum Bromoides mi-

100 Ray's Cocks tail. Gramen paniculatum Bromoides minus, paniculis arifatis unam partem spectantibus, Ray 1287.
10. S. 189. 13. d. 258. 14. Fluk. 33. f. 10. B. Ox. 215. 44. In Stubile and dry Ground.
101. Merfey Drank. Fefuca serilis, humilima spica unam partem spectante. Its Spikesshort and broad with larger Husks. Found by Mr. Dale in Merfey-Isle near Colchester.
102. Common hoary Gros-Oat. Festuca Avenacea hirsuta, paniculis minus sparifs, Ray 1289. 6. S. 191. 3. d. 261. 5. B. Ox. 213. 18. T. 7. On Walls, Field-slates, Meadows, &c. nothing more common from the End of April till August.
103. Smooth Meadow Gros's Oat. Gr. Avenac. pratense, gluma tenuiore glabra, B. Ox. 213. 19. T. 7. f. opt. In Meadows with the last, but more rare.
104. Dale's smooth Gras-Oat. Festuca Avenacea, spicis

104. Dale's smooth Grafi-Oat. Festuca Avenacea, spicis strigosioribus, glumis glabris compactis, R. 1909. S. 191. pl. ult. d. 261. B. Ox. 215. 47. Its Leaves hoary and Spikes mostly purplish.

105. Smooth German Grofs Oat. Feftuca Avenacea, spicis

105. Smooth German Grofs.Oat. Festuca Avenacea, spicis habitioribus, glamis glabris, R. 1289. 7. S. 192. 4. d. 261. 5. B. Ox. 212. 16. T. 7. f. Chabr. 177. f. 2. Grows in Corn. 166. Heavy German Grofs-Oat. Festuca spicis habitioribus, glamis incanis. 917 CB. 9.1. pt. 23. 103. Th. 143. f. opt. Grows with the last, tut more rare. 107. Sherard stall Grofs-Oat. Festuca elatior, paniculis minus spartis, locustis oblongis, strigosis, aristatis, purpurers splendentibus, Doody, Ray Syn. ed. 261. Dr. Sherard sound this amongst the Corn near Southampton. Spikes in June, &c. SECT. X. De Tremulis, Miliaces, &c. Quaking Grafs, Millet's, &c. 108. Com quakes, Quaking-Grafs. Ladies-bair, R. 1274. 3. S. 185. d. 253. ult.

S. 185. d. 253. ult.

Gramen Tremulum majus, CB, 2. 2. pt, 9. 37. Th. 22. f. opt. Tab. 231. I. H. 665. z. G. 80. 2. J. 86. 2. B. Ox. 203. 45. T. 9, f. 2. f. opt. P. 1165. f. 2. var. Chabr. 184. 4. f. 1. qt? Cluf 218, f. 2. Well known in Meadows from May till Michaelmas.

109. Jerley Quaking-grafs. Gramen Tremulum minus, pa-

109. Jersey Quaking-grafi. Gramen Tremulum minus, paniculà amplè, loculius jarvis trianguius, Ray Syn. ed. 154. 2. B. Ox. 203. 47. T. 6. f. 2. f. opt. Pluk. Amalth. 110. pl. 7. ql. Trag. 670. f. Dr. Sherard first found this in Jersey.

110. Sweet Water-Millet. Gramen Miliaceum aquaticum, R. 1281. 8. S. 187. d. 255, t. & 325. Mertett. pin. B. Ox. 202. 29. CB. 1. 6. pt. 2. p. 1. Th. 6. p. 13. Lob. illustr. 10. ql. C.B. pr. 15. p. 7. B. Ox. 201. 27. Frequent about London in slow or standing Waters from May 10 August.

111. Wood-Millet, R. 1282. 1. S. 189. d. 256. 2. Gramen fyloaticum panicula Miliaceâ sparsă, CB. 8. 1. pt. 7. 21. Th. 141. f. Tab. 205. 2. H. 639. 2. G. 6. 1. P. 1153. 1. Lob. 3. 2. B. 6. 1. Lod 561. f. 2. j. 6. 1. B. Ox. 197. 10. T. 5. S. 2. f. opt. In Woods from Mild May till Autumn.

112. Liß Millet. Gramen Montanum Miliaceum minus, radice repente, Ray Syn. ed. 256. B. Ox. 197. 12. descr. Dr. Sherard gathered this on the Mountains of Mourn in Ireland.

113. Great Water Millet, R. 1280, I. S. 186, I. d. 254. I. Milium aquat, majus, Nob. Gramen aquat, latifol. CB. 3. col.

1. pl. 4. pt. 1. 22. Ic. 7. Th. 40. f. Ger 6. f. 2. Tab. 216. Ic. 1. H. 653. f. 2. Leb. 4. Ic. 1. B. 6. f. 2. Jonft, 6. f. 2. P. 1274. f. 2. B. Ox. 201. 25. T. 6. f. 1. f. Very common by

1174. F. 2. B. Ox. 201. 25. T. 6. f. 1. f. Very common by River Sides in June, July, &c. 114. Bent Millet, R. 1283. c. 7. S. 187. I. d. 256. 1. Gramen Millaceum legetale majus Nob. Gramen fegetum altifl. paniculā fiparsā, C. 8. 3. pt. 18. p. 7. Th. 34. f. 3. G. 5. f. 1. Tab. 203. Ic. 2. H. 038. f. 2. P. 1158. f. 3. B. OX. 199. 1. T. 5. f. 2. f. 20pt. Lob. z. Ic. 2. B. f. 2 G. 5. f. 1. Chabr. 184. fig. mal. 5. I. B. 464. f. d. The Country-People call these Bents, and adort their Chimneys with it. Its Glumes are fining and without Facetic Levils in Massach Care fining and Care fi and admitted Commeys with it. Its Giumes are Iming and without Beards. It rufts in May and June, in wet Ruthy Passures and amongst Corn.

15 Small red Bent. Millet, R. Syn. 187. 1. d. 256. 1. Var. Gramen Miliac. minus, pulchre rubens.

Found in diverse Forests in Westmorland.

Found in divers Forest in Westmortand.

116. Narrow Millet-Grass. Gramen. Miliae. fol. angustissimo.

Its Leaves long and very narrow, the Glumes plain and not thick

tot. Tusts in June and July in shady Thickets, &c.

117. Narrow Fine Millet Grass. Gramen Miliae. angustifol. glunnis perexiquis. Its Leaves shorter than the last, but
narrow, the Panicles much spread with very small Glumes.

Tuits in July in the Grove at the upper End of GreenwichPark

118. Great brown Meadow Millet-Grafs.

Gramen Miliae, majus panicula speadicea. qr? B. pr. 12. p. 6. Its Tufts large and brown, composed of fine forked or gaping beardless Glumes. In dry hilly Pattures in June and July.

119. Great green Meadow illet-Grais. Graunen Miliac, maj. panic. viridi. In Meadows by River-fides in June and

July.

120. Small red Meadow Millet-Grafs, R. 1286. 13. S. 189. 10. d, 258. 10.

10. d., 25c. 10.
Gramen Miliac. minus, panienla rubente, q1? B. Ox. 199. 4.
Common in Meadows in May and June.
121. Euddle's Wood Millet-Grafs, Gramen Miliac, fylvestr.
glumis oblongis. First discovered by him in Bishops-Wood,

Hampsted. 122. Great brown Bearded Millet-Grafs, Gramen Miliac. 122. Great Drown Bearded Miller-Grafs. Gramen Miliac. majus, glumis ariflatis spadiceis. Nob. R. 1284. c. 9. pl. 2. St. 187. 3. d. 256. 3. B. Ox. 200. 17. T. 5, S. 3. f. CB. 3, 4. pt. 19. p. 7. Th. 35, f. G. 5, f. 2. Tab. 212. f. 2. H. 648. f. 4. Chabr. 181. f. 41. f. L. 461. f. Lob. 3. Ic. 1 B. 5, f. 3. Jonn. 5, f. 2. P. 1158. f. 3. Divers duthors have transpoled the Synonyms of this Grafs to the Bent-Millet; but Lobell's Figure gives its fine Beards, by which it is easily distinguished from Gr. C. 114.

Gr. C. 114. 123. Great pale bearded Millet-Grass. Gramen Miliac, majus, glumis ariftaris pallidis. Grows with the last in moist Mea-

dows, and amongst Corn.

124 Soft Meadow Millet Grass, R. 1285. 7. S. 188. 6. d. 257. 6. Gramen Miliac, prat. molle, Nob. B. Ox. 202. 34. T. 6, S. r. f. CB. 2. I. pt. 17. p. 6. pr. 5. f. opt. 2. Th. 27, f. d. Chabr. 183, 3. J. B. 466, f. d. 3. Lugd. 425, f. t. Jonft. I. 1. c.22. pl. 6. it tuftsin June, &c. in Meadows very common.

125. Soft bearded Corn-Millet, Ray 1285. 8. S. 188. 7. d.

257.7. Gramen Miliae, aristatum molle Nob. B.Ox. 202.35. qr. Lob.

Gramen Miliac. ariftatum molle Nob. B.Ox. 202.35. qr. Lob. pt. alt. 407. f.2. Chabr. 180. f.3. J. B. 457. f. Differs from Gr. C. 124. in having a long creeping Root and short Beards. In Clayey and Corn-Fields. Tufts in June, &c. 126. Small, foft, &ca Millet-Grats, Ray H. pl. 1273. pl. 8. Gramen Miliaceum marit. molle, Nob. CB. 5. p. 5. Th. 5. p. 74. f. Lob. pt. alt, 466. f. opt. Cbabr. 182. f. I. J. B. 463. f. 2. B. Ox. 202. 30. Lob. illust. 8. pl. 1. Lobel first discovered this on the Coast of Kent, and Mr. Buddle since him, 18. S. 463. in Suffolk.

SECT. XI. Gramina Paniculata Pratorum, &c. 127. Great Meadow Grafs, R. 1285. 4. descr. opt. S. 188.

127. Great Maringo, S. d. 275. 5.
Gramen Prat. panicul. majus, latiere folio, CB. 2. pt. 7. p. 4.
Th. 28, f. 2, Ger. 2, f. 1. Tab. 200. f. 1. H. 636, f. 2. Lob.
I. f. 1. B. 4. f. 1. O. 9. f. 1 Jonft. 2, f. 1, P. 1156, f. 4.
Very common in Meadows, Paftures, &c.
128, Great, narrow Meadow-Grafs, R. 1285. 5.

Gramen prat. panic. majus, angultiore folio, CB. 2. pr. 10. p. 5. Th. 3. p. 29. B. Ox. 201. 19. T. 5. f. 3. f. opt. Its Panicles flender, with fmall Glumes. In Thickets, Poftures, &c. 129, Middling Meadow. Grafs, R. 1285. 6. S. d. 257. I. B.

Ox. 201, 20.

Grainen Prat. paniculatum medium, CB. 2 pt. 8. p. 4. Th. 5. p. 30. f. G. 2, f. 2 Tab. 231. Ic. 1. H. 637. f. 1. Lob. 11. Ic. 2. B. 4. f. 2. J. 2: f. 2. P. 1156. f. 2. Lob. illustr. 1.

Its Leaves and upper Stalks smoother than 127. with Tufts less spread. In Passures and Hedges.
130. Flat-straw'd Meadow Grafs. Gr. Prat. medium, culmo

compresso. Mr. Buddle, that accurate Graminist, observed this on the Walls of Malden in Essex, and amongst the Cornin Suffolk. It differs from the last in having slat Stalks with fairer Glumes, and Flowers later.

131 Common fmall Meadow-Grafs.

131 Common Intall Meadow-Grds.

Gramen Prat. minus, feu vulgariffimum, R. 1284. 3. defer.

opt. S. 187. 4. d. 256. 4. E. Ox. 201. 21. T. 5. f. 3. f. opt.

(B. 6, c 2. p.2. pt. 14. p.6. Th. 31. f. Chabr. 182. f. 3. f. 1.

R. 465. f. 1. G. 3. f. 1. & 2. J. 3. f. 2. P. 1156. f. 3 & 4.

Tab. 207. f. 1. & 2. H. 630. S. 4. & 40. f. 1. Well known and very common in Paths, Paffures and moift Places, from Spring till Autumn.

132. Common Panieled Sea Grass. Gr. paniculatum marit mum vulgatissimum, R. 1286. 12. S. 190. 17. d. 259. 18. Common in Salt Marshes, tusts in June, &c.

Common in Salt Marines, titles in june, &cc.

133. Great panicled Sca Grafs. Gr. panic. marit. majus,
R. 1286, 12. var. S. 190.17. var. d. 259. 18. var. Its Stalks
much thicker and taller than the laft.

134. Lavander Grafs, R. 1288. 26. S. 190. 2. d. 260. 21.
Gr. pratenic fpica Lavandula Metret. B. Ox. 201. 22. T. 5. f.
3. opt. CB, 7. p. 7. Th. 98. 7. Trag. 684. 2. Spikes in July
in moist Meadows, Woods, &c.

135 Sea Haver-grafs, R. 1286. xi. S. 190. 18. d. 259. 19. Feftuca marit. locufii latis. Found plentifully on the Andy Shores at Tirmouth in June.

136 Ray's great Meadow Haver, R. 1285. 9 S. 188. 8. d.

257. 8.

Feftuca pratenfis major Nob. Gr. fol. junceis brevibus majus Common in Meadows. Tufts in May and June.

137 Ray's small Meadow Haver, R. 1288, 23. S. ed. 260.

23. Felluca prat. minor Nob. Gr. foliolis junctis brevibus minus, CB. 5. pt. 35. p. 9. Th. 73. f. 3. Bob. Ox. 182. 13. T. 3. f. 1. f. 6. pt. Fluk. 34. ft. 2. Lob. 7. lc. 1. B. 9. ft. O. 9. 2. Jonft. 4. f. 3. Pt. 183. f. 4. G. 4. f. 3. Tab. 208. lc. 1. H. 649. f. 3. I. B. 2. lt. 8. pt. 463. c. 68. lec. defer. Tufts in May, &c. in dry fandy high Ground.

138 Hard Wall-Grafs, R. 1287, 17. S. 189, 14. d,259, 15. Gr. panicula multiplicis, CB. 7, p. 3, pr. xi. p. 6, f. Th. 32, f. 7, P. 1157, f. 5, B. Ox. 182 9, T. 2, f. 3, f. Barrel, 1212. Ic. 49. Very common on Brick Walls and dry Ground in June, &cc.

139 Yellow Spring Grafs, R. 1268. c. xi. pl. 1. S. 183 d.

25.22.
Gr. prat. fpic? flavescente, CB. 3. col. 3. p. 3. pt. 9. p. 4. Th. 44. f. 3. Chabr. 183. Ic. 1. l.B. 466. f. 1. Barrel. 1181. Ic. 124. f. 1B. Ox. 192. 25. T. 4. f. 2. & T. 7. f. 3. Appears amongst the first in the Spiring in most Meadows.

140 Great Childing-Grafs. Gr. Proliferum majus fol. lating the Child of the Control of th

ore, Nob. B.Ox. 200. 12. T.5. f 3. f.ult. On Carnedg Llhwel-

140 Great Childing-Grafs. Gr. Proliferum majus fol, latione, Nob. B.Ox. 200. 12. T.5.f 3. fult. On Carnedg Llhwellyn and other Welch Mountains.

141 Small Childing-Grafs. Gr. Proliferum minus, capillaceo folio Nob. B. Ox. 200. 13. R. 1270. 10. S.184. d. 252. On the Tops of Snowdom, Caderidis, &c. plentifully.

CAP. III. Cyperi, Cyperoidea, & Gram, Cyperoides.

Cyperus's, Cyperoides, and Cyper-Graffer.

SECT. I. Cyperi. Cyperoides, and Cyper-Graffer.

SECT. I. Cyperi. Cyperus's, Ray H. Plant. 1299.

142 Long Iweet Cyperus, Ray 1299. 1. S. 199. 1. d. 270. 1.

Cyperus odorotus 1ad. longå, five Cyperus offic. CB. 14. 1. phyt. 30. p.5. Th. 216. f. 1, Dod. 338. f. 2. Ger. 28. f. 1. Tab. 656. f. 1. Hist. 341. f. 1 Lob. lc. 752. Ad. 37. Belg. 107. f. 2. obl. 40. f. 1. Jonff. 30. c. 24. f. 1. Park. 146. f. 3. & 4. Chabr. 140. f. 2. I. B. 2. I.18. p.501. f. 1. Ox. B. 237. 13. T. 10. f. 2. f. Found in Purbeck Ille near a Chapel on the Side that looks towards Portland. Illand. Flouribes about September.

143. Long Mar/b Cyperus, R. 1296. 1. S. 197. I. d. 270. 2. Gr. Operoides panicula fparsá majus, CB. 6.7. phyt. 65. p. 15. Th. 86. figs. bonå. Lob. 1c. 20. I. B. 21. f. 1. Chabr. 189. f. 3. I. B. 2. I. 18. p. 495. f. Jonff. 30. c. 24. f. 2. Park. 1266. f. 6. Ox. B. 238. 25, T. xi, I. 2. f. Infl. 527. The En micles fpread more than the next, and fland 3, 4, 07 5 on a Pedicle. Flourifles in July and August in most Fens, and in the Thames plentifully.

144 Round Marsh Cyperus, R.1300.6. S.200.2. d.270.3.
Cyperus rotundus inodorus Germanicus, CB. 14. 3 Prodr. 24.
fig. Th. 215 f. 3 Park. 1264 f. 4 Its Panicles are closer fet; but its knobby Roots peculiarly distinguish it from the last. Very common in August and September in most Salt Marfhes.

145 Rush Cyperus, Ray 1300. 7. Syn. 200. 3. ed. 271. 5. Cyperus longus inodorus Germanicus, CB. 14. 4. phyt. 36. p.

7. Theat. 221, f. 3. Lob. Ic. 76, r. B 109, f 1. Jonft. 29, f. 3. c.21, Park. 1294, f. 1. Chabr. 195, f. 2. L. B. 2. L. 18 p. 564 f. r. Ox. B. 237, 24 T. xi. f. 3, f. 24, & prox. Boc. 72, f. opt. Inft. 528. This partaking both of the Rub and Cyperus; it's eafly known from all others. Flourishes in May and June by the Sea Side in Cornwal, and on Hinton Moor plentifully.

11 Cornwal, and on Hinton Moor plentifully.

146 Millet Cyperus, Ray 1301,10. Syn. 200, 4.d. 271.5.

Gramen Cyperoides Miliaceum, CB. 6.13, phyt. 64, p. 15, Th. 90.

F. 12. opt. Lugd, 988. f. & 993. f.1 Chabr. 195, 3.1. B. 2. l. 18 p. 504. f. 2. Purk. 1171. f. 2. Adv. 38. f. Lob. 1.7. 9 f. 1. B. 109. I. Jonft. 30. f. 5. e. 21. Ox. B. 27, 15, T. xii. 2. f. opt. 17.

This is a fpecious Cyperus, and eafily known by its Figures. Grows in fome watry Places as about Hampfiead and elsewhere, in June,

&c.

147 Jonflons's small white Cyperus, Pluk, Tab. 34. f. xi.
Gramen Cyperoid, paluffre leucanthemum, R. 1295.13, S. 196.
xi. Gramen Cyp. albis glumis, Merret. 51. Gramen
Junceum leucanthemum, Jonfl. 1. i. c.22 pl.-7p. defer.
This is a kind of Gramen Luzule Chabr. 188. f. 3. Grows plenting the control of the fully in a large low Bog between Wickam and Croydon. Flourishing in August.
148 Bobart's small brown Cyperus.

Cyperus minor angustifol, palutiris, capitulis fuscis paleaceis, Bob. Ox. 239, 49. T.xi. ter. 3, f. ult. A Variety of the last; I found this plentifully in a Bog between Southampton and Lim-

ington in August

SECT. II. Cyperoides Julifera, Ray. Cyper-jules, or Cyperoides bearing Jules. 149 Cyperoid with short pendulous Spikes, Ray 1294, 8. Syn.

195.7. ed.265.10 195.7. ed.265.10 Cramen Cyperoides, spica pendula breviore, CB.6.5. phyt.63. p.
14.Theatr.88. f. 5. Dod. 330. f. Lob. Ic. 76.2. B. 109. f. 2. Jonfl. 29. f.
2.c. 21. P. 1366. f. 4. Chabr. 180. t. f.6. I.B. 3. 118. p. 496. f. 3. Ox.
B. 242.5. T. 12. S. I. f. E. B. 421. Infl. 259. pl. 4. Differs from the next in having thort comole Grikes, with one Jule, among four or five Spikes. Found in flow running Ditches, in June,

150 Cyperoid with long hanging Spikes, R. 1294.6. Syn. 195. 150 Cyperoid with long hanging Spikes, R. 1204.6. Syn. 105. 8, ed. 265. xi. Gram. Cyp. fiich pendula longiore & angulfiore CB.6.6. prodr. 42. p. 13 Th. 85 o Park. 1207.5. Barell. 1255. Ic. 45. Ox. B. 242. 4. T. 12. S. 1. f. 4. opt. E. B. 421. Inf. 520. pl.5. This is a very tall Grafs, with generally 5 long Spikes hanging at Diffunces. Found in wet Ditches, in June and July.

151 Ray's Cyperoid with upright Spikes.

Gramen Cyp. polyflachion majus, fpicis teretibus eredlis, Ray 1204.6. S. 105.6. d. 265.8. Ox. B. 242.8 Tiz. fer. 2. f. opt. 166. Stalk blumps fource with 200. which the Stiller services.

Stalks bluntly square with 3 or 4 upright Spikes, terminating generally with 3 Jules. Grows in thallow Pools.

152 Bobart's Cyperoid with yellowiish Wheat ears.

Gramen Cyp. majus præcox, fisies turgidis teretibus flavescenti-bus, Bob. Ox.242.6.T.12.S.1.f.6.opt. Thele Spikes are thicker than the last, resembling a naked Wheat.ear. By Rivers in April.

April.

153 Ray's Hoary Cyperoid, Pluk. Tab. 34 f.6. opt.

Gr. Cyperoides polyflachien lanuginofum. Ray. 1204. 4. S. 194. 4. d. 265. 6. Ox. B. 243. 10. Its lower Spikes much diffant from the upper, the whole Plant femewhat boary. It Flowifies in May and June in moilt Meadows.

154 Dr. Liffer's Cyperoid, Ox. B. 243. 18 T. 12. S. 1. f.

Gr. Cyp. Price parvis longiffine diffantibus, Ray 1295. 10. S. 195. 9. d. 266, 12. A tall flender Grafs composed of 3 or 4 floor Spikes, the lowest much distant from the rest and attended with a loneer Leaf. Flourifies about Tune in a Boy beat with a loneer Leaf. Flourifies about Tune in a Boy beat with a loneer Leaf. Flourifies about Tune in a Boy beat with a loneer Leaf. Flourifies about Tune in a Boy beat with a loneer Leaf. Flourifies about Tune in a Boy beat with a loneer Leaf. Flourifies about Tune in a Boy beat with a loneer Leaf. Flourifies about Tune in a Boy beat flower than the second of the second ed with a longer Leaf. Flouristes about June in a Bog be-tween Wickham and Croyden, near the Viola palustris.

155 Dale's long fpiked Cyperoid,
Gr. O.p. polyflachion majulculum latifol. fpicis multis longis
drigofis, Ray Syn. ed. 265, o. This isof kind with the next,
but very much bigger. First discovered by Mr. Sam. Dale, in
a Lone at Black. Notley in the Road to London. It flourishes in June.

156 Parkinfon's flender-ear'd Cyperoid.

Gr. Cyp. fylvarum tenuiùs fpicatum, Park. 1171 f.3 Lob. illustr. 60. Ray 1295. xi. S. 196. 10, &, 266. 14. Ox. B. 243. 9. T. 12. s. f. opt. Very Common in most Woods, where it may be easily distinguish'd by its slender Spikes, which appear in

157 Great broad-leaved Spring Cyperoid R. 1293. I. S. 194.
I. d. 264. I. Gr. Cyp. latifol. Spica ruff., sive caule triangulo, CB. 61. phytop. 1258 p. 13 Th. 83 f. 1. Park. 1266. f. 1. Jonst. 12. f. I. Lob. I.c. xi. f. I. B. 13. f. I. 7ab. 218. I.c. 2. Hist. 655. f. 3. Ger. 29. f. 4. Chabr. 189. f. I. I. B. 2. I. 18. p. 494. f. 3. Ox. B. 242. I. T. 12. f. I. f. Inst. 529. pl. I. Bash. Cat. 7. Pet. 2. 363. We have a grass relembling these Figures, very common by Brooks and River sides, Flourishing in May.

158 Great, natrow-leav'd Spring Cyperoid, Rai 12. 932 S. 104 2 d. 264 2 Gr. Cpp, angulifol fpicis longis erectis, CB. 6 4 phyt 58 p. 14 Th. 84 f. 4 Lob. Ic. xi f. 2 B. 13 f. 2 Chabr. 189 t. 1 var. 1 B. 2 l. 18 p. 404 f. 2 Ox. B. 242 3 T. 12 f. 1 f Infl. 529 pl. 10 The Grafs refembling the Figures is finaller then the lait tho near as tall, with narrow Leaves, Flourifies by Water - Sides, in May or fooner.

159 Parkinfon's lefter narrow-leav'd Cyperoid.
Gramen Cyp. minus anguflifolium, Park. 1266 ft. 3:
Mr. Ja. Sheard, first observ'd this in a Pond near Eltham in Kent, about the End of May; and Mr. Rand, in the Ditches at the King's Arms against White ball.

160 Small upright Clove-leaved Cyperoid.

Gramen Cyp. fol. Caryophylleis, fpicu erectis feffilibus, è feminibus confertis compositis, Ray (yn. ed. 2p. 2644.

Its Spikes on short or no Footstalks. Very common in May and June in most Meadows.

161 Bobart's small Cyperoid with short Heads.
Gramen Caryophylleum, angustissimis foliis, spicis feshibus brevioribus eredis non compatis Ox. B. 243 12. This has commonly but two fhort feffil Heads with one Jule at top. Grows

monty but two there tells Heads with one full at top. Grows by Wood fides and noith Meadows.

162 Smill pendulous Clove leaved Cyperoid,
Gramen Cyp fol. Caryophylleis, ficis oblongs è pediculis longioribus pendulis. Ray Syn. ed 2 p. 264 5. Differs from the latt in having its Stalks more triangular, its Spikes on long Footflalks, and pendulous when ripe. It Flourifles in May and June in wet Meadows.

162 Ray's Round-grained Bog-Cyperoid.

for amen' Cyp. fol. Caryophylleis, fpicis è ratioribus & tumidi-oribus gramis confertis, R. Syn. 194, 2 Var. ed. 264, 3 Pluk. 91 f. 3 Ox. B. 243 13. On Chiftleburft and other Bogs, in July. Its fwelled Grains and Place, differ it from the foregoing.

164 Ray's Vernal Cyperoid.

Gramen Cyperoides vernum minimum, Ray 1294 7 S. 169 12 ed. 206 16 41? CB. 3 6 phyt. 52 p. 13 Lob. Ic. 10 f. 2 & 3. This fpikes early in the Spring, viz. about the Middle of April.

165 Doody's foft-leaved Hampstead Cyperoid

165 Doody's lott-leaved Hamplead Cyperoid.

Gramen Cyp. fpicis brevibus congellis, fol-mollibus, Roy 1916

Syn. 196 14 d. 267 18 Pluk. 91 f. 8 Ox. B. 245 33.

It has 2, 3; or 4 fmail close roundith Heads, with one Jule.

Found on Hamplead Heads about June.

166 Vernon's finall Headed Cyperoid, on long Stalks.

Gramen Cyp. Picis habitioribus pediculis longuistulis, R. Syn.

ed. p. 267 18 var. Differs from the loft, chiefly in having Pediceles to its Heads.

167 Doody's Croydon-bog Cyperoid.

169 Doody's Croydon-bog Cyperoid.

Gramen Cyp, una alterave fpica rotunda præter cassam, R. Syn.

ad. 345 Its Leaves short and soft, the Heads close, round and swelled; each attended with a Leaf. Grows about a Foot high in Croyden-Bogs, with the Viola palustris in July.

168 Ray's yellowish Sbort-beaded Cyperoid.

Gramen Cyp, polyslachion savicans, spicis brevibus propè sumitatem caulis, R. 12945 Syn. 195 5 ed. 265 7. This has commonly but 2, rately 3 Heads, on thort Footstalks near its fule; its Grains are not so pointed as the next; Heads about Tune.

169 Tall Hedgehog Cyperoid. Cyperoides echinatum majus. This has rarely more than 2 feffil or close sharp-grained Heads, near the Top, the low r bearded, with a long Leaf, Grows plentifully in a Meadow with the Cissium Anglicum near Cambridge, where I got it in company with Mr. Ja. Sherard, about the mid

Where I got the company with this property accounts about the mind die of fune, 1715.

170 Vernon's distant-headed Hedgebog Cyperoid,
Cyperoides echinata, capite longe distante, Nob. Ray Syn. ed. 267
pl. at. Its Heads very like the last, but the lower one stands on a Pedicle 6 Inches I clow the other.

171 Small Marsh Hedgebog Cyperoid, R. 1296 15 S. 196 13 ed. 267 17 Ox. B. 243 19 T. 12 L. f. Gramen paluftre echinatum, Lob. Ic. 15 1 B. 16.1. Jonft. 17 f. t. Our Grafs very well agrees with the Figures, being in all its Parts leis than the 2 laft. Very common in July, in Bogs and moist Meadows.

172 Flea Cyperoid. C peroides pulicare, Noh.

Ray 1298 12 Syn. 199 12 ed. 269 12 Ox. B. 2 44 21. T. 12 fer. 3 f. opt. Pluk. 34 f. 10. Its Flea-like Grains hanging downward differ it from all others. Found in Moorish and Boggy Places Found in Moorish and Boggy Places

Giner it from Mid-may to July End.

173 Bobart's Jule Cyperoid Ox. B.244 22 T.12 f. 3 f. opt.

173 Bobart's Jule Cyperoid ox. B.244 22 T.12 f. 3 f. opt.

Gramen Cyperoides speid fit mplici cassa, Ray Syn. ed. 247 20

Its Lesse very narrow and short, with a stender half inch brow-

nish chaffey Spike, like the Club-rush. It grows about half & Foot high in moorish spongy Soil, about Hockley near Oxford. SECT. III. Gramen Cyperoides spicis tantum Seminiseris.

Cypergraftes without Jules.

Cypergraftes without Jules.

174 Panick Cypergrafts with divided Spikes.

174 Panick Cypergrafts with divided Spikes.

Gramen Cyp. palulire elatius, fpick longuire laxi, Ray 1206,2.

Syn.107,2 d,267 t Ox. B.244 23 T. 12 fer. 2 f, opt. A very-tall Grafts, with divided Spikes; very like when ripe, that of Gramen Paniceum. fpici divish, CB. without awns. Grows in totten Bogs and watry Places in June.

175 Panick Cypergrafs with loofe flender Spikes.

Gramen Cyfe, palulire mines fairing gradientiling. Paracol.

Gramen Gp. palutire minus, spicis graciloribus, R. 1296. 2, var. Syn. 197. 2. var. ed. 268. Leffer than the last, and grows not in to thick Tuffs, its Spikes flenderer and thinner fet. Found with

the other

176 Clofter-headed Meadow Cypergrafs.

Gramen Cyp. ex monte Ballon finnle, fpica totali è p'uribus spica composita, R. 1297 5 Syn. 198 5 ed. 368 4. Ox. B. 245 34. This has 3 or 4 close rough Heads, ending in a longish Spike, the lower Part of which is chaffey like a Jule. Found in June in Marshy Meadows.

177 Chiler-headed Sea Cypergrafs.

Gramen C,p. ex monte Ballon finale humiling, in maritimis & arenofis nateens, R. 1207 6 Syn. 1986 ed. 268 5 Ox. B. 244 30.

Its fpike large for the smallers of the Grass. Growing short, and low on the fundy Sea Shores in June. 178 Round Cluster headed Cypergrafs.

178 Round Culfer headed Cypergrafs.

Gramen Cyp. fpica è pluribus fpicis brevibus mollibus compofitz, R.1266 3 Syn. 197 3 ed. 268 z qr? Gramen Cyp. paluitre
majus, fpica divifi, CB 6 ro phyt, 60 p. 14 Th. 87 f. 16

Lob. Ic. 19 f. 2 B. 20 fig. 2 Chabr. 190 f. 1 Ox. B. 244 29 T.
12 l. 3 f. opt. Thee Figures (except the lait) would better
refemble our Grafs, had they omitted its bearded Leaf which
this never has. Grows pretty common in met Paftures.
179 Pluchnet's fiat Culfter headed Cypergrafs.

Gramen Cyp. fpica timplict comprella ditticha, Ray 1910 pl. 2

Vol. 3 p. 625 20 Syn. 199 13 ed. 269 13 Puk. Tab 34f. 4 Ox. B.
245 35. Like the laft, but not fo tall, and flatter fpiked. Found
on Chiftehuift and other Bogs in June and July.
180 Ray's 10ugh Chifter beaded Cypergrafs.

Gramen Cyp. paluitre elegans, fpica composita asperiore. Ray
1207 7 Syn. 198 7 ed. 268 6 Pluk 34 4 Ox. B. 245 31. Its Leaf
very narrow, with a naked Stalk a Foot high the Spike composit
of 5 or 6 short pile Heads, without any Leaf or Beard. It grows

of 5 or 6 short pale Heads, without any Leaf or Beard. It grows in moilt graffy Places.

181 Greater Prickly headed Cypergrafs, R. 1297 8 S. 108 8 ed.

208. 7 Gramen Cyp. palustre majus, spill compacto, CB.6 8 phyt 50 p. 14 Th 87 f. 8 Tah.2 o Ic 1 Hill.656 f.3 Ger. 19 f.5 Jonil.21 f.5 Purk. 1206 f.7 Lob. lc. 19 f.1 B.20 f.1 Chabr 190 f.4 l B.2 l. 18 p. 407 f 1 Ox. B. 244 24 T. 12 l. 3 f.0 pt. Mt. Bobar's lingle p. 407 f 1 Ox. B. 244 24 T. 12 l. 3 f.0 pt. Mt. Bobar's lingle p. Spike at the Bottom of his Icon, very well represents this Graft, which other Authors have made too short and single. It spikes in May and June near Rivers and warry Ditches. 182 Lester Prickly Spiked Covergrafs.

182 Leffer Prickly Spiked Cypergrafs.

Gramen Opperoides friestum minus, R.y 1279 9 Syn. 198 9 ed. 269 9 97? Gramen Cyp spicies minioribus minus (g. compactis, CB, p. p. 643 p. 13 Th. 89 9 Park 1268 9 Ox. 8. 244 25. The Spikes of this are bearded at each Divition with a fine Thread, but fmaller and flenderer than the last. It grows in moist Meadows and Pastures in May and June.

183 Small Prickly Spiked Cypergrafs. 183 Small Prickly spiked Cypergrais.

Gramen Cyp. picatum minimum, spica divulsa aculata, R 1207 xi Syn.190 xi ed 269 xi q.? CB., 7 4 phyt 83 p. 18 Th. 100 f. 4: Ch. hr. 101 f. 4 1B. 2 p. 510 f. t. Th. 227 Ie. t. Hist. 662 f. 1 Ger. 20f. 9 Ox. B. 244 26 T. 12 f. 3 f. The Tops of this Grafs are composed of 2 or 3 lmall prickly Heads set pretty near together, as all the Figures represent. It spikes in June, in 10tten Bogs and thick Model. and fhady Woods.

184 Ray's Prickly Spiked Cypergrass with a flender Ear. Gramen Cyp. spisarun minus, spica longa divulsa seu interrupta, Ray 1297 10 Syn. 199 10 ed. 269 10 Oc. B. 244 28. The three lowest of these Heads shand at some Distance, but the rest next

the Top closer. It grows in moist Pastures. 185 Soft, brown Wood grafs.

185 Soft, Drown Wood grats.

Gramen nemorofum, fpixl sufficente molli, CB. 7 2 phyt. 82 p. 18

Th.99 f. 3 Park 1183 f 2 Tab. 226 le. 1 Hifl. 661 f. 1 Ger. 8 f. 2

Chabr. 191 f. 3 l. 8 Dicks are for and reddish. Mr. Bobart has observed this in moift, shady, fundy Woods.

186 Ray's narrow "ypergrafs with short felfit Spikes.

186 Ray's narrow "ypergrafs with short felfit Spikes.

Gramen Cyp, anguithful spices parvis session (1911 spines, Ray 1205 14 Syn. 105 15 ed. 267 19 Pluk. 34 f. 3 Ox. B. 243 17 T. 12 f. 2 f. opt. Each short Spike is thinly set in the Bosom

of a long bearded Leaf. Spikes in May and June, in moift and

flady Ditches.

187 Buddle's large Cypergrafs with fhort fessil Spikes.

Cramen Cyp, angustif, majus, spicis sessilities foliorum alis. This is larger than the last in all its Parts. Observed by Mr. Buddle in Suffolk.

188 Pluknet's Cypergrass with double Bur-heads.

Gramen Cyp. minimum, Ranunculi capitulis binis ternifve, Ox. P. 245 37 Pluk of f. 8 Ray 3 p, 626 22. This much refembles the next, but inflead of one, has two or three Heads,

180 Bobart's Cypergrafs with a round Bur-head.

Gramen Cyp. minimum, Ramunculi capitulo rotundo, Ray 3p. 626 21 Syr. 235 ed. 270 14 Ox. B. 245 36 T. 12 f. 3 f. opt. Gramen Cyp. fpica echinata fimplici, Mer. pin. 52 Found frequently in the Spring, in the Bogs on the Welt Side of Oxford.

190 Dr. Sherard's Cypergrafs with a long Bur-head.
Gramen Cyp. minus, Kanunculi capitulo longiore, Ray 3 p. 626
23 Syn. ed 270 15. This is a larger Variety of the left, with
Spikes or longer Heads. Found by Dr. Sherard in the Ipungy

23 syn. ed 270 15. Inis is a larger r arrey of the lift, with Spikes or longer Heads. Found by Ir. Sherard in the fpungy Bogs, in the County of Down, in Ireland.

CAP, IV. Junci & Gr. Juncea. Rushes and its Grasses. SECT. I, Junci acuti & laves. Sharp and fost Rushes.

191 Large Pricking Sea Rush, Ray 1302 c. 3 pl. 1 Syn. 200 1.

ed. 272 1.

Juneus acutus, capitulis Sorghi CB. xi 1 prodr. 21 f. opt. Th 173 f.1 Fark. 1193 f.4 Chabr. 196 f.4 IB. 2 p. 520 f.3 Ox. B. 232 r.5 T. rofer. 2 f. This is a tall thick Rule with large Seed Veffels, its Point very pungent. On fandy Sea Shores in

192 Parkinson's Sea Rush, Ray 1303 2 Syn. 201 2 ed, 272 2. Juneus acutus marit. Anglicus, Park. 1193 f.7 opt. Ox. E 232 14 T.10 f.1f. opt. A fall hard Rush with childing Panicles. Common in Sea-Marshes about Midsummer till Aucumn.

Common in Sea-Marshes about Mid/ummer till Autumn.

193 Common Hord Ruth, Ray 1303 5 Syn.201 5 ed. 272 5,
Inneus acutus paniculd fparia, CB. xi 4 phyt. 28 i Th. 176 4
Dod.605 f.3 Lob. lc.85 i B. 119 3 Tab. 249 lc. 2 Hill. 695 f.2
Ger.31 f.4 forft. 35 f.4 Pask. 1193 f.1 Chabr. 196 f.5 l.B. 2p.,
521 f. f. Ox. B. 23 i 13 T.10 f.f. fopt. A tall flender Rufb with
little Pith and a loofe Panicle 6 Inches below the Tip. Common in Paths and moil Paffures in Juneand July &c.
194 Small Westmodand Hard Rush, Fluk. 40 f.8,
Juneus parvus, calamo supra paniculam compactan longing
producto, Roy 1305 17 Syn. 202 xi ed. 273 xi. It's a slender
Rush, not of Inches high. Mr. Newton discovered this near
Amblesse in Westmodeland.
195 Sea Rush with round Heads, Ray 1303 2 Syn. 201 2 ed.
272 2.

272 2.
Juneus acutus marit, capitulis rotundis, CB.xi 2 Th. 174 f 2
Park 1194 f.5 Lugd.987 f.1 Pluk.40 f.4 Ox. B.232 17 T. 10 f.2
f. opt. The Reverend Mt. Stephens first found this in Devonf opt. The Reverend Mr. Stephens first found the spire; it also grows in Somer set and Hantshire.

196 Pluknet's Childing-Rush with round Heads.

Juncus minor acutus marit. prolifer feu ex uno pediculo multa, Pluk. 40 f. 5 Ray 3 p. 629 3. A childing Variety of the

197 Common Bull rulb, Ray 1304 7 Syn.201 7 ed. 273 7.

Funcus maximus I. Scirpus major, CB. 12 2 phyt. 29 5 Th. 178 f.

2 Tab. 249 Ic. 1 Hill. 696 f. 1 Ger. 30 f. 2 Lob [c. 85 f. 2 B. 120 f. 1

Adv. 44 Jonft. 35 f. 3 Park. 1191 f. 1 Chabr. 197 f. 2 1 B. 2 p. 522 f.

2 Ox. B. 231 1 T. 10 f. 1 f. opt. Its Ule in matting Chairs, Bafkets, &c. makes it well known, It beads in July and Auzulf,

keti, &c., makes it well known, It beauf in Jusy and Lugup, in most Rivers plentifully.

198 Lesser Bull-rush Ray 1304 Syn. ed. 273.

Juneus aq. medius, CB. 12 3 phyt. 29 6 Th. 181 f. 3 Tab. 250 Ic. 1

Hist. 696 f. 1 Ger 3 1 f. 3 1 B. 2 l. 18 c. 240 p. 524 f. 0. Ox. B.
2312 T. 10 f. 1 f. Somewhat lesser than the last. Mr. Dale has observed it in the Sea-diches at Bricklesey and Mersey Islands.

18's also faid to grow in Woods.

199 Doody's furrowed Bull-rush.

Juncus aq. major carinatus. Differs from the two last, in having a Sulca or Furrow on its Stalk. This Mr. Doody has observed about Limehouse: I have also found it in his Company near the

Thames, on this Side Batterfey Meadows. 200 Triangular Thames Bull rush.

Juneus acutus marit. caule triquetro maximo molli proce-tior nostrat, Pluk. 40 f. 2 Ox. B. 23221 Ray Syn. 2013 ed. 2723. This is much larger and thicker than the next, with proliferous Heads. Very common in the Thames about Wessim-ster, in July and August.

201 Triangular Jerfey Bull-rush, Ray 1303 3 Juncus acutus marin, caule triangulo, CE. xi 3 pr. 22 f. 1 opt. Th.75 f.3 Park.1194 6 Ox. B.232 20 T.10f.2 f.

202 Pluknet's Triangular Cluster-headed Bull rush. Tuneus acutus marit. caule triquetro molli, fpic? glomerata in flylo fessili, Pluk. 40 f. 3 Ox. B. 2.32 21. This has 6 or 7 close Heads at the Top, without any Stalk above.

203 Common tusted, fost or Candle-rush.

203 Common tutted, 1011 of Canaler-ruft.

Funcus levis vulg. panicula spanicula spanic and Sept.

204 Leffer Candle-ruft, Ray 1304.

Juneus levis alter, CB. 12 5 Th. 182 5 Ox. B. 231 5. This is t bicker and florier than the last, and of the same Use.

205 Clofe-headed foft Rush. Juneus lavis vulg. panicula compactiore, Ray 1304 9 Stn. 202 9 ed. 273 9 qt? Juneus lavis, panicula non sparfa, CB. 12 7 phyt. 28.2 Th 182 7 Chabr. 196 f. 3 I B. 2 p. 520 f. 2 Ox. B. 231 7 T. 10 f. 1 f opt. It grows in Woods and most Passures, in July and Lugust

206 Black-headed Bog rush.

Juncus levis minor, paniculà glomeratà nigricante, C. Cant. Ray 1305 16 Syn. 202 10 ed. 273 10 Os. B. 233 24 T. 10 f. 3 f. opt. I have gathered this in the Bogs, both about Oxford and Cam-

Finds on June and July, 2007 Dwaff Rufe, Ray 1305 14 Syn. 20376 ed. 274 16 Juncedlus, Adv. 44pl. ult. inutilis, CB. 12 of five Chamæschenos prodr. 22 3 phyt. 30 xi Th. 183 9 Park 1102 7 Ox. B. 232 23 T. 10 f. 2 fopt. It grows inmoist gravelly Heaths, &c. in June and Fu'y.

SECT. II. Junci Clavati, Club-rushes, 208 Great, tall, Thames Club-rush, Juncus Clavatus major & altior. This I have observed about Peterborough-House and the seven Elms, on the other side of the Thames.

200 Common Club-Rush, Ray 1305 18 Syn. 202 12 ed.

273 12. Functu capitulis Equiferi major. CB, 12 1 phyt. 29 7 Th. 186 f. 1 Lob Ic. 86 1 B. 120 2 Obs 44 1 Lugd. 186 f. Park. 1196 f. 1 Chabr. 197 f. 6 I B. 2 p. 523 f 3. Very common by River, and Pond Sides, in May, &c

210 Small Heath Club-rush, Pluk. 40 f. 6. 22 Syn. 203 15 ed. 274 15 qt? Hurau parvus, palmiris, cum parvus apalmiris, cum parvus apalmiris Equifeti, Ray 1306
22 Syn. 203 15 ed. 274 15 qt? Hurau mont, parvus, cum parvus
capitulis luteis, Chair. 197 ft. 5 l B. 2 l. 18 p. 523 ft. 2 Ox. B. 233 35
Tio fer 3f. On Puruy and other moilt Heathr in May,
211 Lbirgd's Mountain Club-rufh.

Juncello accedens Gramminfolia, phanula capitulis Ameria proliferæ, Ray Syn.ed. 275 pl. 1 Bob. Ox. 245 40 T. 12 f. 1 f. opt. Its Leaf two inches long and very flender, with a roundish fealy Head. Found on the Welf Mountains and in rotten Bogs.

212 Plot's leaft Club-ruft, Pluk. 40 f. 7.
Juncellus omnium minimus capitulis Equileti, Plot. H. Ox. 145

5 Tab. of, 3 Ray 1306 20 Syn. 202 14 ed. 274 14 Ox. B 234 37 T. 10 f. 3 f. In moin Ditches on Binfey Common, Oxfordfire, and elfe where,

213 Floting Club-ruft, Ray 1305 19 and 1310 19 Syn. 202 14 and 205 7 ed. 274 13 and 276 7 Pluk. 35 f. 1 Ox. B. 233 36 T. 10 fer 2 f. opt. Juncus capitulis Equiferi minor & fluitans, CB.12 2 prodr.23 6 Th.87 2 Puk.1196 3. In Ponds on Wandf-worth Common, near Putney, and ellewhere in July.

SECT. III. Gramina Juncea, Rush graffes.

214 Mois-ruth or Goofe-corn.

214 Mots-ruth or Goole-corn.

Juneus montanus palufris, Ray 1303 6 S. 201 6 ed. 272 6 Gr. Junceum foliis & spica Junei, CB. 5 to phyt. 70 p. 16 Th. 78 f. 10 Tab.

224 Le. I Hitt. 64 6 f. 3 Ger. 18 f. 4 Lob. 18 f. 1 B. 19 f. 1 Jonfi.

21 f. 4 Park. 1193 fig. 2. This well retembles these Figures.

Frequent on Putney Heath and such like Places. It flourifies
from Midfummer till Winter.

215 Round, headed Ruth was f.

215 Round-headed Rufh-grafs.

215 Round-headed Kulli-grafs.

Gramen Junceum maritimum vel paluftre cum pericarpiis rotumdis, Kry 1307 6 Syn. 204 5 ed. 276 5. Juncus parvus cum pericarpiis rotundis, I B. 2.1.18 c. 232 p. 552 fig. * &cdec. Chahr. 197 Ic. 5 fecund. Fig. qr? Gramen Juceum polytlachion, CB. 5 qphyt. 4 p. 10 Th. 75 f. 7 Tab. 223 Ic. 2 Hill. 659 f. 2 Ger. xif. 2 qi? Park.

1190 f. 7 * N.B. The Synonyms in Mr. Ray's Hiftory, are mixt with the laß. The Rulli here meant, grows with us, both in See Marthe and moill Meadows.

Sea Marshes and moist Meadows...
216 Long leaved Rush-grass with a white Root. Gramen foliolis junceis obiongis, rad. albaCB.5 t phyt.34 \$\varPcool{P}\$. Th.73 \$\varfar{\text{f.}}\$ Gramen funceum Dalech. Lugd \$425 \varPcool{P}\$. Park.1189 \$\varfar{\text{f.}}\$ 3 \varRey 1 309 \$\varRey\$ 4yn.ed.27 \$\varRey\$. Mr. Bobar has otherwidths at the He ad of the Bogs at Wooton. Heath three Miles from Oxford,

217 Toddgrafs, Ray 1309 13 Syn 204 6 ed. 276 6.
Gramen nemorofitm ealyculis paleaceis, CB. 7 5 phyt. 14 p. 18 Th.
100 f. 5 Tab. 225 Ic. 2 Hist. 666 f. 2 Ger. 4, 24 Park. 1100 f. 8 lob.
10. 18 f. 2 B. 19 f. 2 Jonth. 4 f. 4 Ox. B. 228 14 T. 9 f. 2f. Very
common in wet and muddy Places in May, June, &c.
218 Ray's long-threaded Teadgrafs, Fluk 35 f. 2.

Gramen Junceum five Holofteum minimum paluftre, capitulis

Gramen Junceum sive Holostum minimum palustre, capitulis quatuor longissimis, staminisus donatis, Ray 1310 188yn. 105 8 ed. 276 8 Ox. B. 230 30 T. 9 s. 3 f. ult, opt. The Figures of this Grass exceed any Description. I have found it in Flower on Hownstow Heath about the Middle of July.

SECT. IV. Gramen Juncea, fol. articulatis. Knot-rusher.
210 Tall Wood Knot-rush, Ray 1307 4 Syn. 204 4 ed. 275 4, 918 Gramen Junceum fol. articulato sylvaticum, CB. 5 8 phyt. 73 p. 16 Th. 76 f. 8 Tab. 223 Icon 1 Hist. 659 f. 1 Ger. 20 f. 10 Lob. Icon 12 f. 1 B. 13 f. 3 Jonst. 22 f. opt. Park. 1270 f. 5 1 Ox. B. 227 1 T. 9 s. f. f. This is much lesser than the next, its Panieles more spread, yet smaller Seed Vessels. 12 so stem somost mois woods; show ships from Midsummer till Lutumn.
220 Common Knot rush, Ray 1307 2 Syn. 204 2 ed. 275 2. Gramen Junceum follo articulato aquaticum, CB. 5 9 phyt. 66 p. 15 Th. 76 f. 9 prodr. 12 f. 1 Ox. B. 227 2 T. 9 f. 1 f. Less than the less both the sight and Panieles. In wet marshy Places from Midsummer till Lutumn.

Midfummer till Autumn.

221 Common Knot-ruß with Utricles,
Gramen Junceum fol. articulato aq. cum utriculis, CB 75 prodr.
12 2 f. opt. Th 77 f 9 Park. 1270 5 f. 2 Ox. B 227 2 T.9 f. 1 f. ad
Rad. A Variety of the last in having red leafy Heads, which appear in Autumn in marshy Ground.

222 Small Knot-ruft.

Gramen Junceum capitulis triangulis minimum, Ray 1307 3Syn. Gramen Junceum capitulis triangulis minimum, kay 1307 3 Syn. 204 3 ed 275 3 qif Gramen Junceum, Ger. 47, 4 Tab. 225 L. H.R. 660 f. x Ox. B. 227 3 T 9 f. x fopt. 47? Park. 1270 f. xi. Its much lefs than the laft: Common in unoift and boggy Places at Hampfled, &c., flourifles about Midfumer.

223 Dale's Childing Knot-ruth, R. 1307 S. 2043 var. ed.
275 3 var. Gramen Junceum minimum paneulis foliaceis Bob.
Ox.227 4 T. of t. fopt. Pluk. 32 f. 3. Differs from the laft in having small Leaves coming out of the Panicles; Time and Place the fame.

Place the fame.

Place the fame.

SECT. V. Gramen Juncea hirfuta. Hairy Rush-grasses.

224 Small hairy Rush-grass, Ray 1291 1 S. 193 1 ed. 262 1

Gramen birsuum capitulii Psyllii, CB. 7 3 phyt. 81 p. 18

prod. 15 f. 2 * opt. Tb. 103 f. 3 Lob. 1c. 15 tz Belg. 16 f. 2 Jonst. 17

3. Park. 1185 f. 6 Chabr. 188 f. 6 I E. 2 p. 494 f. 1 Tab. 219 Ic.

2. Hist. 656 f. 2 Ger. 16 f. 2. Ox, B. 225 4 T. 9 f. 1 f. It's the least of all the following, Flowers in April and May in Meaders and Edward Responsible.

dows and Passures frequently. 225 Close-headed bairy Rush-grass.

Cramen bir furum elatius, panicula juncea compada. Ray 12912 S.1932 ed 2632 Ox B.2251 T.96.11f. Gr. nemorofum histutim majus angustifolium, Park, 1165 f. 4 ad marg.opt. Its L. much longer and taller, then the last with longer, and closer Heads Flourishesin Mm in Cain Wood plentifully.

226 Common hairy Wood Rush-grass.

226 Common hairy Wood Ruth-grafs.

Gr. Armorofian hirlutum vulgare, Ray 1202 3 S. 193 3 ed.263 3 qr? Gr. bir/futum latifol. majus, CB. 7 1 Th. 101 ft. 1 Tab.227 Ic. 2 Hist. 662 ft. 2 Ger. 17 ft. 1 Park. 1184 ft. I Jonst. 19 ft. 1 These Figures easily distinguish this from others. It grows frequently in hilly Woods, Flowering, in the Spring.

227 Great hairy Wood Ruth-grafs.

Gr. nemorofium bir/futum latifol. maximum, Ray 1202 5 Syn.193 4 ed. 263 4 Chabr. 188 ft. 4 Th. 102 ft. Park. 1185 ft. 3 Ox. B.

225 Tt. 95 1 t. 1B. 2 493 ft. 2qr. CB. prodr. 15 ft. 1 ts large foread panicles, and broad hairy L. distinguish it from the rest. Grows with the three foregoing in Cain-wood at Hampsted

foread panicles, and broad hairy L.diffinguith it from the reft. Grows with the three foregoing in Cain-wood at Hampfled plentifully in April and May.

SECT. VI. Gr. Juncea tomentols. Cotton-Rushes.
228 Cotton-Rush, Ray 1306 1 Syn. 203 1 ed. 275 1.

Gr., prat. tomentolum, panicula sparsa CB. 4. 2 phys. 122 p. 26 Th.
61 f. 2 Tah. 230 le 2 Hisl. 665 f. 1 Ger. 27 f. 1 Chabr. 195 f. 6 I B.
2 p. 514 f. 1 Trag. 683. Lob. Ic. 87 f. 2 B. 122 f. 1 Adv. 4.
4 Jons. 29 f. 1 Park. 1271. f. 1 Ox. B. 224 1 T. 9 f. 3 f. opt. Its many Heads of sine Coston when ripe, easily distinguish it from the rest. It Cottons in June and July in boggy Moorish grounds as at Hampslead &c. as at Hampstead &c.

229 Hares-tail, or fingle- headed Cotton-rush, R. 1306 21 & 1308 xi, Syn. 203 17 ed. 274 17 Juneus Alpinus apritulo lanugi-noto, feu Scheenoglaurus, CB. 12 1 prodr. 7 p. 23 f. * opt. Th. 188 f. 1 phy; 30 ph. 10 Puk. 127 2 f. 6 Chabr. 199 f. 1 IB. 2 p. 514 f. 2 Ox. B. 244 6 T. 9 f. 3 f. Lob. illustr. 62. Grows in the Moors of Shrophirs and Lancashire, &c.,

SECT, VII. Gr. Junesa Mifcellanea: Mifcellany Rufhes 230 Arrow-headed Ruß, Ray 1308 7 Syn.249 9 ed.276 9 Gramen Junceum feicatum feu Triglochin, C.F. 6 16 phyt, 67 p. 15 Th.81 f.6 Tab.224 Ic.2 Hift.65 f.4 Ger.18 f.1 Park.1187 f. 6 Lugd.431 f.2 Ox.228 18 T.2 fig. Lob. Ic. 77 f.1 B.18 f.1 Jont. 20 f.1 Chabr.190 f.3 I B.2 p.508 f.2 It flourifles in May,&c.

20 T. Chaof. 190 T. 3 I D. 2 P. 508 1.2 It flourings in May, &c. in loogsy Grounds.

231 Sea Spiked Ruft, Ray 1308 9 Syn. 249 10 ed. 276 10
Gramen Juneeum & Ipicatum alterum CB. 6 17 phys. 68 p. 15
Th. 82 f. 17 Tab. 215 Ic. 1 Hist. 652 f. 2 Ger. 12 f. 2 Lob. Ic. 162 B.
17 2 Jonth. 13 f. 2 Park. 1278 f. 9 Chabr. 190 f. 2 I B. 2 P. 508 f. i
Ox. 228 10 T. 2 fg. Very common in Salt Marshes; lpiking in

CAP. V. Equiseta. Horsetails, &c. 132 Great Marsh Horfetail, Ray 128 1 S.20 1 ed. 42 1 132 Gyrar Matish Horjeran, Ray 128 1 5.20 1 ed., 42 1 Equietum paluffre longioribus feetin, CB. 13 2 phyt. 311 Matt., 725 f. 1 Theatr. 241 f. 2 Tab. 251 f. 2 Hit 698 f. 2 Ger. 955 f. T. Cam. 770 f. Dod. 73 f. 1 Lob. 1e. 793 f. B 608 f. 605 f. 1 7 John 113 f. 1 Park. 1200 f. 1 Chabr. 551 f. 1 Ox. 8.6211 This grows upright and is much the largest with us: 1ts Jules distinct from the largest with us. 1ts Jules distinct from t flinct from its leavy Stalks. Found in boggy Rills and marshy Grounds.

233 Leffer Marsh Horfetail, Ray 129 4 Syn. 21 4 ed. 42 4

233 Leffer Marsh Horfetail, Ray 129 4 Syn.21 4 ed.42 4 Equiletum palufire brevioribus feits (B.15 3 phyt.32 3 Th.242 3 Lob. Le.795 f. 1 B.970 f. 1 Jonft. 1114 f. 14 Park. 1200 f. 3 Ox. B. 621 3 These Jules grow at the Top of its Leaves when they first spring up. Found in spongy rotten Bogs:
234 Corn Horfetail, Ray 128 2 Syn.20 2 ed. 42 2 Equiletum avvense longicribus feits, CB. 16 9 phyt. 32 5 Th.247 f. 9 opt. Park. 1202 12 Dod.73 f. 2 Lob. 795 f. 2 B.970 f. 2 T.252 Ic. 1 Hist 608 f. 3 Ger, 956 f. 3 Ox. B.621 2 qt? Irag. 694 f. Its separate Jules spring in April, in moist Stubble and Corn Fields. It grows supine and sometimes with secundary Britles. Briftles.

235 Fine Wood Horsetail, Ray 128 3 Syn.20 3 ed.42 3
Equistion fylvaticum, tenuishmis seis, CR.16 7 Th 245 f. 7 Tab.
253 lc.1 Hist, 699 f. Chabr. 551 f.5 Ger. 957 f. 5 Park, 1201 f.5
The Fineness of its Bristles differs it from others. It Jules at the Top, whilst the Leaves are young; in Cain-Wood or low wet Grounds

236 Naked rough Horfetail or Shavegrafs, Ray 129 7 S. 21 6

230 Makea rough Horjetan or Snavegraj, 1824 120 7 5.21 0 ed. 43 7

Equiseium foliis nudum non ramosinm seu Junceum, CE, 16 10 phyt. 32 6 Th, 238 f. 10 * Chabr. 550 f.6 Trag. 600 f.T. This rise generally with but single Rushes and is known by its peculiar Roughness. Found in Warwicksbire and Wile-

237. Doody's naked smooth Horsetail.

Equisetum nudum levius nostras, Ray 3 p. 103 Sys.ed. 42.6

Differs from the last in being smooth. Heads in May in moist
boggy Ponds and Ditches.

238 Buddles naked smooth Horsetail.

Equisetum leve pene nudum Nob. qr? Equisetum nudum, Tab:
251 Ic. 1 Hist.698 f. 1 Ger.955 f. 2 Jonst. 1113 f.2 Park. 1201 7

f. Thele Figures pretty well resemble this Plant. Found by
the Reviewed Mr. Rudsle, on a new due Ros on Hamsley. the Reverend Mr. Buddle on a new dug Bog on Hounslow-Heath.

Heath.

230 Branched naked Horsetail, Ray Syn, ed 43 8
qr? Equisetum foliis nudum ramosum, CB. 16 xi phyt, 32 7 Th.
250 f.xi Dod. 73 f.3 * Lob. Ic. 704 f.1 Jonst. 1114 f. 3 quoad
Icon Park. 1201 f. Ox. B. 62 113 Found plentifully in Bocking
River in Esc by Mr. Dale.

240 Mares-tail Ray 120 5 Syn. 21 5 ed. 42 5
Equisetum patustre, brevioribus fositis polyspermon, CB. 15 6
phyt. 31 z Th. 243 f.4 Tab. 835 l. 2 Hist. 2 505 f.1 Ger. 957 f.
6 Chabr. 553 f. 2 Lob. Ic. 702 4 B. 967 f. 4 Jonst. 1114 f. 6 Park.
1201 3 Ox. B. 621 6 These Leaves are sort and plain with Seeds
at each Joynt. In Ponds and sow Waters.

241 Long leav'd Mares-tail. Equisetum palustre majus,

241 Long leav'd Mares-tail. Equifetum palustre majus, foliis longioribus. I have observed this in some Rivers.
242 Stinking Water Mares-tail, Ray 130 1 Syn.21 7 ed.

43 9 Equifetum fastidum fub aqua repens, CB. 16 13 prodr. 25 f. 5 opt. * phyt.35 8 Th.251 f.13 Jonft.115 f. Park. 1201 f. 10 Chabr, 551 f. 6 1 The Figures will give you an Idea of the Plant, it's commonly green under Water, but gray and brittle when dry. It grows in muddy Waters and has that flinking fcent.
243 Warty Water Mares tail, Ray 191 2 Syn. 35 pl. ult. ed.

Equifetum palufire ramofum, aquis immersum f. Millefolium aquaticum Equifetifolium, Ray Cat. Cantab. 40 deser. opt. I have found this with its warty Heads in Batterfey Rivulets plentifully.

244. Coralline Horsetail. Ray Hist. Plant. 130. xi. Synops. 21. 8. edit. 2. p. 43, 12. Equisetum seu Hippuris Coralloides, Jonst. 1115. 7. Pluk. Tab. 29. f. 4. In the Ditch about Chiftleburft Bogg.

245. Cluster headed Coralline Horsetail.

Fourierum Coralloide, seminibus in summirate conglobatis & foliis absconditis, Buddle. 'Tis larger than the last. Observed by Mr. Ad, Buddle, in the Fonds about Henly near Ipswich in Suffolk.

246. Irifb water Moss-Horsetail. Ray 3. 104. pl. 15. Syn. ed.

42. Xi.

43. XI.

Hippuris muscolus ex Hibernia, Pluk. 193. f. 6. Ox. B. 621.

10. First found by Dr. Sberard in Turf bogs in Ireland, and lines by Mr. Dandridge in England.

CAP. VI. Filices Britannica. Brittish Ferns.

SECT. I, Filices folis ferè integris. Ferns with mossly whole Leaves or Wings.

347. Common Harts. tongue, Ray 134, I. Syn. 22. ed 44. Lingua Cervina Officia. C. B. 353. I. Cam. 579. f. Chabr. 557. I.B. 748. f. I. Clus. 213. f. 2. Dud 467. f. I. Lob. Ic. 2. p. 265. 1. 2. Belg. 299. f. Obs. 486. Lugd. 219. f. 2. Jonst. 1138. f. 2. Purk. 1046. f. Ox. B. 556. I. Tab. I. f. Ger. 976. f. Trag. 549. f. Its whole Leaver and slant feed list, differs it from all other British Ferns. Grows in stony shady Roads and moist Rocky places. . 248. Fingered Harts tongue, Ray 134, S. 22. d. 44. Ox. 557, 2. T. 1.

2.1.1.
Lingua Cerwina multifido folio C. B. 253. 2. Matth. 606. f. Chabr. 557. f. 3. I.B. 749. f. 2. Cluf. 213. f. 3. Dod. 207. f. 2. Lob. 805. lc. 2. & 2. p. 226. 2. B. 981. & 300. f. Jonit. 1138. f. 2. Park. 1047. f. 2. Lugd 1219. f. 2. Tab. 481. f. Icon. 801. I. Ger. 976. f. Varies from the Common in being Finger. tipt. and found with it, but more rare.

Finger, tipt and found with it, but more rare.

249. Thee Polypody Ray 137. 1. S. 22. 1. ed. 45. 1.

Polypodium vulgare GB. 359. 1. Matth. 887. f. 1. Cam. 993.

f. Chabr. 558. f 3, Dod 464. f. 1. Lob. 814. 2. B 992. f O. 475. f.

Lugd. 1229. f. Tab. 478. f. fc. 799. 1. Ger. 972. f. Jonit. 1132. f.

1. Irag. 540. f. opt. Ox. B. 562. 1. T. 2. f. Very well known and common in Woods at the roots of old Oaks and other Trees.

250. Wall Polypody. Polypodium murale, pinnulis ferratis Nobis Botan. Hort. Numb. 1. pl. 1. The wings of this are fomewhat narrower than the last, and lightly terrated. I gathered this Plant May 24. 1709, on the Walls of Windfor-Cafile in the Apartments of the Revd, Dr. Manningbam then Dean of that place, whole Son a very Nice Botanift, first observed it and shewed it methere.

and thewed it methere,

25 r. Jagged Wells Polypody, Ray 136. z. S. 22. z. ed. 45. z.

Polypodium Walliz, pinnis alte laceratis Nobis Pluk. 30. f. 1.

Differs from the Common in having wings deeply jagged Differenced AD. 1668, by Richard Kayle, of Briffol, on a Rock in a Wood near Dennis-Powis-Gastel by Caerdiff in Glamorgan-

Legan Common Ceterach Ray 139, C. 3. Syn. 23. ed 45.

Ceterach Offic. CB. 354. Matth. 646. f. 1. Cam. 640. f. opt. Chahr. 556. f. 6. 18. 741. f. Dod. 648. f. Lob. 807. 1. B. 983.

O. 470. Jonft. 140. f. 1. Park. 10. C.46. f. Ox. B. 561. 1. T. Z. f. Get. 978. f. 17. Trag. 551. f. A. finall Fern and being whonly rully below, differs it from others. Growson old Churches, Caftlet, and Stone Walls, particularly about Briftol, where I have feen it in plenty.

Churches, Castles, and Stone Walls, particularly about Briftol, where I have seen it in plenty.
253. Lhwyds jagged Spleenwort. Filicula Alpina Pedicularis rubræ foliss. Intrus villoss, Ray 3. p. 63. S. 27. ed. 46.
Pluk. 80. f. 5. Ox. B. 573. 28. detcr. Mr. Lbryd first found this in the Clefts of moist Rocks on one of the highest Mountains in Wales, it grows also on Snowden, but rare.
254. Sea Penny Fern, Ray 140. c. 4. S. 23. ed. 46. 2.
Trichomanes maritima major Nob. CB. 358. Lob. Ic. 814. 1.
B. 992. f. O. 474. f. Lngd. 1226. f. 2. Jons. 1143. f. 4. Park. 10. f. 7. Grows on Searrocks, and being much larger than the three following, is easily diffinentiate. three following, is eafily diffinguisher.

three following, is eafily diffinguisht.

255. Shop Maiden-bair or Tenny-Fern Ray 140. c. 5. S. 23. ed., 46. Trichomanes five Polytrichum offic. CB. 356. Matth. 853, f. 3. Cam. 925. f. opt. Dod. 471. f. 1. Jonit. 1146. f. 1. Fark. 1051. f. Luga 1211. f. Tab. 477. f. 1. lc. 801. 2. Trag. 530. f. 1. Its an Officinal and used in Petoral Decoctions &c. Grows on old Walls, Churches, and shady Rocks.

256. Branched Penny-Fern, Ray 140. & Vol. 3. p. 61. S. 27. ed., 46. 2. Ox. B. 591. xi. T. 3. t. Trichomanes dentata Nobes Chabr. 556. f. 1. IB. 741. f. 1. Get. 955. f. 2. Tab. 477. f. 3. Ic. 802. Dr. Richard Richardfon, a Currous Botanift, has found this frequently on the high and moist Rocks of Wales, as

also on Inglebrough, but could rarely observe it branched; Difffers from the Common in being more servated.

257. Fagged Penny-Fern. Tricbomanes fol. eleganter incisis Petiver Ray 3. p. 63. Pluk. Teb. 73. f. 6. qr? Om. B. 507. T2.

258. Marthioles Lancet Fern. Ray 138. I. S. 27. ed. 45. z.

258. Marthioles Lancet Fern. Ray 138. I. S. 27. ed. 45. z.

Lonchitis aspera C. B. 350. I. Matth. 661. f. I. Can. 664. f.

Chabr. 556. 3. I. B. 736. fig. Lugd. 1220. f. I. Ox. 566. I. T.

2 E. Jonst. 1140. f. 3. Park. 1042. f. I. Gér. 970. f. I. Tab.

480. f. I. C. 790.2. That most accurate Northern Botanist and my Worthy Friend Dr. Richard Richardson sent me this which he gathered on the Rocks of Phainon vellon in Wales. He tells me, its also pretty common on the high Rocks of Snowme, its also pretty common on the high Rocks of Snow-

259. Lhwyds Lancet-Fern, Ray 3, 84. Syn. ed. 48. 4. Filix aculeata Lonchitidi emula nostras Pluk. 180, f. 3. Ox. B. 567, 7. var. I am obligd to Mr. Jacob Bohart, Stoanck Profesor of the Physick Garden at Oxon for a Specimen of this, which differs from the last, its wings beling much jagged and more prickly, Grows on the Welch Mountains.

260 Pluknets Welsh Lancet Fern, Filix parva Cambrobrit. pinnulis latis auriculatis brevibus aculeata Pluk. Tab. 89.

261. Hyfvae Fern, Filicula Alpina tenerior, alis latiufculis brevioribus integris profunde dentatis Ox. B. 376. 23, descr. Pluk. 179. f. 4. secund. Ray S. ed. 48. 4. On the tops of Snowden and Hyvae-rocks near Penrice Unurch in Caernarvonsbire.

262. Great Prickly Fern. Ray Syn. ed. 48. 3 Ox. B. 580 16. Lonebitis aculeata major Nob. Each ftem has 15 or 16 wings, and each wing between 3) and 40. Feathers or pair of leaves, Grows in shady disches.

263. Common Prickly Fern, Lonchitis aculeata vulg. Ray 143. 3. Syn. 24, 2. ed. 48. 2. Pluk. 179. f. 6. Ox. B. 580. 15. F. 3. S. 3. Jonft. 1130. 4. In moist and shady

ditches.

264 Earles Prickly-Fern Lonchitis aculeata fine auriculis,
264 Earles Prickly-Fern Lonchitis aculeata fine auriculis,

264 Earleft Prickly-Fern, Lonebitis acuteata nine autusmis, Rys. Syn. 24, 2, ed. 48, 2, var. A Variety of the laft. 265. Pluknets ruffy Prickly-Fern, Lonebitis acuteata, lanugine ferruginea. Pluk. 180, f. r. Ray 3, p. 86. Lefs and paler than the laft, with rufty stems. Growt in rotten bogs. SECT. II. Filices non ramosa. Unbranched Fern. 266. Great dented Male Fern. Filica non ramosa latifolia dentra. Lat. Pasi Mathiese 64, Hist. Plain. Paris, 443, Schol.

dentata Inft. Rei Herbar. 536.7 Hift. Plant. Paris 443. Schol. Bot 2. These wings are much larger than the next, as is the whole Fern. The Figure in Camerarius on Matthialus p. 994. does not ill represent this plant.

267. Common Male-Fern. Filix mas Dod 462.f. 1. Cam. 991.f. Ting 546 f.Chabr.553.f.r.18.737.f.1.Park.1036.f.Lugd 1222.f. 1.Filiw non ramota dentara CB.358.3. Matth.886.f.1.Jonft.1129. 2. defer. Tab. 2.p. 471.f. 1, Ic. 791. 2. Ger. 968.f1, Ray 143.1. Syn. 24.

1.ed, 47. 1. 268 Marsh Fern, Filix palnitris seu aquatica. Ray 145. c.41. Syn. 24 4.ed. 48.6. Its Feathers plain and feed edged, by which and its lower wings gradually leffening, its known from the last. Grows in Bogs and Moorish places.

269 Rugby Fern, Filix paluttris major Nobis Ray Syn.ed. 341. pl. 2. Seems to be a larger kind of the last. Found on Dunfmoor. beath in the Disches which parts Rugby from Dunchusch

miori-beath in the Ditches which parts angly from in Warwick hipse.

270. Male Stone Fern. Filix faxatilis non ramofa, nigris maculis punchata CB. 358.3. Cluf-212.f. i.Pan-706 f. Park. 1044. f.i. Pluk. 179.f. 5.Ox. 581.28. Ray 146.2. Syn. 24.5. ed. 48.7. Differs from the Marlh Fern, in its foil and being left. Found plentifully on the high rocks in Darby-hire, Yorkshire and Malmaraland. Westmoreland.

271. Forked Stone Fern. Filix minor Britan. pedic. palli-diore, alis inferioribus deoriom spectantibus Ox. Bob. 571.17. dofer. qr? Pluk. 284. 2, Its lower wings bend downwards. Grows about the Peak in Darby Bire.

272. Goodgers crifp Fern, Ray 144 4. Sýn. 24.3. ed. 48.5. Filiza mas non ramola, pinnulia anguitis raris profunde dentatis Jonit. 1033. defer, Pluk, 180.f. 4. Ox. B. 579. 8: T. 3. Its Pinna or Feathers are deep north not unlike curl d Taníy. Grows in wet Shady places.

273. Fing stipt crifp Fern. Filix minor non ramola, alis foliorum alternatuum positis bisidis & multifidis, Ray 3. p. 78-Syn.ed.46.6.var.Pluk.284.f.3 Ox.B.580.21.defer. Differs from the last in being fingertipt. or. The Willoughby observed this on Litchfield Minster.

schfield Minster SECT. III. Filices ramosw. Branch wing'd Ferns or Brakes, 274. Common Female Fern or Brake, Filix scen. vulg. Office.

Offic. Ray 150, c.2 Syn.25 I Ed. 49. I. GB. 357. I. Maith. 886.
22. Lind 1222. f.2. Cam. 992. fig. IB. 3. 1. 37. 727. Ded. 462.
32. Jonft. 1128. f.2. Park. 1037. f. Ox. B. 583. 3. Tab. 2471. f.2.
3. Jonft. it needs no Defeription.
375. Wall. Brake. Filiw ramola, five Fæmina minor noftras, Ox. B. 584. 18. defer. Ray 151. c.6. Syn. 25, 4. ed. 50. 5. I have formerly observed this on feveral Walls in London; it's also found on the Soc. Rack in the W. B. of Enoland.

found on the Sea-Rocks in the West of England.

276. Small Brake. Filk ramafir minor nobis, Chabr. 555. f.z. 18.733. f.1. Ray 151. c.7 Syn. 25.5. ed. 50. 6. Cluf. 212. f. 1. Pan 704. f. Lugd. 1225. f. 3. opt. Jonft. 1135. f. 3. Park. 1044. f. 2. Tiag. 538. f. 9? Tab. 1c. 794. f. 4. Tiag. 538. f. 9? Tab. 1c. 794. f. 4. Tiag. 538. f. 9? Tab. 1c. 794. f. 4. Mady Places on the Sides of Mountains in Westmorland and

277. Common dented Brake. Filix fæm. pinnulis dentatis Nobis. Ray 150. c 2. defer. Syn. 25. z ed. 49. 2. Ox. B. 579. xi. defer, T 3. f. Grows in shady moitt stony Places, and often at

the Roots of rotten Oaks.

278, Cicely Brake. Filix Alpina Myrrhidis facie Cambrobri-Jannica, Pluk 89, f.4. Kay 3 p 94. Syn. ed. 49.3. Ox. B. 584. xi, The lower Wings next the Stalk are much the longett. Libwyd first discovered this on the Top of Mount Glyder.

279, Hemlock Brake. Filicula Cambrobritannica pinnulis Cicutaria divifura, B.b.Ox. 581.31. Ray 3, p.84. Syn. ed. 50.8. It's composed of about 8 pair of Wings with deep cut Leaves.

Grows on the Top of Snowdon.

280. Small brittle Brake. Filix faxatilis, caule tenui fragili, Roy 152.1. Syn. 26.6, ed. 50.7. Ox. 581: 20. 91? Chabr. 555.4 lB. 734. f.2. On Old Stone Walls and Rocks in Derbyfure Torkfire, and Wessimorland.

281. Round brittle Fern. Filix faxatilis, caule tenui fragili humi'ior, pinnulis rotundioribus R. Richardson. Under this Title I received it from Dr. Rebardson, who discovered it on Snowdon, and plainly differs from the last in having rounder Leaves.

282. Common black Maidenbair, or Fern. Adianttim ni-grum vulgare Nohis. Ray 151.2. Syn. 26.7. ed. 50. 9. CB. 355. 2 B. 3. 1.37. p. 734. f. Dod 466. f. tob. 810. lc. 2. B. 988. f. Adv. 361. Jonit. 1137. f. Få k. 1049. f. 2. Ger. 975. f. I. Tab. lc. 796.2. H 474. f.2. Ox. B. 588. 16 T. 4. f. Grows at the Roots of Trees and Shrubs, in Shady Woods and on Old

283. Great black Fern. Adiantum nigrum fol. duplo majoribus feuratæ magis viriditatis, cauliculis quoque longiotibus & nigrioribus, Sibbald. Prod. 7. Tab. 4. f. 1. Found in Lochcoat-

Hills in Linliebgow,

284. Narrow black Brake. Adiantum nigrum fegmentis an gustroribus, Ray Syn. ed. 51. 9. var. qr? Pluk. 124. f. 4 Ox. B. 588.17. It's narrower and deeper cut than the Common.

588 17. It's narrower and deeper cut than the Commission follows Present Stack Brake. Adiantum nigrum follows 285. Preston's Fifener's black Brake. Adiantum nigrum follows Lunariae minoris, Ray 3, p.61. Its Leavest broad and tomewhat Lunariae minoris, Ray 3, p.61. Its Leavest broad and tomewhat Lunariae minoris, Ray 3, p.61. Its Leavest broad and tomewhat Lunariae minoris, Ray 3, p.61.

dented, the Seed lifted like Harsflongue. Dr. Fresson first discowered this on the Sea Coasis at Friencis in Scotland.

286. Round Jessey black Brake. Filts elegans, Adiantonigro accedens, segmentis rotundioribus, Ray 3, p 86. Syn. ed.
55.xi. Ox.581.25. deter. Dr. Sherard first discovered this on
the Rocks in Jessey; and Mr. Jac. Bobart has since observed
it on Adenbury Clurch in Oxfordshire.

287 Fine Irith Fren, or Advant Brake.
Filix minor longitolia, tassis raris, pinnulis longis tenuissimis
& oblongis lactionis simbriatus, Ray 3, p.79. Syn. ed. 51. 12. Its
Leaves releable Dr. Filiknet's Tab. 80, ing 3, but ins Tarss, or
Branches stand more distant. Dr. Sherard found this on the
Mountains of Mourn in the County of Down in Incland.
288. Shop Venusbar, Ray 147 1. Ox.B. 587.6. T. 5. f.

288. Shop Fenulairs, Ray 147 1. Ox.B.587.6. T.5. f. Adiantum folio Coriandi, CB 355.1. Matth.832. f.1. Cam 924. f. Chabr.555. f.3. IB. 3. 744 hg. Dod 469. f.2.Lob.lc.892.2. B. 686. f. Adu.362. Tab.lc.795.1. H 473. f.1. Ger.982. f.1. Lugd. 1208. f. Trag.530. f.1. Found in Wales by Mr. Liwyd.

289. Adamo vero iffine, Adiantum notices majus, Coriandri folio in apice nominhi nottudo, pedicatio pallide rubente Sibbald prodr., Ox. 587.7. Dr. Irvin found this in the Grots or Vaults atout Weyns, Scotland.

290. Adianto vero affine nostras minus, fol. obiulo, faturate viridi altius inciso, cum pediculo viridi unmore Sibbald. pr.8. Found in the Gap of a Rock on Locheoat lake near Limnuck, Scotland.

SECT. IV. Filiculæ, Dwarf Ferns. 201. White Maidenhair. Filicula alba vulgaris. Risa muria, CB. 356.R146, c.5, pl.1. Syn.24 ed.48. Ox.585; 22.T. 5. f. Cam. 785, f. Chabr.555, f. 6. IB. 745, f. Lob. 1c. 812, f. B. 988 f. Obt. 472. f. Lot. 470. f. Joseph. 11.44. f. 3. Park. 1050. f. 4. T.b. 1c. 796. i. H 474. f. 1 Ger. 983. f. Trag. 730. f. 2. On old Stone Bridges, Walls, and Clefts in Rocks. 292 Forked Maidenbair, Ray 141. c. 7. Syn. 24. ed 47. Os. B.

585. 23. T.5 ,f

Filix laxit, five corniculata CB. 358.5. Jonft. 1045, f. 8. Lugd. 1226. f. 1. Trag. 437. f. Grows on the Rocks in Edinburg-Park. and on some Mountains in Waler.

293 Dare's Fern Darea Tunbrigensis minor Muf. noft, 761. Ray 1583, descr. Boco. Mus. 24, T. 2. Huk. 3, f. 59. I have observed this in plenty on the Rocks near Tunbridge-wells.

Observed this in pienty of the rocks near timeriage-west.

204 Newton's Darie-Fern, Adiantum petraem perpulilium Anglicum, fol. bifidis vel trifidis Newtoni, Ray 141. c. 6. Syn.

23.ed. 47. Pluk. 3. f. 6. Found near (Vrenofe in Westmoreland among Moss, Mr. Lbw, d has observed this in Ireland half a span

SECT V. Filices Florida. Flowring Ferns.

SECT V. Filices Florida. Flowring Ferns.

295 Ofmund Royall. Ofmunda Regalis Offic. Ray 151. c. 5.

Syn. 25.3 ed.50.4. Ox.593.t T.4. tig CB. 357.3. Chabr.554 f4.

IB. 728.t Do.4. 403.t Lob. 813.1 B 902.f Obl 474.Lugd.1225.

f 1. p. 9. Ger. 971. f. Jonft. 1131. f Park. 1038.t. Trag. 543. f.

opt. Flowers in July and Aug. on rotten Bogs and moit Woods.

206 Flowring Spleenwort. Lonchistis Florida vulg. nobis.

Lonchistis minor, CB. 359.2. Matth.661.f.2. Ray 138.2. Syn.

23 ed.45 1 Cam.665.f.Ch.abr. 556.f.4. & 5 1B 737.f.1&2.Clnf.

213.f. 1. Lob. Lc. 815.2. B. 994.f. O. 475.f. Lugd. 1216.f.

opt. & 521.f.2. Jonft. 1140 f.2. Park. 1042.f.2. Tabl.c. 800.1. H.

480.f. 2. Ger. 978. f. 1. Trag. 550. f. opt. Its feed bearing leaves are much marrower than the other; and grow upright in moitt Heaths and Woods, and shady Ditches. Seeds in July.

297 Otton Flowring Fern. Ofmunda Westmorlandica folisis

297 Orton Flowing Kern, Ofmunda Westmorlandica foliate temuisime disfectis Muf., nost., 792. Ray 133. 3. 5yn. 26. 8. ed., 51.10, Ox. 8, 503 4. T. 4 f. Pluk 3. f. 2. opt. Grows on Snowden-bill in North Wales, and several places in Westmorland, particu-

larly at Orton.

208 Moonwort. Lunaria tacemola minor & vulg. CB. 354 1. 299 Moonwort, Lunaria racemota minor & villg, CB. 354 t. Matth.647 f.2. Ray 127,1,57n.22ved 44 O.A. 594t. T.5. Cam. 643 f.Cbabr.544 f.6.IB.710 f.Dod.139.f.z.Lob.1c.807,2.B.983, f.Obf. 470. Joint.405.z. Park 507 f. Tab.lc.137.1. R. 513 f.z. Ger.328.l.2. Trag.914.f. Flowers in May, 8e., in cold pattures, hilly ground and old Gravel.pits.

299 Jagged Moonwort. Lunaria minor, fol. diffectis Ray 3. p. 101. Its larger than the common, and Flowers more branched

Found with the laft.

Found with the laß.

300 Adderstongue, Opbioglossum vulgatum, CB. 354.1. Matth.
447.f. 5. Ray 126.c. 10. Syn. 21. ed. 44. Ox. B. 595. T. 5.1. Cam. 364.f.
Chabr. 54. f. 4. B. 7.08.f. Dod. 139.f. 1. Jonit. 424.f. 1. bb. 1c. 808.
2. B. 985.f. O. 471.f. Luzd. 1047 f. Park. 506. Tab. 1c. 849.f. H.
519. f. 2. Ger. 327. Trag. 323. f. It tongues in May in moist
Measlows and Passure.
CAP. VII. De Muscis. Of Earth, Tree and Water Moss.
SECT. 1. Lycopodis. Wolfs-claws of Club-moss.
301 Common Wolfs-claw, R.y 120.1 Syn. 16.1. ed. 25.1.
Muscus verselivis clamatus. C. B360. x. Chabr. 850. f. 4. B. 21. 22. p.
Muscus verselivis clamatus. C. B360. x. Chabr. 850. f. 4. B. 21. 22. p.

301 Common woffs. ctaw, Rsy 120.1 Syn.10.1. ed.25.1. Musicus terreftris clavatus, CB300.x. Chabr.559. f. f.4.IB.3.1.37.p. 758. f. Cord.111. f.1. Dod.472. f. 2. Lob. Ic.2. p.244. f.2. Belg. 281. f. Obf. 645. f.1. Lugd. 1324. f.1. Jonfl. 1562. f. xi. Tark. 1307. f.4. Ger. 137. f. xi. Tab.814. Ic.2. Hill.814. f.3. Ox. B. 645.1.

A Creeping Most with 1, 2, or 3, Claws standing on long footstalks, Heads in July and August, in Heaths and Moun-

302 Creeping small Club-mos with Upright heads.

Lycopodium repens minus, clavis erectis Nob. Ray 121.0.3.Syn. 17. 3. ed. 27. 1 Pluk. 205. f. 5. fig. mala Ox. 624. xi Tab. 5. fer. I.f. xi. Its many fibrofe roots keep it close to the ground, it's haidly known till in bead, thele grow upright and about two Inches high in boggy Heaths, about July and Angulf.

303 Juniper Welfs claw Ray 120. var. Syn. 16.2. & 18.10. about two

Muscus terrestris fol. retro reflexis, IB. 3.1 37.p.759. Ox. B. 624. Tab. 5. ser. 1. f. 3. opt. Differs from the Common in having fiff and reflex Leaves and its clams without stalks, Found on the Welsh Mountains.

304 Upright Firr Club-mols, Ray 121. c,4 defer. opt. Syn.

17.4. ed. 27.2.

17-4, ed. 27-2. Lycopadium eredium Abietiformis majus Nobis, Ox. B. 624.9. Tab. 5, fer. 2. fig 9, opt. where its very well express, It's upright and monly forked, with Leaves very green and close right and mostly forked, with Leaves very green and close to the stalks, which are much thicker than any of the foregoing; it feeds in May and June, they are small and round. This has no difficult claws as most authors has Figured it. Grows on the high Mountains in Wales, as also on Ingleborough in Yorkshite and the Peak in Darbyshire.

305 Rays small upright, Fire Club-moss Ray 122. c. 5. Syn. 17. 5. cd. 17. 3. Lycopodium erectum Abieriformisminus Nobe.

Pluk.

Pluk. 47. f.7. Ox. B. 624.10. T.5. f.2. f. 14. Much lefs than the last and lower, its leaves not so close, but more starting off, under which lie its seed along the most part of the stalk. Found in the Rills and most places on Snowden, Inglebo-

rough 3cc.

306 Cyprels Club mols, Ray 12. 2. Syn. 17. 2. ed. 26. 3. Ox. B. 62.4. 5. Where its well described but no where truly Figured, its twigs rarely branched and mostly fingle claw is without footstalks. On the Mountains of Wales and Ingleberough and

Modelkin in Scotland plentifully.

307 Bobart's Cyprefs Club mols, H. Ox. B.6245. var.
Lycopodium Cuprefs Club mols, H. Ox. B.6245. var.
Cycopodium Cuprefs Club, and in general pediculis Nob. Its naked
foottlalk a Hand long, ending with 4 claws on each stalk. This
should rather resemble the Figures which Authors give of the

308 Clusius his Portugal Moss. Ray 112. 3. Syn. 13, 2. ed. 21. 2. Lycopodium repens iquamosus Nob. Muscus denticulatius mi-

2. Lycopodium repens iquimntis Nov. Indicts according to prof. CR. 360.8. Cluft. 249.5. r. 2. Lob. 2. p. 244.4. f. 1. O. 644. Lugd. 1326. f. 1. Dod. 473. f. 1 Jonft. 1162. f. 10. Ger. 1373. i 9. Tab. 484.f. 2. 806. lc. 1. H. Lobel fays he found this at the Lead-mines in Somerfethire, where I have fearcht for it; but neither there, nor any other was the control of part of England have I yet met with it, but from feveral places

abroad I have had it fent me.

300 Bobart's Tree Club-moft, Ox.B.6248. T.5. f.2 f.8 opt. Ray Syn. ed. 338. pl.5. qr. Ray 3. p. 47. Syn. ed. 22. p. 39. 16. The rips of this Mofs for the most part of Winter are full of Powder; it grows on the bodies of Albetrees &cc. frequent-

SFCT. II. Musci terreft. majores. Greater Earth Mosses.

SFCT. II. Musci terrest. majores. Greater Earth Mosses, 310 Fern Moss, Ray 112,1. Syn.13.1. ed.21.1.
Muscus Filicinus major CB.360-4, Park. 1310. ft.3. Jonst. 1561.
ft. Chabr. 759. ft. B.757. ft. Ger. 1372, ft.7. Tab. 16.807.1.
Hist. 483. ft.4. Ox. B.625.20 Tt.5. ft.3. ft.20. Common in fady Woods, it beads in Dec. and Jan. but rarely.
311 Small Fern Moss. Muscus Filicinus minor CB.360 2. prodr. 151.2. ex. Sent. Bob. Ox.625.21. Tt.5. ft.4. ft.21. Fine leaved like the last, but less.
312 Vernon's Tamarisk-Moss. Muscus ramosus repens spicatus CB. 361.4. pr. 151.2. Ox. B.625.6. Tt.5 ft.3. d. sts. beads crooked, longish and end pointed. Found at the roots of Trees.

313 Braynes crefted Moss. Ray 3, p.47. Syn ed 38.13.
Museus cristam castrensem representant flavescem & c. Mus nost.
48. Ox. B. 625.8. T.5. f.3. f.8. Flor. Prus. 166. f. In mosss
Woods and Bogs.

314 Bonavert's crifp Mofs. Muscus squamofus superficie crifpus Nob. Ray 3, p.44. Syn. ed. 337. pl. 3. Ox. B 615, 10. T.5. 13 f.10. It bears its bedds on thort italks, near the top of its Leaves. I have gathered this on the Chalk Banki by the Thames

Leaves. I have gathered this on the Chalk Banki by, the Thames fide, between Purfleet and Gravelend.

315 Common Wood Moft. Muscus terrestric latioribus foliis major, seu vulgaris, Ray 122.1. & Vol.3. p.43. pl 8 624.1. H. Ox.B. Syn.17.6. ed.36.1. But the Synonyms there to CB. IB. &c. belong to N° 329. This Moss is very common in shady Woods and Hedges. It Heads in Dec, and Jan.

316 Sherard's common Irish Moss. Muscus erestus major; foliis angustioribus accuris, Ray3. p 44. pl.1. Syn. ed.237. Like the last, but with sharper and thinner Leaves. Common in Ireland.

17-12 Doody's book-leaved Moss. Museus erectus folius reflexis, Rays. p 44. Syn. edi 337. pl. 4 Ox. B. 624.2. T. 5. s. 2. f. 2. Its crooked Leaves and being lomewhat lets, differ it from N° 315. Grown in wet Graff. Grounds.
318 Doody's book-leav'd Bog Moss. Museus palustris feorpoides ramofus erectus. Its Leaves and Tips are both reflex, Found on the Bogs behind Charlton.

Found on the Bogs behind Charlton.

310 Ray's long pointed Bog. Mofs. Muscus patustris valde ramolus, furculis erectioribus, foliolis in tenues & longos mucrones productis, Ray 3. p47 Syn ed 39. 14.

320 Vernon's, Hinton-Moor Mofs. Muscus patust, major, fol. membranaceis acutis, Ray 3 p 47. Syn ed 39.10. Its Stalks long and golden, with a crooked Cap and Head, growing from the Bortom of the Leaf, in May and June, in most Bogs and

Moors.

321 Our common Crprefs Mofs. Muscus terreft. vulg. Cu-321 Our common Cprejs Mojs. Mulcus terreft, vuig. Cupressi folius, Mul, nost. 81 Ray 3 p 45 & 47. pl 6. Syn ed 39.
20. Muscus Cupressi formis ranotus, CB 361. 9. pr 152. 9. ex sent, Inst. R. H. 554 pl 7. Ox B 626.27. T 5. 1 4. t 27. Common in Woods and tome Passures. Heads in December.
222 Buddle's sender Cypress Mols. Muscus Cupressiformis, fagestis tenuioribus & fol. acutis.
323 Buddle's tbick Cypress-Mols. Muscus Cupressiformis, viticulis brevioribus & crassionibus fere rotundis, & supinis.

324 Doody's supright Flat-Moss. Muses erestus fol. angustis caulibus appresses, Ray 3, p.44. pl. 1. Syn. ed. 337. pl. ult. Museus ramosus eredus major CB. 351. 6. prodr. 151.5. ex. sent.

That the Houses.

326 Pluner's flender Mountain-Moss. Muscus Cupressinus, Bocc. Mus, p.161. Tab. 108. Muscus terrest. Arborum itipitibus advascens major & erectior, Ray 3, p 47. Syn ed 39.15. & R3. p 33 & 38, pl 42. Ox B 624.7. T 5. f. 1. f. 5. Pluk 47. f 4. Inft. 555, pl 2. Its Heads long and upright on fine Stalks, but rarely seen. I have observed it plentifully in some deep, shady, chalky Lanes.

327 Hairy Welch Mofs. Muscus terrest, vulg. lanuzinofus Alpinus, Ray 3, p 45. pl 3, Syn 18.xi. ed 37.5. Pluk 47. fig 5. Ox B 625.7. T 5. 82. f ult. qr. CB 360 5, Ger 1370. f 1. Its Stalks and Heads thort, very common on the Mountains of Wales

328 Our Hairy Mountain-Moss. Museus trichoides lanugi-noius Alpinus, Mus. nost. 83. It's much smaller than the last. This I found in the Sweedland Hills in Leicestershire.

329 Common White Bog-Mols, Ray 122, Syn 18.9 ed 37,4.

ON B 625,4
Muscus palustris in Ericetis nascens floridus, Pluk 101. f 1.
Muscus palustris in Ericetis nascens floridus, Pluk 101. f 1.

Muscus palustris in Ericetis nascens floridus, Pluk 101. f 1. Museus tertestis sulgatissius, CB 360,t. Dod 472, f. 1. Jonst 1559 f., Park 1306 f. L 6 le 2. p 242, 2. B 279, f. lift 554, pl 17. Very common in Watty Bogs, where it's green; but white when dry. It bears round black stalkless Heads in Fune.

330 Red Bog-Mofs. Muscus palustris rubedine tinctus, Norwegicus, Nob.Ox B.625,4. Var. Itsa Variety of the last turning red when dry.

331 Brotherton's fine white Water-Moss. Muscus eredus

plutris albus, foliis capillaceis, Ray 3 p 45. pl 1. Syn ed 338
pl 1 Found by this Curious Gentleman in Lancashire.
332 Ray's Tree like Mots. Mutcus Dendroides (ylvarum)

332 Kay's I ree like Mols. Mutuus Denaroides tylvarum, rereftis ranulis Kali amulis, radi repente, Ray 3, p36, p12; Syn ed 32.22. Ox B 625, 30. Tab 5. I 4, f opt Inft 554, p1 5. This has a long naked Icaly Stalk I preading above like a Tree Heads in March at the Koots of Feld Trees in molf Woods. 333 Vernon's Tree like Mofs. Mutus Denaroides elation,

535 verson's firet-like mojs. Indicate Denarotate elation, ramutic repetirs minus furculosis, capitulis brevibus, pedicults infidentibus, Ray 3. p. 36. pl 23. Syn ed 32.23, Ox 8.626,32 T 5. f 4. fopt. Inft 554. pl6. Like the laft, but taller, and with cloter and fewer Sprigs. Observed by Mr. Vernon at Gamlingay, and by Mr. Buddle in barren Fields near Iff-

SECT. III. Musci terrestres minores. Small Earth Mosses. 334 Velvet Moss. Museus terrestris vulgaris minor, Adian-ti aurei capitulis, Ray 122. Syn 18,8. ed 36, 2. R 3. p.43. Pl Paris 502, pl 2. Inst 553 pl x1. Heads in December &c. from the Sides of its Branches in barren Pattures, and in Woods at the

Bottom of Irees and Shrubi.

335 Ray's smaller Earth Mols. Muscus terrestr. repens, 1 fpeciei fimilis, fed multo minor, Roy 3. p 44. pl 4. Syn ed 38,8 B Ox 625,5 T 5. f z. f Inst 533. pl 5. The Leaves in this are paler and smaller than the last, with which it is also

336 Turnfort's crookbeaded Moss. Museus squamosus ra-mosus crassion, capitulis incurvis, Infl 553, pl 12. Differs from 334, in being thicker. Heads in December and January, at the Roots of Trees and Shrubs.

337 Ray's fmall fortheaded Moss. Muscus terrestris par-vus, capitulis brevibus tumidis nonnihil incurvis & rotun-dis, Ray's, p. 45. Syn. ed 38, to. Its Heads short, (welled and somewhat bending, coming out of the Sides, on a half-inch Stalk on a bulbous Bale. Found with the last in December or fooner.

338 Our creeping Moss with thining Leaves, Mus. nost. 83. Mulcus terrefirst luteo viridis fericeus repens, Ray 3, 45. Syn ed 38, 12. Ox B 626 5. T 5. f 4. f. Common on Brick Walls near London; it's easily known by its creeping and Silky Gloss.

Heads in Winter.

330 Doody's finning Tree Mofs. Museus repens serici mode sucess, viriculis longioribus erectis, Ray 3. p 44. pl ult Syn ed 338, 5. Ox B 626, 26. T 5. f 4. f Shines like the last, with upright thicker Sprigs. Grows on Trees, &cc.

340 Bobart's curled Godftow Moss. Museus terrefiris re-pens tubflavus, foliolis critpis minoribus ramulisque densitus conferus, Ox 625, 12. T 5. I 3. I Its Spries tofi, yellowish, filky and curled. Grows on the Walls of Godftow Church, yard 2 Miles from Oxford.

341 Datis curied Bog-Mofs. Muscus scorpoides palustris, fol. crispis pyramidalibus, Ray 3, p.28 & 35. Syn ed 22, 36. Ox 625.9. A yellow Moss with curied and coyling Sprigs. Found by Mr Davies on Hinton-Moor.

342 Bobart's simal Firmofix. Muscus terrest. furculis filamentosis tenacibus Abietinis semel tunum divisis, Bob Ox. 626.22 T 5, 1 s. f. Inst. 554.4. Its Sprigs single branch, creeps amongst the Grass on dry Hills.

343 Ray's simal Fenn-moss. Muscus terrest. parvus supinus Filicis modo interdum pennatus, Ray 3, p. 45. Syn ed 38.9. Fl. Prust. 167. pl 454.f It's like N° 334. but lels, and ends in longer Sprigs. Found in Brambly Places.

344 Ray's simal Moss with big Heads. Muscus terrest. omnium minimus, capitulis majusculis oblongis erectis, Ray 3, p.

nium minimus, capitulis majulculis oblongis erectis, Ray 3, p 45. Syn ed 38. xi. Ox 625.14. T 5, f 3, f 6. On Sheds Pales, Ge. Mr Buddle has also observed it at the Bottom of Trees in moist Places in April.

345 Ray's Sconerop Mos, Muscus terr, surculis Kali aut Hecebra æmulis, foliolis subrotundis squamatim incumbentitus Ray 3, P, 45 Syn.ed 37,6, Ox 626.28. Common in Woods at the Roots of Trees.

346 Ray's snarp-pointed midling Mols. Muscus terr. medius, tupinus & repens, foliolis crebris in acutos mucrones productis, R 3, p 45. Syned 37.7. Common on Thatch and Tree-Roots in Nov. and Decemb.

347 Doodyes imail flat faced Moss. Muscus fol, caulibus apprellis uno versu dispositis, viticulis minoribus. Resembles the lest, but lest, and found with it.

348 Doodyes common Flat Tree Moss. Muscus vulg. minor, cauliculis compressis, Ray 3, p 47,5yn. 244,pl 3, ed 39.18. Int 555. 3. Heads in Dec. and Jan. at the Roots of imail

349 Dr. Richardsons Club-faced Bog-moss. Museus terrest, repens, Lycopodii ferme facie, Ray 3. p 43.6, Syn ed 337, pl 5. Ox 626.24. T 5. f 4, f. 1 have met with this pretty Moss in some moint Ditches in Bishops Wood Hampsted. Heads about Midfummer.

350 Buddles Wood Feather-mofs. Muscus pennatus sylva-ticus. 97 Ox. 626, 35. T.6. Ir.f. Grows on the fandy Banks of a dry Ditch between Cain-Wood and Mother Huffs.

Heads in May and June.

351 Scamptons Peak Moor-mols. Museus aquat, pileis a-cutis Mus. nost, 74. Fig. Ox 626. 29. T 5. 1.4. f. First dis-covered by this Gentleman on the large Stones which lie in the

Rivulets amongst the Peak-moors in Derb, shire. 352 Buddles Feathered Water-moss. Muscus pennatus aquaticus. Grows on Boughs that lye in the Water in Ponds,

&c. Heads in Winter.

353 Doodyes Feathered Water-mofs. Muscus pennatus aq. Ray Syn ed 388. Observed by him in the Thames, and Dr. Richardson in the North.

334 Dr. Sherards Irifb Floating Moss. Museus fluitans, foi in flagellis long is tenuibusque, Ray 3, p 45, pl 12. Syn ed 338. Found by him in the Pitts of the thaking Boggs in Ireland. Mr. Buddle has also observed it in August in our Winter-

land. Mr. Buddle has also be ferved it in August in our WinterPonds, viz. Jueb as are near dry in the Summer.

SECT. IV. Musci fel ferè pellucidis. Glass-mosses.

355 Sherads Buthy Glass-moss. Muscus trichoides ramofus, fol. longis pellucidis & veluti ramosis, R. 3. p 43 pl 4. Syn
243. r ed 36.6. Pluk 49. f 1. Ox B 630. I 6. i ult. f 1.

Muscus Polygoni solio, Pl Iar 504. Inst 555. Plor. Pruss. 168. pl
457. f. 46. This Mosses has at Top, out of which comes
3 or 4 Heads together, each on long Stalks, in March and April.
I have sound this in Bellisze Grove near Hampslead, and others
the like Places. 457. f. 46.

the like Places.

356 Pluknets dry curled Glass moss. Muscus Polytrichoides
Peliucidus feré, fol. denticularis ad margines veluti crispis, Ray

570 240 Pluk 58. f. 8. Ox B 630. 2. T. 6. f. Thele transpaleut L. curl and quickly fade; at the Endof each fingle Sprig

comes one Stalk, ending in a long crooked Cap and Head.

Found in divers shady Places about Hampsead. Heads in No-

vember.

the like Places.

257 Rofe Glass-mols. Mufesus parvus fellaris, CB 361. xi. Ray 113.4. Vol 3. p 39.7. Synea 35.7. Ox B 630.9. 1 7. ft. f 7. cpt. Janft. 1563. ft 14. Park. 1308. fg. Lob. lc 2. p 243. 1. B 170. f. Muscus crectus fol. in orbem spatsis, Flor. Prust. 168. pl 457. f 47. This is known by its Rosey Tops, its steads somewhat crooked, on such Stalks. In moss starts and low

Woods.
358 Upright Oval Glass-moss. Muscus trichoides fol.
358 Upright Oval Glass-moss. R 3. p 43. pl 3. Syn ed 338. Sep pilit roundins, erectus major, R 3. p 43. pl 3. Syn ed 338. pl 6, Ox B 627, 39. T 6. 11. fult. its upright and larger than the next. Grows in Bogs and Moors, &c. in Ireland,

Wales and el.ewhere.

359 Ray's Oval Glass-moss. Museus fol. paucis subrotundis pellucidis, Nob Ox B 627, 40. T 6, 12. f 1. opt. Pluk, 47 f 7. Adiantum dureum humilius, fol. latis subrotundis, Ray Cat. Angl. & Hist. 124, 5. Vol. 3. p. 40. 1. Syn. 19. 5. ed 35. T. Its Leaves oval and thin set. Grows in thady Lanes and moist low Woods, &c.

moit low Woods, ecc.

360 Pluknets tound Glass mass. Muscus trichomanoides, supprints noter elegans, Pluk. Algunagest. Ox. B. 627, 41. T 4. f 2. f 2. opt. Its commonly brancht with thin ter round alternate Leaves. In mois Disches and shady Places.

361 Losels round Glass moss. Muscus Trichomanoides, fol. roundioribus pellucidis, fuguaratim conjunciè fibi incumbenti-bus, BOx 627,42. Tab 6. 12. f 3. Lofel. 167, pl. 456, f 45. opt. Tuese Leaves are round, close fer and often brancht. I have

iner with this in moift shady Places.

362 Cornwall Gless-mois. Museus an Cornubiensis, plurimum capillaceus, foliolis exiguis alternis per totam capillorum longitudinem adnatis, Bob ON 627 48! Itis Leaves very small, roundish, alternately set and thin First discovered by the Reroundish, a ternately fet and thin First discovered by the Reverend Mr. Stevens in Dartmore Lake, Cornwall.

363 Lbwyda purple Glafs mois. Mustus Trichomanoides purpureas, Alpinis rivulis innascens, R.S. ed 41. 1. Ox B 627. 48, var. T 6. f 3. f ult. Found by Mr Lbwyd in the Rivulets on 364 Bobars's great Feathered Chef.

the highest Mountains in Water.

364 Bobart's great Feathered Glass-moss. Muscus pennatus copinulis Adianu, Bob Ox 626.36. T. 6:4 I. f5. R.S 236. qr? ed P 35.2. Found in shady most Woods, &c. Heads in December and January.

365 Rays small Feathered Glass-moss. Muscus Filicifolius.

305 Kays Imal reathered Giajs-mojs. Mulicus emerjoinus f. pennatus minor, pinnulis plurinnis ad mediam collam latiniculis crebris, Ray 3. p 40.6. syn ed 35.3 Ox B 627.37. Like the last, but in all Parts lefs. On the Banks of shady Ditches in Woods, &c. Heads in Dec. and Jin.

366 Vaillants Pin-seathered Giajs-mojs. Mulicus pennatus de last in Last and Mulicus Palatric linides, pennatus de last in Last and Mulicus Palatric linides, pennatus

300 Vaillants Fin-teathered Cials-mols. Mulcus pennatus bonnium minimus, Inflit. 556, Muscus Polytrichoides perexiquus, capitulis in fummis furculis f, folips subrotundis erectis, Ray 3. p. 40. 7. Syn ed 35.4. Smaller than the Two last, and particularly differs in bearing its Head at the Top of its Leaves. Heads with the last, and grows in the like Places, SECT. V. Musci Trichoid-s, capitulis fere eradis.

267. Roborts Hearth-mols. Adiantum aureum medium, Ed.

367 Bobarts Hearth-mofs .: Adiantum aureum medium, fol.

367 Bobarts Hearth-mofs. Adiantum aureum medium, fol-tenuissmis, capit. erectis acutis, Ray Syn 237. Bob Ox 630. xi. 7.1 1. f. xi. opt. Polytrichum aureum medium, Ray 124. 3. & fent. Bobart. Inft. 551.6. Common in Bibopt Wood, Hampted. 368 Doodyes long-headed Mofs. Muscus trichoides minus, capitulis longissmis, Ray 3. p. 34.4. Syn 243: ed 20. 3. Ox B 631.13. T 7. f. r. f. 13. Inft 551.71. Its very long Heads for so some superior of the day fandy Banks, about Mother Huffs, &c. Hampsted: Heads in Febr. and March. and March.

369 Our Extinguisher Moss. Muscus trichoides pileis mag-

369 Our Extinguisher Moss. Muscus trichoides pileu magnis acutis, Mus. nost. 89, fig. Ray 3, P. 37, 24. Syn ed 32, 24. Ox B 630, 12. T. 7, f. 1, f. 12. Inst. 552. Its large long coned Cap disfers it from others. I first observed this on the old Flint Wall in the Road near St. Albans, Heads in Decemb. 370 Dr. Richardson hook leaved Bog-moss. Muscus trichoides palustris, capit. erectis, fol. reflexis, Ray Syn ed 338. Its also found both in Ireland and Wales.

371 Common Wall Fike moss. Muscus trich. parvus, fol. Mulcu vulg. capit. longis acutis, Doody Ray Syn 243. pl 5. ed 28.1. Hist. V. 3. P 34. pl 1. Ox B 628.4. T. 6. 1.3. f qr. id. 628.1. T. 6. f. lis. Leaves are mixed with white Hairs. Very common on all the Brick Walls about London. Heads in Very common on all the Brick Walls about London. Heads in Dec. Jan. &c.

Dec. Jan. &c.

372 Bobarts Wall Pike-mofs. Mufcus tectorum densis celpitulus, capit, oblongis, fol. latitusquis in pilum definentibus, Bob Ox 628. 2. T. 6. f. 3. f. Leaves broader and roundiff, with pointed Heads, but not so crooked as the last.

373 Mr. Dyers Dewon-mofs. Muscus trichoides humilis ramolius, capitulis oblongis, tumidiusculis donatus, Bob Ox 628 3. T. 6. f. 3. f. This differs from the foregoing, in being branched.

branched, 374 Bobarts Rofe House-moss. Museus muralis minimus Roleus, seu sigellaris, capir. longiusculis acutis erectis, Rob Ox 620-12. T 6. 13. f Each Sprig ends in a Rose. Grows scarce half an Inch high, on Walls and Hedge sides plenti-

375 Doody's Globe mofs. Muscus trich. medius capitulis fphericis May Syn 243. pl 2. cd 30. xi. Ox B 628. 6. T 6 13. f opt. Adiantum aureum minus, capitulis rotundis Bobarri, Ray Syn 237. Inft. 551. An elegant Mois, and pretty com-mon on the landy Banks in the Lane from the Spaniards at Park-Gate towards Highgate. Heads in March.

376

Hortus Si

Collectio Plantarum quæ m Ballamis, O

Synonymis Necessari

Accesserunt etiam illarum P

Explicati

A. Litera in Margine posita indicat pla præsigitur, aut Angliæ Indigenas esse passim cultas.

C. B. Caspari Baubini Pinax.

Ger. Gerardi Historia emaculata d' Tho.

J. B. Joannis Bauhini Plantarum Histori

Offic. Exhibet Nomina Plantarum, quibus in Officinis nostru.

Park. Joannis Parkinsoni Theatrum Bota

- A. Saristaga pratensis Offic. Seseli pra Park. Raij Cat. Angl. & H. Pl. 453. Usu Totl Aq. quæ ad flatus Infantium præstat. Hæc & sæpe promiscuè usurpatur. Deadow Sa
- A. Fratinus Offic. vulgaris Park. Raij Cat. 1702. Ulu Fal Lign. Cort. & Sem. Lingua Præp. Aq. Sall hujus Arboris
- A. Frangula fera C. B. R. rior potiffimi
- A. Fumariay A 405. Ufu to 22 2 Pil. & Sal. doc Fumitozy.
- A. Fungus out
- A Gerant HC vulgare Park fepes & via 32 Bill.
- Plantaging Stella Terrier



Hortus Siccus Chirurgicus.

In quo Continetur Collectio Plantarum quæ maxime à Chirurgis usurpantur in Componendis Balsamis, Oleis, Unguentis, Emplastris, &c.

Synonymis Necessariis, Locis Natalibus & Tempore Vigendi.

Accesserunt etiam illarum Partes ac Præparationes quæ maximè sunt in Usu.

Explicatio Nominum Abbreviatorum.

- Litera in Margine posita indicat plantas illas quibus Præp. Enarrat Præparationes seu Medicamenta quæ in præssitur, aut Angliæ Indigenas esse, aut in Agris Ossicinis nostris frequentissime exhibentur.
- Caspari Baubini Pinax.
- Gerardi Historia emaculata à Tho. Johnsono.
- Joannis Bauhini Plantarum Historia Universalis.
- Offic. Exhibet Nomina Plantarum, quibus vulgo vocantur in Officinis nostris.
- Park. Joannis Parkinsoni Theatrum Botanicum.
- A. Satistaga pratensis Offic. Seseli pratense nostras Park. Raij Cat. Angl. & H. Pl. 453. Usu Tota Planta. Præp. 19 quæ ad slatus Infantium præstat. Hæc & altera species sepe promiscue usurpatur. Deadow Saxistage.
- A. Fratiuus Offic.vulgaris Park. Raij Cat. Angl. & H. Pl.
 1702. Usu Fol. Lign. Cort. & Sem. Lingua Avis dictum.
 Prap. Aq. Sal. In Autumno Semen perficitur. E specie
 hujus Arboris Manna colligitur. The MI-Tree.
- A frangula seu Alnus nigra Offic. Alnus nigra bacci-fera C. B. Raij Cat. Angl. & H. Pl 1604. Usu Cort. inte-nor potissimum radicis. In Sylvis. The Black Alber.
- A. fumaria Offic. purpurea Ger. Raij Cat. Angl. & H. Pl. 401. Usu tota Herba. Præp. Aq. Cons. Syr. Simp. & Comp. Pl. & Sal. In satis & aggeribus terrenis frequens est. Funitozy.
- A. fungus Sambucinus seu Auricula Judae Offic. & Gr. Raij Cat. Angl. & H. Pl. 106. In Sambuci caudice frequenter nascitur. Jews Ear.
- Geranium Columbinum & Pes Columbinus Offic. vulgare Park. Raij Cat. Angl. & H. Pl. 1059. Usu Fol. ad lepes & vias. Doves-foot or Doves Foot Cranes-
- Cozonopus Offic seu Cornu Cervinum vulgo spica Plantaginea. J. B. Raij Cat. Angl. & H.Pl. 879. & 1889. Stella Terra a quibusdam vocatur. Usus est Creberrimus advers Morsum Canis Rabidi, ut à nonnullis expertum est anosis & Maritimis crescit. Bucks-hozn plantain.
- Linum Catharticum Offic. pratense flosculis exiguis B. Raij Cat. Angl. & H. Pl. 1076. Usu Planta integra. loret Junio ac Julio. In Pascuis Siccioribus præsertim ontosis. Dill-Bountain or Purging Dwarfvild-flar.
- Terebinthus Aulgaris Offic. & C. B. Raij H. Pl. 1577. N.B. Terebinthinam veram, Officinis esse ignotam; Officinalemque esse vel resinam Lariceam, vel Abignam. The Turpentine-Tree.
- Cpanus majoz Offic. maj. vulgaris. Park. Raij H. Pl. 122. Usu Fol. & Flor.qui sape à nonnullis usurpantur loco minoris. Great Blew-Bottle.
- Sophia Chirurgorum Offic. & Ger Nafturtium Sylestre tenuissime divisum. C. B. Raij Cat. Angl. & H. Pl. 12. Ufu Fol. & Sem. In ruderatis & incultis locis, ffirmeet.

- Raij Cat. Angl. Denotat Catalogum Plantarum Anglia & Insularum adjacentium.
- Raij H. Pl. Indicat Historiam Plantarum Universalem ab Eruditissimo Viro, & Botanico Peritissimo D. Joanne Raio nuper Editam.
- Explicat Partes istius Plantæ que in Arte Pharma Uſu ceutica quotidie usur pantur.
- Ligustrum Offic. vulgare. Park. Raij Cat. Angl. & H. Pl. 1603. Usiu Fol. Floret tota ferè astate. In Sylvis & Sepibus. Primprint or Privet.
- A. Sedum majus seu Sempervirum Offic. majus vulgare C. B. Raij Cat. Angl. & H. Pl. 687. Usi Fel. in Muris & Tectis provenit. Common Housteck.
 - Cucurbità Offic. oblonga flore albo folio molli C. P. Raij H. Pl. 638. Usu Sem. que recensentur in numero quatuor frigidorum. The Goutto.
- Linavia Offic. lutea vulgaris Ger. Raij Cat. Angl. & H. Pl. 752. Usu Herba cum Flor. Præp. Aq. Julio & Augusto flores. In Pascuis sterilioribus & Vias Publicas. Pellow Toad Flax.
- A. Afola Partia Offic. purpurea fl. simplici odoro C.B. Raij Car. Angl. & H. Pl. 1049. Usu S.m. Fel. que sint è numero Herbarum quinque Emollientium, & Flor. qui inter quatuor Cordiales locum obtinent. Martio & Aprili floret. in aggeribus Sepium. The Chiolet.
- Deucedanum Offic. minus Germanicum J. B. Raif Cat. Angl. & H. Pl. 416. Usu Fol. & Rad. lu fossis palustribus provenic. Sulphur-wort or Hoggs Fennel.
- A. Matrubium Migrum Offic. nigrum fætidum, Ballote Dioscoridis C.B. Raij Cat. Angl. & H. Pl. 571. Usu Fol. in ruderatis & ad sepes. Stinking Dozebound.
- A. Alinca pervinca Offic. Clematis Daphnoides minor C. B. Raij Cat. Angl. & H. Pl. 1091. Ufu Fol. Ad sepes & in aggeribus sossarum. Periminckle.
- Lepidium Offic. Piperitis five Lepidium vulgare Park. A. Raij Cat. Angl. & H. Pl. 828. Ulu Rad. & Folia, ad Fluviorum ripas sed rarius apud nos provenic. Dittanter or Pepper-wort.
- . Onaphalium longisolium humile ramosum capitulis nigris Raij H. Pl. 295. & Cat. Angl. Usu Herba tota, loco Pedis Cati seu Gnaphalij Offic. usurpatur. In Scrobibus siccis & locis depressionibus reperitur. Blackheaded Cudweed.
 - Hyrrhis Offic. magno semine longo sulcato. J. B. Raij H. Pl. 431. Usu Fol. & Sem. Præp. Aq. Maio florer. Great sweet Garden Chervill or sweet Cicely.
- A. Derfoliata Offic. vulgaris Ger. Raij Cat. Angl. & H. Pl. 471. Usu tota Planta. Inter Segetes. Thorow-Tuar.

- Stramonium Offic. Solanum fætidum pomo spinoso oblongo C. B. Raij H. Pl. 745. Usu Fol. & Sem. Præp. Ung. In Hortis colitur. The Chorn Apple.
- A. Franculum Offic. vulg. Germanicum C. B. Raij Cas.

 Angl. & H. Pl. 457. Usu Rad. quæ inter quinque ac etiam
 inter duas Radices Aperientes locum obtinet, & Sem. quod inter quatuor calida majora Carminativa annumeratur. Præp. Ag. Syr. & Ol. Semen in Autumno perficie. Common Fennel.
 - Satureia Offic. æstiva hortensis Ger. Raij H. Pl. 518. Usu Fol. Julio & Augusto stores. In Hortis frequenter occurrir. Summer Sabozy.
- A. Sinapi Offic. filiqua latiuscula glabra semine ruffo feu vulgare I. B. Raij Cat. Angl. & H. Pl. 803. Usu Sen. Præp. Ol. per Express. In Hortis, Areis, & aggeribus soffarum. Common Dustato.
- A. Bugloffum Splveffre Offic. fylv. minus C. B. Raij Cat. Angl. & H. Pl. 494. Uli Rad. Inter fegeres & in Arvis requietis passim occurrit. Small Will Bu-
- A. Britannica Antiquorum Aera Muntingij; in Tractatu de verâ Antiquorum Hertâ Britannicâ. Lapathum maximum aquacicum five Hydrolapathum f. B. Raij Car. Angl. & H. Pl. 171. Usu tota Planta sed præcipue Radices. In palustribus ac stagnantibus locis. The True Britannica of the Ancients.
- A. Cyanus Minoz Offic. vulgaris Park. Raij Cat. Angl. & H. Pl. 221. Usu Flor. inter segeres Maio & Junio Floret. The Corn Flower or Blew-Bottle.
- Cardiaca Offic. & Park. Raij Cat. Angl. & H.Pl. 5-1. Usu Fol. In incuitis & ruderatis locis, Julio Floret. Do-
- A. Cruciata Offic. hirsuta C. B. Raij Cat. Angl. & H. Pl. 479. Usu Fol. Ad topes & in Dumetis. Dunweed or Cross-wort.
 - Epithymum Offic. sive Cuscuta minor C. B. Rai II. Pl. 1994. Usu Integra Planta. Præp. Syr. Variis Herbis adnascitur. Epithymum or Dodder of Tine.
- Erica Offic. vulg. humilis sempervirens st. parpureo & albo J. B. Raij Cat. Angl. & H. Pl. 1713. Utu Fol. & Flor. In Ericetis. Common Death.
- A. Almus Offic. vulgatissimus fol. lato scabro Ger. Raij Cat. Angl. & H. Pl. 1422. Usu Rad. Fol. Cort. In Sepibus & Sylvis crescit. The Esm.
- Mimaria & Regina Prati Offic. Barba Capri floribus Compactis C. B. Kaij Cat. Angl. & H. Pl. 623. Usu Fol. Prep. Ag. Junio & Julio floret, in Pratis Humidis frequenter occurit. Dendow Sweet.
- A. Artica Offic. urens maxima C. B. Raij Cat. Angl. & H. Pl. 160. Usu Herbatota. Prep. Ag. Estate floret, ad sepes & in locis ruderatis. Common Mettle.
- A. Panar Coloni & Marrubium equaticum acutum Ger. Raij Cat. Angl. & H.Pl. 563. Ulu Fol. qua valde vulneraria habentur, ad fluvios & in aquosis invenitur. Clowns
- Rosa Damascena Ger. & pallida Offic. Raij H. Pl. 1468. Usu Flor. Prap. Ag. Spt. Conf. Mel. Syr. &c. The Damask Rose.
- Rola Rubra Offic. & Ger. Raij H. Pl. 1468. Ufu Fler. (qui inter quatuor Cordiales Flores recenfentur) & Anthera. Præp. Aq. Conf. Syr. Mel. Ol. Ung. &c. The Red Role.
- Sumach & Rhois Obsoniorum Offic. Rhus folio Ulmi C. B. Raij H. Pl. 1590. Ulu Fol. & Sem. In Hispania & Gallia crescit. Common Sumach.
- Amomum Offic. Sison seu Officinarum Amomum A. Amonium Ojje. Shori icu Fuchfij Ger. Raij Car. J. B. Petrofelinum Macedonicum Fuchfij Ger. Raij Car. Angl. & H. Pl. 443. Usu Sem. quæ in Antidotis nostris usurpantur loco Veri Antiquorum. In Aggeribus sepium & Fossarum. Bastaru Stone-Partip.



Hortus Siccu

Collectio Cur

Offic

Tàm Exoticarum quàm Indiger

Synonymis Necessariis,

Accesserunt etiam illarum Pari

Explicatio.

Litera in Margine posita indicat plantas il præssgitur, aut Angliæ Indigenas esse, aut in 2 sultas.

C. B. Caspari Baubini Pinax.

Ger. Gerardi Historia emaculata à Tho. Johnsone

J. B. Joannis Baubini Plantarum Historia Univer

Offic. Exibet Namina Plantarum, auibus vulgõ t

Officinis nostris.

Park. Joannis Parkinsoni Theatrum Botanicum.

Vd Vd

A:

A



Hortus Siccus Pharmaceuticus:

Collectio Curiosissima Plantarum

Officinalium;

Tam Exoticarum quam Indigenarum, Alphabetico Ordine diligenter digesta.

CUM

Synonymis Necessariis, Locis Natalibus & Tempore Vigendi.

Accesserunt etiam illarum Partes ac Preparationes quæ maximè sunt in Usu.

Explicatio Nominum Abbreviatorum.

- Litera in Margine posita indicat plantas illas quibus Præp. Enarrat Præparationes seu Medicamenta quæ in Ossici præfigitur, aut Angliæ Indigenas esse, aut in Agris passim
- B. Caspari Baubini Pinax.
- er. Gerardi Historia emaculata à Tho. Johnsono.
- B. Joannis Baubini Plantarum Historia Universalis.
- llic. Exibet Nemina Plantarum, auibus vulgo vocantur in
- Officinis nostris.
- ark. Joannis Parkinsoni Theatrum Botanicum.

- nis nostris frequentissime exhibentur:
- Raij Cat. Angl. Denotat Catalogum Plantarum Anglia & Insularum adjacentium.
 - Raij H. Pl. Indicat Historiam Plantarum Universalem ab Eruditissimo Viro & Botanico Peritissimo D. Joanne Raio nuper Editam.
- Uiu Explicat Partes istim Plantæ quæ in Arte Pharmaceutica quotidie usurpantur.
- Popllium Offic. sen Pulicaris Herba. Ger. Raij H.Pl. 881. Usu Sem. quod in Autumno perficitur. Flea-wort.
- Raij Cat. Angl. & H. Pl. 878. Usu Fol. in Pascuis frequenter. Ribwozt or Ribwozt Plantain.
- 1. Joolygonatum & Sigillum Solomonis Offic. La-tifol. vulg. C. B. Raij Cat. Angl. & H. Pl. 664. Ufu Rad. & Bacc. In Sylvis quibusdam in Occidentalibus Anglia provincis. Solomons Seal.
- 1. Jodygonum & Centinodia Offic. & J. B. Raij Cat. Angl. & H. Pl. 184. Usu Herba. Præp. Ag. in Arvis & jux-ta Semitas passim. Unot-grass.
- Jolypodium Offic. & Ger. Raij Cat. Angl. & H. Pl.
 127. Ufu Rad. Præp. Ol. Stil. In Muris antiquis, Truncis
 Arborum & ad earum radices. [Polypody.
- A. Populus Offic. nigra Ger. Raij Cat. Angl. & H. Pl. 1417. Usu Gemmæ. Præp. Ol. & Ung. ad Ripas sluviorum & in Aquosis. The Black Poplar.
- Porum Offic. commune capitatum C. B. Raij H. Pl. 1126. Usu Rad. & Fol. Præp. Aq. in Horris colitur. Leeks.
- Portulaca Offic. Hortensis Latifolia J. B. Raij H. Pl. 1039. Usu Fol. & Sem. quod inter quatuor Sem. frigid. minora locum obtinet, Prap. Aq. Syr. & Loboc. Gartien
- Paralylis & Primula Veris Offic. odorata fl. luteo fimplici. J. B. Raij Cat. Angl. & H. Pl. 1081. Usu Fol. ac Flor. Præp. Ag. Syr. & Conf. Aprili floret in Pascuis ubique. Paigles or Cownips.

- A. Prunella, Offic: Vulgaris Park. Raij Cat. Angl. & H. Pl. 11. Uli Fol. ac Fler, Præp. Aq. Floret Junio in Pascuis. Self-heal.
 - Persica Offic. mas Persica J. B. Raij H. Pl. 1515. Un Flor. Nucl. & Frust. Præp. Syr. Marcio & Aprili sto-ret, Frustus Septembri persicitur. The Peach.
- A. Persicaria seu Dydropiper Offic. vulg. acris seu minor. Park. Raij Cat. Angl. & H. Pl. 183. Usu Fol. Julio & Auguso storet ad Rivules & Fossas. Lakesweed or Ar-
- A. Detalites Offic. vulg. rubens rotundiore fol. C.B. Raij Car. Angl. & H. Pl. 260. Usu Rad. Floret initio Veris & in aquosis ac Palustribus crescit. Pestilent-wort or Butter-Bur.
 - ADhu sen Maleriana Offic. Valeriana major, odorata radice F. B. Raij H. Pl. 388. Usu Fol. & Rad. in Hortis crescit. Great Garden Anlerian or Sett-wall.
- Phyllitis & Lingua Cervina Offic. C. B. Raij Cat:
 Angl. & H. Pl. 135. Usu Fol. que inter quinque Herbas Capillares enumerantur. In Umbrosis, Uliginosis & Saxosis. harts-Tongue.
- A. Pilosella, Auricula Mutis. Offic. minor vulg. repens Park. Raij Cat. Angl. & H. Pl. 242. Usu Fol. cum Flor. Præp. Ag. & Syr. Comp. Junio & Julio interdam etiam Maio floret in Pascuis arenosis. Moule-Gat.
- A. Plantago Latifolia Offic. Vulgaris, Park. Raij Cat.
 Angl. & H. Pl. 878. Usu Fol. Rad. & Sem. Præp. Aq.
 & Syr. Hulio spicas sert. Ad vias ubique May breau. or Plantain,

- A. Pimpinella Sanguisopha Offic. vulg. seu minor. Park. Raij Cat. Angl. et H. Ph. 401. Usu Fol. et Rad. Præp. Aq. in montosis pratis et pascuis. Swall Burnet.
 - Piper Indicum sive Capsicum offic. Raij H. Pl. 676. Usu Siliquæ, sed caute usurpandæ. Guinny Pepper.
 - Pistachia Offic. et Ger. Raij H. Pl. 1682. Usu Nuclea cum Cort. ejus. In Persia, Syria, Italia, &cc. nascitur. The Pistachia or Fistick Mut-Tree.
- Prarmica Offic. vulg. fol. longo ferrato fl. albo. J. B. Raij Cat. Angl. & H. Pl. 344. Ulu Rad. & Fel. Junio Floret In Pratis udis & Palufribus. Succession Barra Dellican Mard Pellitory.
- A. Pulegium Regale Offic. latifolium C. B. Raij Catz Angl. & H. Pl. 53 3. Usu Fol. & Flor. Præp. Aq. Spr. & Ol. Stil. Junio & Julio Floret. In Locis Palustribus & aquo, fis gaudet. Pudding-Grafs or Penny Royal.
 - Puimonatia maculola Offic. & Ger. Raij H. Pl. 488. Uin Fol. cum Flor. Prap. Aq. Aprili Floret. Jetusalem Cowsips, Sage of Jetusalem or Spotted Lung-
 - Pyrus Offic. Sativus C. B. Raij H. Pl. 1450. Ufu Fruet. Aprili & Maio Floret, & per totam ferè æstatem Fructus maturat. The Pear-Tree.
 - Salvia hort. major Offic. major vulg. Perk. Raij H. Pl. 509. Ulu Fol. & Flor. Præp. ex Flor. Conf. ex Fol. 4. & Syr. Junio & Julio floret. Common Sage.
- A. Salvia Sylvestris seu Sconodonia Offic. Secrdotis seu Scordium Fol. Salvia J. B. Raij H. Pl. 570. & Cat. Angl. Usu Fol. In Sylvis & dumetis crescit. Talooh
- A. Sambucus Offic. frucu in umbella nigro C. B. Raij Cat. Angl. & H. Pl. 1609. Usu Fol. & ejus Gemma, Flor. Cort. & Bacca. Prap. ex Fol. Ung. ex Flor. Aq. et Ol. ex Bacc. Aq. Syr. Symp. & Comp. Vin. Rob. & Trag. Gr.
 - netes, man & Juno Piolet, Bacca Maturelcunt Autumno. In sepibus & locis ruderatis. Elvet.
- Sarifraga Alba Offic. & Ger. Raij Cat. Angl. & H. Pl. 1084. Usu Iol. cum Flor. & Rad. granulesis, circa sinem Aprilis & Initio Maij storet, in Pratis & Pascuis siccicribus crescit. Mhite Saxifrage.
- Scordium Offic. & Ger. Raij Gat. Angl. & H. Pl. 576. Utu Fol. Prep. Tinet. & Ag. Comp. Junio ac Julio Florer, in Locis Humidis. Whater Germander or Scordium.
- Scotzonera Dispanica Offic. seu Viperaria Ger. Raij H. Pl. 248. Usu Rad. in Hortis nostris Julio mense Florer. Uipers Orals or Scottonera.
- Scrophulatia Offic. nodosa fætida C. B. Raij Cat. Angl. & H. Pl. 764. Ulin Fel & Rad. Floret Julio & Augusto in Dumetis & Sepibus. Brown-wort or fig-
- Secale Offic. vulgatius Park. Raij Cat. Angl. & H. Pl. 1241. Ufu Grana. Julio maturant, & in Agris seruntur.
- . Senecio & Etypeton Offic. minor vulg. C. B. Raij Cat. Angl. & H. Pl. 1900. Ulu Herba integra. Vorc. Flo-rere incipit & per totam astatem durat. In Arvis, Hor-tis, & Arcis ubique occurrit. Groundsell.
- A. Serpillim Cutritum Ger. 16th 16th A. Præp. C. B. Raij Cat. Angl. & H. Pl., 522. Usu tota Herba. Præp. Ag. Spt. & Ol. Sul. in montosis sed rarius. Lemon Serpillum Citratum Ger. seu foliis Citri odore Thyme.
- Serpillum Offic. Vulg. minus Park. Raij Cat. Angl. & H. Pl. 521. Usu Fol. cum Flor. Præp. Aq. Maio et Junio Floret. In Montosis et Pascuis Siccioribus. Dother of
- Soldanella, et Brassica marina Offic. vulg. seu A. Soldanking, et Branka macina Ogice ving. La. Volubilis marina Park. Raij Cat. Angl. & H. Pl. 726. Usu Fol. in Littoribus Maris Arenosis. Sea Bind-weed, Sea Cole-wort or Scottish Scurvy-Grass.



A. Sulanum Offis. Hortense seu Vulg. Angl. & H. Pl. 672. Usu Fol. Prap. A & Septembri mensibus sloret, in simetis Might-shade.

A. Southus Laevis offic. valg. Park 8. H. Ph. 222. Ufa Fel. in hortis, Smooth Sow-Thille or Pares Le

Staechas Arabica Offic. vulgaris 514. Usu Spica Florum. Prap. Syr. Ma Sticadove or French Lavender.

Styrar Liquida Offic. Aceris folio Hzc Albor fundir Liquorem pingue Craffum, graveolens & vocatur Liqu

Suher Offic. Latifolium perpetud v H. Pl. 1393. Usu Cortex que varijs usil stania, Lustiania &c. crescie. The Cork-

A. Tanacetum Offic. vulg. Inteum C. & H. Pl. 365. Ufu Herba cum Flor. &:

Spr. Floret Junio ac Julio; In montibus I Canfp.

Tamarifetis Offic. Narbonensis Ger. Usu Fol. et Cort. è Radice detracta. Pr Junio floret. Tamarish.

. Tilin Offic. fæm. fol. majore C. B. I. H. Pl. 1694. Usu Flor. qui Maio & Ju Præp. Ag. In Areis et Compitis. The Linden Tree.

Aparine Offic. & Ger. Raij Cat. Angl Ufu Fol. vel Planta integra. Prap. Ag. a Segetes. Cleavers or Goofe Dais

Ageratum & Eupatogium Defiu femina seu Ageratum Ger. Raij H. Pl. Flor. Præp. Syr. Pil. & Troch. Haud Canfy.

6



Sulanum Offis. Hortense seu Vulgare J. B. Raij Cat. Ingl. & H. Pl. 672. Usu Fol. Præp. Aq. & Ung. Augusto & Septembri mensibus floret, in fimetis & lock ruderatis.

Southus Laevis Offic. vulg. Park. Raij Cat. Angl. H. Pl. 222. Usa Fol. in hortis, vineis & sepibus. Smooth Sow-Thistle or Haves Lettice.

Staechas Arabica Offic. vulgaris Park. Raij H. Pl. 14. Usu Spica Florum. Præp. Syr. Maio & Aprili storet. Sticadove or French Lavender.

Styrar Liquida Offic. Aceris folio Raij H.Pl. 1681. lec Arbor fundit Liquorem pinguem instar Balfami Crassum, graveolens & vocatur Liquid Storar.

Subet Offic. Latifolium perpetud virens C. B. Raij H. Pl. 1393. Usu Cortex quæ varijs usibi s inservit In Hitania, Lustrania &c. crescit. The Corte Cree.

Tamacetum Offic. vulg. Inteum C. B. Raij Cat. Angl. M. Pl. 265. Ufu Herba cum Flor. & Sem. Præp. Aq. & Sr. Floret Junio ac Julio; In montibus Borealibus Anglia. Canfp.

Tamarístus Offic. Narbonensis Ger. Raij H. Pl. 1704. Usin Fol. et Cort. è Radice detracta. Præp. Aq. Maio & Junio floret. Camaríst.

Tilia Offic. fæm. fol. majore C. B. Raij Cst. Angl. & H. Pl. 1694. Ufu Flor. qui Maio & Junio producuntur. Prep. Ag. In Areis et Compitis. The Lime, Line or Linden Tree.

Apartine Offic. & Ger. Raij Cat. Angl. & H. Pl. 484. Ush Fol. vel Planta integra. Præp. Ag. ad Sepes & inter Segetes. Cleavers or Book-Olass.

Ageratum & Eupatozium Delucs Offic. Ballamita femina leu Ageratum Ger. Raij H. Pl. 264. Usu Fol. & Flor. Przp. Syr. Pil. & Troch. Daudlin or Paudlin-Cansp.

Latit folio deciduo Conifera J. B. Agaricus feu Agaricum Offic. Raij H. Pl. 167. Fungus est albicans truncis hujus Arboris adnascens. Præp. Extract. Troch. & Pil. The Lately-Tree Dushrome or Agarick.

Onaphalium minus seu Herba Impia Park. Raij Car. Argl. & Hist. Plant. 293. Usu Planta integra. Præp. Aq. Hoc sæpe usurpatur pro vero illo Officinarum, (quod Gnaphalium montamum seu Pes Cati Park. est) In siccipibus, sterilioribus & ad vias passim. Deth Junious or Cutineed.

Dotteum Offic. distichum Park. Raij Cat. Angl. & H.Pl. 1243. Usu Grana & ejus Farina, in Agris seritur. Common Barley.

Dyoscpannus niget Offic. & Ger. Raij Cat. Angl. & H. Pl. 711. Usu Fol. Rad. & Sem: quod usurpatur loco Albi. In Fimetis et Locis ruderatis, Junio Floret. Denbane.

Illecenta minor seu Vermicularis Offic. Sedum parvum cre st. luteo. J. B. Raij Cat. Angl. & H. Pl. 1041. Usu M. cum Flor. In muris, techis et siccioribus, Junio Flotall-Pepper or Stone-crop.

O. Angl. & H.Pl. 1587. Usu Fol. et Bace. In Sylvis et Sepus, Februario et Martii initio Floret, Frust m Estatis me et adventante Autumno maturitatem consequenturet nigri sunt. Dwarte or Spurge Lawrel.

A. Lichen Arbozum seu Hustus Pulmonarius Offic. & Park. Raij Cat. Angl. & H. Pl. 119. Arboribus præsertim Quereni adnascitur. Tree Lungwort or Dak-Lungs.

Lotus Arbana et Trifolium Dooratum Offic. Lotus Hortenfis odora C. B. Raij H. Pl. 950. Usu Herba cum Flor. Junio et Julio Hortis Floret. Sweet Trefoil.

. Palva Offic. vulg. fl. majore fol. finuato J. B. Raij Cat. Angl. & H. Pl. 599. Usu Fol. Flor. Sem. Præp. Ag. Conf. Syr. Junio ac Julio Floret. In locis ruderatis & ad fopes. Common Ballows.

Foenum Graecum Offic. Sativum, Park. Raij H. Pl. 954. Ulu Sem quod in Autumno perficitur. Foenugreek.

A. Malis Sylvestris Offic. seu Agresis J.B. Raij Cat. Angl. & H.Pl. 1444. Usu Frust. è succo ejus Aerjute extrahitur. Floret Aprili et Octobri Frustus maturos prosert. In Sylvis et Sepibus. The Willbring or Crab-Cites.

Majorana Latifolia seu major Anglica Park. Raij H. Pl. 539. Usu Fol. Pro Olere usurpatur, unde à Nostratibus dicitur Pot Matjoram.

Drttis Offic. Communis Italica C. B. Raij H. Pl. 1502. Ulu Fol. et Bacc. Præp. Syr. & Ol. In Regionibus calidis crescit. The Dyttle.

Micotiana major Latifolia C. B. Raij H. Pl. 713. Fumi Nicotiana in Tubo accensa ore attracti et redditi per totam Europam Usus est creberrimus. Ex Virginia, in magna Copia nobia Transportatur. diresinia Cobacco.

Pinns Offic. Sativa C. B. Raij H. Pl. 1398. Usu Nuccs Cort. & Fol. In Italia, Gallia &c. provenit. The Pine Tree.

A. Scabiola Offic. major vulg. Ger.Raij Cat. Angl. & H.Pl. 374. Usu Fot. Præp. Valent. Scab. Aq. Syr. Simp. et Comp. Junio & Julio floret in Pascuis, nec minus inter segetes frequens est. Scabious.

Tamatindus Offic. & Ger. Raij H. P. 1748. Ust Pulpa acida nigra quæ in siliqua conditur. In Arabia & utraque Indià crescit. The Tamatind Tree.

- A. Aerbakum & Caplus Barbatus Offic. mas Latifolium luteum C. B. Raij Cat. Angl. & H Pl. 1004. Usu Fel. & Flor. Prap. Tapsimel. & Tapsivalentia. Coms-Lungwort, High-taper or Bullein.
- A. Tithymalus Offic Sylvaticus toto anno folia retinens. J. B. Raij Cat. Angl. & H. Pl. 863. Usu Fol. In Sylvis & Dumetis crescit. Thom Spurge.
- A. Thiaspi Offic. Vaccariæ folio Park. Raij Cat. Angl. & H. Pl. 821. Usu Sem, inter Segetes reperitur. Bithti-
- A. Cormentilla Offic. & Ger.Raij Cat. Angl. & H. Pl. 617. Ufu Fol. & Rad. Præp. Aq. In Pascuis montosis, & ficcioribus. Septsoil or Cormentil.

Transatantha Offic. vera Park. Raij H. Pl. 933. Usu Gummi quod Tragacantha dicitur, & exudat radice incisa vel (ut alij volunt) sponte sua. In Sicilia &c. provenit. The True Soats-Thom.

Sabita Offic. vulg. Park. Raij H. Pl. 1415. Usu Fol. Præp. Aq. Ol. Stil. & Infus. Hæc nec sterilis neque Baccifera est (ut Antiqui Authores volunt) sed verè Conifera. ut primum observavit, & mihi ostendit D. Sam. Dale Vir in Cognitione stirpium apprime gnarus.

Salvia Ablinthites Ger. Raij H. Pl. 511. Usu Fol. quæ cum aqua cocta & parum sacchari edulcorata & epota instar Thee apud Ditiores magni æstimantur; & etiam à nonnullis dicitur viribus, Thee præstare. Wood Sage.

Malabathtum et Folium Indum Offic. & J. B. Raij H. Pl. 1563. Usu Fol. que in nostre Officines nunc usurpantur sunt Cinamomi Sylvestres species. Malabathrum Antiquorum quid sit inter Botanicos nondum convenit. Camalapatra or the Indian Leaf.

Solbus Offic. sativa C.B. Raij H.Pl. 1456. Usu Frutt. qui Septembri perficitur. In Italia & Germania frequens est. The Solb or True Servise Cree.

A. Spatula foetida & Apris Offic. Xyris leu spatula setida. C.B. Raij Cat. Angl. & H. Pl. 1190. Usu Rad. In sepibus & Dumetis. Stinking Sladdon or Sladwyn.

Spinachia Offic. Lapathum Hortense seu Spinachia semine spinoso. C.BRaij H.Pl. 162. Usu Fol.quæ inter Plantas Culinarias celebrantur. Colitur in Hortis. Spinache.

Dypocifis Offic. Ciftus mas vulg. Park.Raij H.Pl.1007. è radicibus hujus Fruticis Hypocifis excrescit eodem modo ut Orobanche (cujus species est.) è radicibus Genifie & aliarum Plantarum frequenter adnascitur. Ex Succo ejus in Sole exiccato Hypocifis preparatur, quod nostris antidotis sepe ingreditur. Dypocifis.

A. Clerbena Offic, communis ceruleo flore C.B. Raij Car.
Angl. & H. Pl. 535. Ufu Herba integra. Prep. Aq. & Ol.
Infus. Estate flores, in Arcis & compiris. Clerbain.

Labdanum Ossic. Cistus Ledon solijs Laurinis C. B. Raij H. Pl. 1003. E Foliis cujus exudat Liquor quidana Labdanum seu Ladanum distus. Modus colligendi tradit Dioscorides. Labdanum.

- A. Aletonica Offic. mas vulgaris supina. Fark. Raij Cat.
 Angl. & H. Pl. 851. Usu Fol. cum Flor. Prap. Aq. Æstate floret. In Arenosis & Sabulosis delectatur. Pale
 Speedwel or fluellin.
- A. Airga Aurea Offic. vulg. Latifolia J. B. Raij Cat, Angl. & H. Pl. 278. Ufu Fol. cum Flor. Præp. Aq. Augusto Floret. In montolis Sylvis & Ericetis. Golden Ran.
- A. Cassettim Ger. vulg. Baccis albis C. B. Raij Cat. Angl. & H. Pl. 1533. Usu Fol. initio veris floret & Baccæ per totam Hyemen durant. Semper virens est & Frutex peculiaris variis Arboribus innascens. Dissetor.

Alths Alinifera C.B.Raij H.Pl. 1612. Usu Fol.ac etiam Lachrymæ ex amputatis palmitibus extillantes; sic et Vinum, Tartarus, Uvæ Passæ, Agresæ. &c. ex quibus variæ Præparationes siunt. In Vineis & Hortis diligenter coluntur. In Autumno Frustus maturatur. The Otape or Aline.

- A. Triticum Offic. Spica mutica Ger. Raij Cat. Angl. & H. Pl. 1236. Ulu Frumenta. Seritur in Agris. Milent.
- A. Trifo'ium paludosum Ger. Fibrinum Tabernamontan; & Germanorum. Usu Fol. Maio & Junio Floret, In palustribus & aquosis. Buck-beaus or Parth-Trefoil.
- A. Cutillago & fatfata Offic. vulg. C. B. Raij Cat.

 Angl. & H. Pl. 259. Ufu Fol. Flor. & Rad. Prap. Aq. &

 Syr. Martio floret, antequam emittit Folia, ideoque a nonnullis Filius ante Patrem dicitur. Circa Scaturigines aquarum & loca rigua provenire amat. Foals Foot or Colta
 Foot.
- A. Chaletiana Graeca Ger. & Park. Raij Cat. Angl. &c H.Pl. 1102. Has Planta frequenter à Mulierculis nostris Boranophyllis falsò venditur, loco aliarum Specierum Officinalium Valerianarum. The Greek Chaletian, and by fome Jacob's Ladder.

Dlea Offic. sativa C. B. Raij H. Pl. 1541. Usu Fruet. in Muria conditi antequam plane maturuerint, à variis estantur & Æstimantur, ac etiam præbent Oleum duorum generum. 1. Quod exprimitur a Fruetibus maturis est Ol. Olivarum commune. Dyl Dlive, or Sallet Dyl. 2. Quod ex Olivis immaturis deducitur Ol. Omphacinum dicitur. The Dlive Tree.

Petroselinum Offic. Apium Hortonse seu Petroselinum vulgo. C. B. Raij H. Pl. 488. Usu Sem. Fol. & Rad. quæ & inter dua ac etiam inter quinque Radices Aperientes locum obtinet. Præp. Aq. Floret Junio ac Julio. Ontoen Parsy.

- A. Confolida majoz, seu Symphytum Offic. Symphytum majus vulgare. Park. Raij Cat. Angl. & H. Pl. 505. Usu Fol. Flor. Rad. Præp. Aq. Syr. Conf. Extr. Floret Majo ac Junio: In Aquosis, ad Rivos & Fossas. Tent Comstr.
- A. Emula Campana, five Delenium Offic. & Park. Raij Cat. Angl. & H. Pl. 272. Ufu Rad. Præp. Condit. Aq Ol. & Ung. In Pratis & Pascuis humidioribus, Junio & Julio storet. Elecampane.
- A. Equilitum & Tauda Equina Offic. arvenfe Longioribus fetis, C. B. Raij Cat. Angl. & H. Pl. 128. Ufn Fol. In Arvis. Dolle-tail.
- A. Erplimum Offic. vulgare C.B. Raij Cat. Angl. & H. Pl. 810. Uliu Herba tota. Præp. Syr. Ad Sepes & muros Junio & Julio floret. Dedge Dullard.

ficus & Carica Offic. vulgaris Park. Raij H.Pl. 1431. Usu Frust. qui post biennium maturantur. In Hortis nostris sæpe nutritur. The figg-Tree.

A. Filit mas Offic, mas non ramosa pinnulis latis densis minutim dentatis. Ger. Raij Cat. Angl. & H.Pl. 142. Usu Rad. In aggeribus sepium prasertim umbrosis. Dale Fetti.

elicitur. Prima, Liquida (vocant. Secunda, Sicca que vocatur Præp. Ole Still. Hæctur in nostris Officina, attan pelu Lenbed, or Tahit.

Abies Park. Taxifolijs i Ulu funt Folia & ejus Resin

Abies Officinarum. Pica Usu Folia. Hac Arber copi Imprimu, cum tenuioris Co Tatt vocatur; sed cum d sescitque, Pix Sicca, vel 19 men firt, or Pitch-Ct

Abrotanum mas Offici C. B. Raij H. Pl. 371. Ufu I Hortis colitur. Souther

Abrotanum fæmina, num fæm. vulg. Park. Rai Præp. Aq. & Conferv. La

- A. Abfinthium Vulgare O & Catal. Angliæ. Ulu Fol. a Syr. Troch. Ol. Stil. & Sal. C locis frequenter. Commo
- A. Ablinthium Romanun Marinum Anglicum Park. Ufu Fel. ac ejus Summitates. Maritimis Citfillh Sca monly (but tailly) callec

Ablinthium Romanun cum Galeni Ger. Raij H. I Chozm-Mood.

A. Acetola, Oxalis Offic. & Angl. Ulu Fol. Rad. & Sem. tis & pascuis. Common S

Acetola rotundifolia Ho Sape ufurpatur loco vulgari flat; acidiore fapore prac



Quien Park, Taxifolijs Raij Hist. Plant. Pag. 1394. In Usu funt Folia & ejus Resina quæ duplex ab hac Arbore elicitur. Prima, Liquida Officinis Terebintbinam Venetam vocant. Secunda, Sicca quæ Thus æmulatur. Lignum Deal vocatur Præp. Ol. Still. Hæc non est Abies, qua vulgo utuntur in nostris Officinis, attamen multo præstantior est. The Pew Leaved, or White Fire Tree.

Abtes Officinarum. Picea Park. Raij Hift. Plant. 1396. Ufu Folia. Hac Arbor copiofam Refinam ultione prabet; Imprime, cum tenuioris Confiftentiæ sit; Pix Liquida seu Tatt vocatur; sed cum decoctione dephlegmatur, crassectique, Pix Sicca, vel Pitth, nobis dicitur. The Common firt, or Pitth Tree.

Abrotanum mas Officin. mas angustisolium majus, C.B. Raij H.Pl. 371. Usu Fol. Præp. Aqua & Conserva. In Hortis coliur. Southern-Aloud.

Abrotanum fæmina, Chamæcyparissus Offic. Abrotanum fæm. vulg. Park. Rais H. Pl. 359. Usu Fol. & Sem. Præp. Aq. & Conserv. Lavender Cotton.

- A. Abfinthium Vulgare Offic. & Park. Raij H. Pl. 366. & Catal. Anglia. Ulu Fol. ac Semen. Præp. Aq. Spt. Vinum, Syr. Troch, Ol. Stil. & Sal. Crescit in Ruderatis & Incultis locis frequenter. Common Chorn-Chood.
- A. Ablinthium Romanum vulgare Offic. Seriphium five Marinum Anglicum Park. Raij H. Pl. 370. & Cat. Angl. Usu Fol. ac ejus Summitates, Præp. exdem cum vulgari. În Maritimis English Sea Montale, and commonly (but failly) called Roman Coloun-wood...

Abunthum Romanum verum. Tenuifolium Ponticum Galeni Ger. Raij H. Pl. 367. The True Roman Mozm-Mood.

A. Acetola, Oxalis Offic. & Ger. Raij H. Pl. 178. & Cat. Angl. Usu Fol. Rad. & Sem. Prap. Syr. & Conserv. In pratis & pascuis. Common Sorrel.

Acetosa rotundisolia Hortensis C. B. Raij H. Pl. 180. Sæpe usurpatur loco vulgaris, & Præp. eædem, cui præstat; acidiore sapore prædita. Roman, or french Souvel.

- A. Acous Adulterinus Offic. Iris paluftris lutea, Ger. Raij H. Pl. 1186. & Cat. Angl. Ufu Rad. Ad Ripas Fluviorum. Pellow Water Flag, or Flower-de-luce.
- Adianthum Album Offic. Ruta muraria, seu Salvia Vitæ, Park. Raij H. Pl. 146. & Cat. Angl. Usu Fol. quæ inter quinque Herbas Capillares locum occupant. In muris antiquis, & pontibus Lapideis nascitur. Mhite Bat-ven-Pair, Mail-Rue, or Cent-Mort.
- Adianthum Aureum Offic. Polytricum Aureum majus, Park. Raij H. Pl. In Pharmacopeia nominatur, fed in Usuraro venit. In Sylvis udisac paludosis crescit. Dollilocks, or Golden Paiden-Pair.

Agnus Castus & After, Officin. Vitex folijs anguflioribus Cannabis modo dispositis, I.B. Raij H. Pl. 1696. Ufu Sem. seu potius Fructus, Præp. Troch. The Chast-

- Agrifolium seu Aquifolium, Park. Raij H. Pl. 1622. & Cat. Angl. In Usu raro occurrit, attamen Fol. & Baccae ad dolorem Colicum & tormina intellinorum mire conducunt,& ex Corticibus hujus Arboris Viscus paratur. The Dolly-Cree.
- · Agrimonia Ger. & Eupatorium Græcorum Offic. Raij H. Pl. 400, & Cat. Angl. Usu Fol. Præp. Ag. Sal & Syr. Æstate Floret in Pascuis & ad sepes. Agrimony.

Alcen Egyptiaca, Abel Mosch seu Mosch Arabum. Semina valde odorata funt, & cum Odorarijs frequenter in Ulia. Wusk-Deed.

Alchimilla Offic. & Ger. Raij H. Pl. 209. & Cat. Angl. Usu Fol. In pascuis & pratis montosis. Ladies Dantle.

Alkekengi & Dalicacabum, Offic. Solanum Vesica-rium, C. B. Raij H. Pl. 681 Usu Fruct. qui Autumno ma-turant. Prap. Troch. Winter-Therries.

Alliaria Ger. Raij H. Pl. 792. & Cat. Angl. Ulu Fol. Vere floret, in sepibus & aggeribus tossarum. Jack by be heuge, or Sawce alone.

- A. Miline Offic, minor seu media. Ger. Raij H. Pl. 1030. & Cat. Angl. Usu Herba Integra. Common Chick-Meev.
- Althen Offic, vulgaris Park. Raij H. Pl. 602. & Cate Angl. Usin Sam. Rad. & Fol. Ex Quinque Herb. emolient. Prap. Soon & Ung. In palustribus marinis. Darts-Mallows.

Ammi vulgare Offic. & Ger. Raij H. Pl. 455. Usu Sem. Common Bishops-Weed.

Amygdalus Offic. Dulcis & Amara, I. B, Raij H. Pl. 1519. Ula Nuclea, Præp. Ol. per Expressionem, Primo Vere Floret. The Almond Cree.

- Anagallis mas Offic. Flore phaniceo. Park. Raij H. Pl. 1023 & Cat. Angl. Uliu. Fol. & Flor. in Areis & Hortis. Male Pimpernell.
- Anngallis Aquatica, five Becabunga. Offic. Ger. Raij H. Pl. 852. & Cat. Angl. Usu Fol. vel planta integra. In rivulis & ad Fluviorum margines exit. Common Brook-lime.

Anethum Offic. Hortense seu vulgare. I. B. Raij H. Pl. 415, Usu Fol. Flor. & Sem. Præp. Ol. Stil. & per Inful. In Hortis nutritur. Anet, or Dill.

Angelica Offic. Sativa. Ger. Raij H. Pl. 434. Usu Fol' Rad. & Sem. quod in Julio & Augusto perficitur. Præpol. Stil. Garden Angelica.

Anilum Offic. & Ger. Raij H. Pl. 450. Ulu Sem. qui inter quatuor Calida majora Carminativa locum possidet. Præp. Aq. Sp. & Ol. Stil. Annise.

- A. Argentina seu Potentilla Ossie. & & B. Raij H. Pl. 617. & Cat. Angl. Usu Planta integra. Circa semitas & loca aquosa frequens. Alide Tank, or Silver-Aced.
- · Anonis seu Resta Bovis Ger. Raij H. Pl. 957. & Cat Angl. Usu Rad. ac potissimum ejus Cortex. Prap. Aq. In Pascuis Sterilioribus frequenter occurrit. Camock, or Real Partow.
- A. Apium Paluftre seu Officinarum C. B. Raij H. Pl. 447. & Cat. Angl. Usu Fol. & Sem. quæ inter 4. Calida minora locum tenet. & Rad. quæ ad Aperientes restrur Præp. Aq. & Ung. in Paludosis & Fossis præsertim maritimis.
- Aquillegia Offic. Flore simplici. I. B. Raij H. Pl. 706. Usu Fol. & Sem. in Sylvis montosis invenitur. Columbines.

Atistolothia longa & rotunda, Offic. & Ger. (nam in Folijs parum differunt) Usu Rad. Long and Round-Rooted Hitth-wort.

- A. Arthemilia Offic. Mater Herbarum. Ger. Raij H. Pl. 372. & Cat. Angl. Usu Herba tota. Prep. Aq. Syr. & Sal. Ad Sepes & agrorum margines. Durwoit.
- Arum Offic. Vulgare Ger. Raij H.Pl. 1208. & Cat. Angl. Usu Rad. & Fol. Præp. Aq. Pulv. comp. & Fæcula. Primo vere exit in Sepibus & Umbrosis. Cuckow-Pint, Cuake Robin, and Aron.

Martum Ger. Vulgare Offic. & Park. Raij H. Pl. 207. Usu Fol. Dos. ad No. 9. insula & expressa. Rad. Dos. ad 3j. Alarabacca.

Alparagus Sativus Offic. & Ger. Raij H. Pl. 683. Usu Rad. que e quinque Rad. Aperient. Turiones seu Germina in cibis magni æstimantur verno Tempore. Spanners de Sanners de Sann ragus, or Sperage, corruptly Sparrow-Grafs.

- A. Afpertula five Aspergula odorata Offic. & Park. Raij H. Pl. 483. & Cat. Angl. Usu tota Herba. Majo mense Floret in Sylvis & dumetis præsertim montosis. Chooloof.
- Aplenium, sive Scolopendra, Ceterach, Offic. C. B A. Alpunium, incoconoponium, Raij H. Pl. 139. & Cat. Angl. Usu Fol. (quæ inter quinque: Herbas Capillares enumerantur) Præp. Syr. In Saxorum crepidinibus ing; venustis muris provenit. Ceterach, Spleenwort, or Miltwass.

Attipler Sativa. Offic. & Ger. Raij H. Pl. 191. Usu Fol. & nonnunquam Sem. Gathen Death.

- A. Attiplet Offic. & Ger. Endpoolog Diosc, Rais H. Pl. 1125. A. Attiplet Offic. olida Ger. a quibusdam Vulvaria dicitur. Rais H. Pl. 198. & Cat. Angl. Usu Fol. & Sem. juxta
 parietes & in locis ruderatis crescit. Stinking Drach.
 - A. Aught Offic. Vulg. five alba. C. B. Raij H. Pl. 1253. & Cat. Angl. Usus Culinary potius est quam Officinalis In Agris seritur. Dats.
 - : Aucantia Malus Offic. Raij H. Pl. 1658. Usu Fol. Flor. Sem. Cort. ac Medulla Frustuum. Præp. ex Flor. Aq. & Ung. e Cort. Syr. Condit. & Ol. Stil. Flores & Fructus toto Anno profert. The Dange-Tree.

Balaustium Offic. Balaustium Fl. pleno majus C. B. Raij H. Pl. 1643. Flores (vulgó Balaufffnes vocantur) tantum in Usu sunt. The nes vocantur) or double blossomed Pomegranates

Balfamita Mas Offic. & Ger. Costus hortensis seu! Mentha Corimbiffera I. B. Raij H. Pl. 363. Usu Herba tota. Præp. Aq. odorata. Costmary.

- Bardana Major Offic. & Ger. Personata, sive Lappa major, aut Bardana. C. B. Raij H. Pl. 332. & Cat. Ang. Ufu Rad. Sem. & Fol. In incultis passim. Great Burdock, or Clot-burn.
- Bellis sylv. minor C. B. Consolida & Symphitum minimum. Offic. Raij H. Pl. 349. & Cat. Angl. Usu Tota Planta. Vere primo & deinceps per totam æftatem Floret. In Pratis & pascuis passim provenit. Common Dalies.
- A. Betheris Offic. & Park. Raij H. Pl. 1605. & Cat. Angl. Usu Cortex interior Ligni, & Fruct. ex quo Prap. Conf. Syr. Rob. & Troch. In Sepibus fylvolis & ripis Fluvio-rum. Fructus in Autumno perficitur. Batheties.& a quibufdam Piperioges.

Beta Alba Offic. & Ger. Raij H. Pl. 204. Ulu Rad. Fol. & Sem. Præp. Succ. una est e quinque Herbig Emollient.
The Wifte Beet.

Beta Rubra Offic. & Ger. Raij H. Pl. 204. Usu Rad. Fol. & Sem. Red Beet.

- Betonita Ger. sylvestris seu vulgaris Offic. Raij H. Pl. 550. Usu Fol. & Flor. Præp ex Fol. Aq. Syr. Simp. & Comp. Empl. & Sal. ex Flor. Cons. In Sylvis & Sepibus Junio & Julio Floret. (21000 Betony.
- A. Betonica Pauli & Veronica mas Offic. Veronica pratensis Serpyllisolia. C. B. Raij Cat. Angl. & H. Pl. 848. Usu Fol. Majo & Junio Floret. In pratis humidis & Sylvis crescit. Little smooth flucilin, or Pauls Betony.
- Betula Offic. & Ger. Raij Cat. Angl. & H. Pl. 1410 Usu Fol. Cort. & Liquor ab illa extillante. In Sylvis humidis & Ericetis colligitur. The Bitch Tree.
- Bistorta Offic. major vulgaris Park. Raij Cat. Angl. & H. Pl. 180. Uln Rad. In prats humidis. Smake-weed, or Biltort.

Bombar Offic. Xylon seu Gossipium herbaceum. I. B. Raij H. Pl. 1064. Ulu Sem. & Lanugo quæ Hossipium Officinis vocatur. The Cotton Shrub.

Borrago Offic. Hortensis Ger. Raij H. Pl. 493. Usu Rad. Fol. & Flores (qui inten quatuor Cordiales Famosos recensentur) Prap. ex Fol. Aq. & Syr. ex Flor. Syr. & Cons. In Junio Julio & Augusto Flores. Barrage.

Bottys & Ambrolia Offic. Vulg. Park. Raij H. Pl. 196. Usu Fol. Prap. Syr. In hortis colitur. Dak of Ierusalem.

Branca Arlina Offic. Acanthus lativus. Ger. Raij H. Pl. 1326. Usu Fol. Brank-Arline, or Bearg-Breech.

Braffica Sativa. Offic. capitata alba Ger. Raij H. Pl. 794. Usu Fol. & Sem. Garben Cabbage.

- Bryonia Alba Offic. aspera seu alba baccis rubris. C. B. Raij Cst. Angl. & H. Pl. 659. Usu Rad. Dos. ad 3j. Prep. Ag. Comp. & Fecul. In Sepibus crescit. Willite Bryony.
- Bryonia Migra Offic. lævis seu nigra racemosa. C. B. Raij Cat. Angl. & H. Pl. 660. Usu Rad. In Sepibus & Dumetis nascitur. Black Bryony.



Bugloffum Hortense Offic C. B. Ray H. Pl. 493. Usu Fol. e nume: o quatuor Florum Cordi Borragine. In hortis nostris frequ

Bugula feu Confolida medi leo. Park. Raij Cat. Angl. & I gra. Maio mense Floret. In Bugse.

Burla Paltoxis Offic. m Angl & H.Pl. 128. Uta Fol. palt te viget. Shepheards Pur

Buphthalmum Offic.nam l Diofe. & Matth. Bellis major Ge 250. Usu Fel. & Flor. In prati Floret. The Great Dalle, o

Burus Offic. arborescens Pl. 1693. Usu Flor. & Ligna P Anglia. The Box Cree.

Calamintha Offic. altera of is Park. Raij H. Pl. 569. & C. Præp. Aq. Spec. Diacalaminth ib Autumnum Floret. In aggiore & arenofo provenit. H. offici femper ufurpatur & for Calamint.

L. Calamintha volgaris fl. 169. & Cat. Angl. viget Æflate pium. Common Calamin

M. Calamus Aromaticus O mus Aromaticus Offic. C. B. Ra Ufu Rad. Locis humidis gav Vrum Ominimus Aromaticus (1984)

Cost | | English | English

\$1030°: (117



Diugiofium Hortense Offic. angustisolium majus. C. B. Ran H. Pl. 493. Usu Fol. Rad. & Flor. quæ sunt e numero quatuor Florum Cordialium. Præp. eædem cum Borragine. In hortis nostris frequenter occurrit. Bugloss.

Bugula seu Consolida media Offic. vulgaris Fl. cæruleo. Park. Raij Cat. Angl. & HPl 575 Usu Herba integra. Maio mense Floret. In Sylvis & Pratis humidis. Bugse.

Burla Palfotts Offic. major vulg. Park. Raij Cat.
Angl & H. Pl. 328. Utu Fol. passim occurrit totaque astate viget. Shepheards Purse.

Buphthalmum Offic.nam longe distat a Buphthalmo Diole, & Matth. Bellis major Ger. Raij Cat. Angl. & H.Pl. 250. Usu Fel. & Flor. In pratis & pascuis Maio & Junio Floret. The Great Dalie, or Dr-Eye.

Burus Offic. arborescens C. B. Raij Cat. Angl. & H. Pl. 1693. Usu Flor. & Ligna Præp. Ol. Stil. In varijs locis Angliæ. The Box Tree.

Calamintha Offic. altera odore Pulegij folijs maculofis Park. Rajj H. Pl. 569. & Cat. Angl. Us Herba tota Præp. Aq. Spec. Diacalaminth. Simp & Comp. Serius & fub Autumnum Floret. In aggeribus sepium & solo steriliore & arenoso provenit. Hæc pro vulgari in Officinis nostris semper usurpatur & forsan non immerito. Field Calamint.

Calamintha vulgaris fl. magno I. B. Raij H. Pl. 169, & Cat. Angl. viget Æstate ad aggeres fossarum & sepium. Common Calamint.

Calamus Aromaticus Offic. Acorus verus feu Calamus Aromaticus Offic. C. B. Raij Cat. Angl. & H. Pl. 1612. Usu Rad. Locis humidis gaudet. Plantam hanc non esse Verum Calamum Aromaticum seu odoratum Antiquorum lotanici eruditiores consentiunt, sed Acorum verum Dioscodis. The Sweet smelling flag, or Calamus.

Talendula Offic. Caltha Vulgaris C.B. Raij H. Pl. 137. Usu Fol. & Flor. Prap. Aq. Acet. & Conf. per totam ere Estatem floret in Hortis. Gatuen Parynold.

Cannabis Offic. Sativa C.B. Raij H. Pl. 158. & Cat. ingl. Uliu. Sem. in Agris feritur. Demp.

Capillus Aeneris & Abianthum Rigrum seu ulgare Offic. Trichomanes mas. Ger. Raij Cat. Angl. & H. V. 140. Usu Fol. quæ inter quinque Herbas Capillares lom tenet. Præp. Syr. Officinis nostris Adianthi veri seu Ca-Wi Veneris succedaneum est. English Black Patent-Bast.

Capillus Ciencis Verus Officinis Monspelij, unde Sypus quotannis per totam Galliam aliasque nationes præratur, & in magni Æstimatione habetur. Adianthum Fol. oriandri C. B. Raij H.Pl. 147. The True Daivenair.

Tapparis Offic. Spinola fructu minore fol. rotundo.
Raij H. Pl. 1629. Usu Cort. præcipuè Radicum. Præp.
b. & Ol. Comp. In locis arenosis & ruderatis Italice, Gal&ce. luxuriat, & Gemmæ Florum Aceto conditæ ab illis
nobis transportantur, & in frequenti usu sunt.

Tä3.

Caprifolium Offic. Periclymenum non perfoliatum Germanicum. C.B.Raij Cat. Angl. & H.Pl. 1490. Usu Fol. & Flor. Incipit florere Maio & per totam ferè Æstatem luxuriat. in sepibus frequenter. Doney-suckle or Moodhind.

Tardung Benedictus Offic. & Ger. Raij H. Pl. 303. Usu Fol. cum Capitibus & Sem. Prap. Ag. Syr. & Sal. sib Antunnum Semen persicit. In Hortis colitur. The Blessed Chissle.

Carouns Pariae Offic. albis maculis notatus vulg. Park. Raij Cat. Angl. & H. Pl. 312. Usu Fol. Sem & non-aunquam Rad. ad Agrorum margines & in aggeribus fossarum frequenter occurrit. The Milkie or Ladies Thisses.

Catthamus & Cnicus Offic. & Ger. Raij H.Pl. 302. Ufu Flor. & Sem. Dof. ad 3vi. Præp. Syr. Eleft. & Spec. FloretJulio & Augusto. HæFleres a nonnullis venduntur pro 1000 & ab illis Crocus Hispan. dicitur, Bastato Sastron. Carpophyllus & Tunica Offic. Hortensis Park Raij. H. Pl 9 15. Un Flor. Prap. Syr. & Conf. in Hortis luxuriat ac in Julio & polten Floret. The Clove July Flower.

A. Catum Offic. vulgare Park. Raij Cat. Angl. & H. Pl. 446. Utu Sem.quod unum ett e quatuor calidis majoribus Carminativis. Præp. Aq. Spt. Ol. Stil. & Confett. In paluftribus & pratis humidis apud nos invenitur. Caramates.

A. Caryophyllata Offic. vulg. fl. parvo luteo J. B. Raij Cat. Angl. & H. Pl. 606. Ufu Rad. & Fol. In Maio & Junio floret ad sepes & in dumetis. Derb Bennet, or Avens.

A. Castanea Offic. Ger. Raij Cat. Angl. & H. Pl. 1382.
Usu Fruct, cum Cort. ejus. In montibus & acclivibus.
The Chest-nut-Cree.

Cataputia Majoz vulg. seu Ricinus Offic. & Park. Raij H.Fl. 166.Uiu Nuclei Fructûs. The Ozeater Spurge, or PalmaChristi.

Cataputia Minoz Offic. seu Lathyris major Hortensis. Park. Raij H. Pl. 866. In Hortis frequenter provenit, Dos. Baccar. ad no. 10. Fol. ad no. 6. The Sauden Spurge.

Teutus Conifera Libani. Folijs Laricis C. B. Raij H. Pl. 1405. Arborem hanc effe Cedrum Libani in facris Literis tantopere celebratum cujus ufus erat ad Templum Solomonis edificandum minime dubium est. The Cedur of Libanus.

A: Centaurium Minus Offic. fl. purpureo J. B. Raij H. Pl. 1092. & Car. Angl. Ulu Fol. ac Flor. Prxp. Aq. Ext. & Sal. Julio mense florer in pascuis siccioribus frequenter Small Centaury.

Dadylus Offic. seu Palma Daetylisera major vulgaris, Johnst. Dendrolog. Raij Hist. Plant. 1352. Usu Frust. & Ossic. Præp. El. Diaphæn. Fern. The Palm, or Date-Tree.

A. Datteus Offic. seu Pafrinaca sylv. tenuisolia Diosc. C. B. Raij H. Pl. 465. & Cat. Angl. Usu Sem. quæ locatur inter quatuor calida minora. In Pascuis gracili solo ubique occurrit. Mill Carrot.

A. Dens Leonis & Taraxacum Offic. latiore fol. C. B. Raij Cat. Angl. & H. Pl. 244. Usu tota Herba, per totam whatem floret in Pascuis ubique. Dandellon.

Dictamnus Creticus Offic. & C.B. Raij H. Pl. 5 27. Usu Folia. Dittamp of Crete.

Dictammus Albus Offic. Fraxinella Ger. Raij H. Pl. 698. Uin Rad. Fraxinell, or Bastard Dittany.

A. Digitalis Offic, purpurea fol. aspero C. B. Raij Catal.

Angl. & H. Pl. 767. Usu Fol. & Flor. Junio & Julio storet in Arenosis. For Stones.

Doinicum Offic. Rad. Scorpij C. B. Raij H. Pl. 274. Ufü Rad. In montibus prope Genevam copiose provenit. Leopards-bane.

Draco Derba Ger. Raij H. Pl. 373. Usus ejus in acetarijs frequentissimum est. Tarragon.

Dracontium Offic. major vulgaris Park. Raij H. Pl. 1211. Usu Herba tota cum Rad. Præp. Ag. Dragong.

A. Dulcamara & Solanum Lignolum Offic. Amara Dulcis Ger. Raij Cat. Angl. & H. Pl. 672. Usu Fol. & Rad. Junio & Julio Floret, in sepibus præsertim juxta aquas. Bitter sweet or Anody Might-shade.

A. Ebuilus Officin. seu Sambucus Humilis Ger. Xaquaisunn Diose. Usu torus Frutex. Florer Junio & Julio ad vias inque Agrorum limitibus & coemeterijs. Dane-wort, Mallwott, or Dwarf-Elder.

A. Ethium Officin. vulg. Ger. Raij Cat. Angl. & H. Pl. 498. Ufu. Fol. & Flor. Æstate floret in Arvis sterilioribus & muris frequenter occurrit. Clipers Buglos.

A. Elatine Offic. sen Veronica fæm. Fueblij. Ger. Raij Cat.
Angl. & H. Pl. 759. Usu Fol. Serius post mediam æstatem sloret in arvis. Round leave, or female fluellin.

Tehn Offic. vulg. C. B. Raij H. Pl. 1116. Usu Fol. & Rad. In Horris colitur. Floretque Junio & Julio. Dnyons.

A. Ceralus fructu nigro Offic. major ac Sylvestris fructu subdulci nigro colore inficiente. C. B. Raij H. Pl. 1538. & Cat. Angl. Usu Fruct. cum Nucleis & Gumnif. Piep. Aq. Sp. Vin. & Syr. The Black Cherry.

Therefolium Offic. Cerefolium vulgare sativum. Ger. Raij H. Pl. 430. Utu Fol. & Sem. Præp. Aq. Maio Florer. Sweet Thervil, or Siss.

Chamedry & Trissago Offic. Vulg. Park. Raij H. Pl. 527. Ulu Fol. cum Floribus. In Horris Junio & Julio Floret. Germander.

A. Chamaemelum vulg. Offic. odoratissimum repens Fl. fimpl. I. B. Raij Cat. Angl. & H. Pl. 354. Usu Fol. & Flor. Præp. Aq. Ol. Still. & Infus. Syr. & Sal. In pascuis uliginosis Julio Floret. Common Chamamill.

Chamaemelum Romanum Fl. pleno Offic. repens odoratissimum perenne Fl. multiplici. I. B. Raij H. Pl. 353. Usu Flor. Præp. exdem cum vulgari. In Hortis Luxuriat. Double flowred Chamonill.

A. Chamaepitys & Iva Arthritica Offic. lutea vulg. fol. trifido C. B. Raij Cat. Angl. & H. Pl. 573. Usin Herba tota. Præp. Pil. In agris restilibus Junio & Julio Floret. Scound-Pine.

A. Chelivonium majus Offic. & Ger. Raij Cat. Angl. & H. Pl. 858. Usu Fol. cum Florib. & Rad. Prxp. Aq. ab Aprili mense in multam æstatem Floret. in ruderatis & Sepibus umbrosis. The Greater Celandine.

A. Chelidonium minus Offic. Schrophularia minor feu Chelidonium minus vulgo dictum I. B., Raij Cat. Angl. & H. Pl. 579. Usu tota Herba cum Radicibus. Floret Martio & Aprili in Pratis humidis, & ad Sepes. Hoc longe differt (in specie Methodica) a majore. Hoc Ranunculo affinis, illud Papaveri Siliquosi congener est. The Lesser Celandine, or Pile-mort.

Ticer Offic. Sativum Ger. Raij H Pl. 917. Usu Sens. In Hispania, Italia, Gallia, &c. passim in agris seritur. Floret Junio & Julio mensibus arque subinde in siliquis semen producit. Chich-Pease, or Cicers.

A. Cichorium Offic. Sylvestre seu Officin. C. B. Raij Cat.
Angl. & H. Pl. 255. Usu Fol. Flor. Rad. & Sem. quæ inter
4. frigida minora enumerantur. Præp. Cons. & Syr. ad
agrorum margines sponte provenit. Æstate & post solstitum Floret. Succopy.

Thermes Offic. Ilex aculeata cocciglandifera. C. B. Raij H. Pl. 1392. Coccum fert Maio mense quod duobus usibus inservit, nimirum Medicinæ (ex quo celebris Consession Alkermes nomen habuit) & Lanis tingendis. The Statelet Dak.

A. Cícuta Offic vulgaris major Park Raij Cat. Angl. & H.Pl. 45 r Usu Fol. & nonnunquam Rad. Junio & Julio Floret in aggeribus terrenis & ad fossas. Demlock.

Citrus Offic. Malus Citria feu Medica Raij H.Pl. 1654.

Usu Fructus Præp. ex Cort. Ol. still. Elect. Syr. & Condit.

The Citron Cree.

A. Cothlearia Britanica seu Matina Offic. Fol. sinuato C. B. Raij Cat. Angl. & H. Pl. 823. Usu & Præp. eædem cum Hortense. In salsis maritimis plurimis in Locis. Sea Scuring grass.

A. Colocinthis Offic. fructu rotundo minor. C. B. Raij H. Pl. 642. Usu Medulla arida Fructuum. Dos. ad 3j. Præp. Trock. Coloquintion.

A. Cochleatia Dottentis Offic. fol. subrotundo C. B. Raij H. Pl. 882. & Cat. Angl. Usu Herba tota. Præp. Ag. Sp. Conf. Syr. & Sal. Floret Aprili & Maio in Hortis. Garden Scurvy-Grass.

A. Coaillina Offic. Muscus marinus seu Corallina alba Offic. & Park. Raij Cat. Angl. & H.Pl.65. Usu tota Planta Accrescit Rupibus aqua marina opertis juxta litus ubique Coailline.

 Control on the state of th Silver of the second of the se en in filter eine gingt en allgen die deur ein Walter Lieber A C Tries Circle To a Caraca The state of the s 1111 1 1 1 1 1 1 1 ed Daripa de Cara terre and the second of the se

uphtalia Offic. & C. B. Raij H. Pl. 771. Ulu H. m Flor. Præp. Aq. & Conf. Post mediam ferè æst n Autumnum usque Floret. In pascuis steriliorib

nhà Offic. major Hortenfis Ger. Raij Cat. Angl. & 09. Usu Flor. Sem. & ejus Farina. Præp. Sal. & for. & Siliq; In Hortis seritur & Agris, Aprilj & A at, Julio & Augusto sructum sert. Gatuent Boa

Mipendula Offic. vulg. Park Raij Cat. Angl. &c b.3. Usu Rad. Junio & Julio Floret, in pratis & I montosis. Deop-wort.

Refilletus Offic. Germaniæ C.B. Raij H.Pl. 951. & Ulu Fol. & Flor. Præp. Empl S. & Comp. Junio floret, ad fepes & in arvis. Common Delllot

Affurtium Aquaticum Offic aquat vulg. Park.
Angl. & H. Pl. 816. Usu Her ba tota Præp. Aq. & & Augusto Mensibus floret, in Aquis & ad Rivens. Chater Cresses.

It forming Offic. ramofa major pinnulis ob Jentatis. C. B. Raij Cat. Angl. & H. Pl. 149. Ubique nimis frequens. Female Fern, or T Brakes.

tanatía Offe. vulgaris C.B. Raij Cat. Angl. & H. Ulu Iol. & Fruct. Præp. Aq. Syr. & Timet. In S bris, Junio Fructus fort. Common Straible

alega & Ruta Capraria, Offic. vulgaris 1 H. Pl. 911. Ulu Herba cum Flor. Præp. A Junio & Julio in Hortis floret. Goats Ruc.

allium Offic. luteum C. B. Raij Cat. Angl. & I Duu Herba tota. In Pafcuis ficcioribus passim. Ch ming, or Pellow Ladies Bed-straw.

Milita Offic. vulg. & Scoparia Park. Raij H.Pl., 10t. Angl. Usu Fol. Flor. & Sem. Prap. Aq. Con Moret circa finem Aprilis & initio Mijj. In Pamis frequenter occurrit. Common Eroom.

wramum apolityatum Cha. Cicute fol. Mol mfol. ad Myrrhidem accedente majus I. B. Ra lbs7. & O

Otimum MH. Pl 5 Mortis Ci

Ophical Macat. As Commidis

Digay nio ac

poee!

Dolin



phralia Offic. & C. B. Raij H. Pl. 771. Usu Herm Flor. Præp. Aq. & Cons. Post mediam ferè æstan Autumnum usque Floret. In pascuis sterilioribus.

tha Offic. major Hortenfis Ger. Raij Cat. Angl. & H. 29. Ulu Flor. Sem. & ejus Farina. Præp. Sal. & Aq. vr. & Siliq; In Hortis feritur & Agris, Aprilj & Maio t, Julio & Augusto fructum fert. Dathen Beans.

lipentula Offic. vulg. Park Raij Cat. Angl. & H.
23. Usu Rad. Junio & Julio Floret, in pratis & Patr
montosis. Deop. wort.

elilotus Offic. Germaniæ C.B. Raij H.Pl. 951. & Cat. Uliu Fol. & Flor. Præp. Empl S. & Comp. Junio & floret, ad lepes & in arvis. Common Delilot.

Instituttium Aquaticum Offic. aquat. vulg. Park. Raij Angl. & H. Pl. 816. Usu Her ba tota. Præp. Aq. & Spt. & Augusto Mensibus storet, in Aquis & ad Rivulc s rens. Whater Cresses.

ilir Foemina Offic. ramola major pinnulis obtulis dentatis. C. B. Raij Cat. Angl. & H. Pl. 149. Usu Ubique nimis frequens. Fentale Fern, or Com-

ragaria Offic. vulgaris C.B. Raij Cat. Angl. & H.Pl. Ufu Iol. & Frust. Præp. Aq. Syr. & Tinst. In Sylvis Hortis, Junio Frustus fert. Common Strawberry.

Talena & Ruta Captaría. Offic. vulgaris Park. 14. Pl. 911. Usu Herba cum Flor. Præp. Aq. & Junio & Julio in Hortis storet. Goats Rue.

odlium Offic. luteum C. B. Raij Cat. Angl. & H. Pl. Lulu Herbatota. In Pascuis siccioribus passim. Theese ming, or Pellow Ladies Bed-straw.

Denista Offic. vulg. & Scoparia Park. Raij H. Pl. 1723 Lat. Angl. Ufu Fol. Flor. & Sem. Præp. Aq. Conf. & Floret circa finem Aprilis & initio Maij. In Pascuis nosis frequenter occurrit. Common Broom.

perantum Poutpatum Offic Cicute fol Moschafol. ad Myrrhidem accedente majus I. B. Raij H. 1057. & Cat. Angl. Usu Fol. Præp. Ag. odorata. In ha sed rard. Buscony, or Busken Cranes.

beimum & Balliseum Offic. Vulg. majus Park. j.H. Pl 541. Usu Fol. ac Sem. Floret Junio & Julio, Hortis Crescit. Ballil.

phiogiosium Offic. sive Lingua Serpentina, Park. i Cat. Angl. & H. Pl. 126. Usu Planta integra. In Pranumidis Aprili & Maio luxuriat. Adders Congue.

Duganum Offic. Anglicum Ger. Raij Cat. Angl. & Ph. 539. Usu Fol. cum Flor. Prap. Ol. still. Floret io ac Julio in dumeris & ad Sepes. Callo Barann.

Doconia mag Offic. & Park. Raij H. Pl. 693. Ufu d. Flor. & Sem. Maio Floret. The Pale Deony.

Polium Montanum Offic. Raij H. Pl. 524. Usu ol. & Flor. In Italia & Gallia crescit. Poley Mountain

Masturtium Portense Offic. & Ger. Raij H. Pl. 825. Usu Fol. (quæ in Acetarijs persæpe usurpantur) ac Sem. Præp. 19. Floret Maio & Junio. Garden Cresses.

Massettium Indicum Park. Raij H. Pl. 787. Usu stores qui grati sunt saporis & a quibusdam ad Viola reduntur. Prep. Cons. in Hortis nutritur. The Indian Cress.

Pumuulatia Offic. vulg. Park. Raij Cat. Angl. & H. Pl. 1019. Usu Fol. Præp. Aq. à Maio mense in mulam æstata Floret. In Fossis & Pratis humidis. Motteya most or sycheture pence.

Depeti Offic. major vulg. Park. Mentha Felina leu Cattaria, er. Raij Cat. Angl. & H. Pl. 548. Usi Herba rota. Juniot Julio floret, ad sepes invenitur. Depp or Catmint.

Micotiana Petum & Tabacum Offic. Hyofommus luteus Ger. Tabacco Anglicum Park. Raij H. Pl. 7 ov. Usu Fol. & ejus Succus. Prap. Aq. Ung. & Ol. English Cobacco, and by some Pellow Den-bane.

Migella, Melanthium & a quibusdam Gith Offic. Nigella sl. minore simplici candido C. B. Raij H. Pl. 1071. Usu Sem. quæ valde odorata sunt. Migella or Fennell Flower.

A. Mumphaea & Nenuphar Offic, major alba. C.B. Raij Cat. Angl. & H. Pl. 1319. Ufu Flor. & Rad. Præp. Syr. Junio & Julio floret, in Lacubus et Fluviis. The Mater-Lifty.

Delissa Offic. vulg. odore Citri J. B. Raij H.Pl. 572. Usu Herba tota, Præp. Aq. & Spr. Syr. ac Cons. Junio Julio & Augusto Floret. Baum.

Delo Offic. vulg. C. B. Raij H. Pl. 644. Usi Sem. que quatuor Seminibus frigidis Majoribus referuntur. The Delott.

Mentha Offic. angustifol. spicat. C.B. Raij H. Pl. 532. Usu Herba cum Flor. Prap. Ag. Spt. Syr. Conf. & Ol. Infus. & Stil. Julio Florer. Harden or Speat Pint.

- A. Detturialis, Benus Hemicus & Tota Bona Offic. Blitum Bonus Henricus dictum Raij H. Pl. 195. Usu Fol. Præp. Syr. & Mel. Aprili & Maio Floret, ad vias & in Oleraceis. All good, or English Optury.
- A. Deum Athamanticum Offic. fol. Anethi C. B. Raif H. Pl. 432. & Cat. Angl. Ufu Rad. Maio & Junio Floret. In Pratis & Pascus nonnunquam occurrit. Dem or Spinnell.
- A. Millefolitim Offic. terrestris rulg. Ger. Rais Cat. Angl. & H. Pl. 345. Utit Fol. Junio Floret in Pascuis ubique. Parroin or Millfoll.

Douis Offic. nigra.vulg. Park. Raij H. Fl. 1429. Usu Frust. qui in Angusto maturescit, Prap. Syr. et Diamoron. The Black-Dulberry.

A. Monfeng Burinatus Offic. & Ger. Rais Cat. Anol. & H. Pl. 113. Um Planta tota. In Aridis Locis. Cup or Challes Pols.

Drylapathum Offic. Lapathum Fol. acuto plano. C. B. Raij Cat. Angl. & H. Pl. 172. Usu Rad. & Sem. In incultis passim. Sharp pointed Dock.

Doenia Faemina Offic. & Ger. Raij H. Pl. 644. Usu Rad. Fler. & Sem. quod Julio ad maturitatem pervenit. Prap. Aq. S. & Comp. Syr. Conf. The Female Deany.

Papaver album Offic. Hort. sem. albo. C. B. Raij Hist. Plant. 853. Usu Capita cum Sem. Præp. Syr. in Hortis colitur. The Milite Garden Poppy.

- A. Papavet Rhoeas Ger. feu Erraticum. Offic. Raij Cat. Angl. & H. Pl. 855. Usu Flor. Præp. Ag.S. & Comp. Syr. & Cons. floret Junio inter Segetes passim. Red Poppp or Com-Rose.
- A. Patietatia Offic. & Diosc. C. B Raij Cat. Angl. & H. Pl. 789. Usu Fol. quæ locum tenent inter Herbæ quinque Emollientes. Præp. Aq. In Murk & locis Ruderatis. Pellitory of the Colall.
- A. Paronychia Aulgaris Ger. Raij Cat. Angl. & H. Pl. 789. Usu Herba tota Martio Floret. In Muris, locis Siccioribus & Arenosis. Common Albitlow-Grass.
- A. Paronychia Rutaceo Folio Ger.Raij Cat. Angl. & H. Pl. Usu Herba integra floret Aprili & Maio in Muris Tectis & Siccioribus. Rue Leav'd Alhitlow Grass.
- A. Passinata Hortensis Offic. Latifol. sativa Ger. Raij Cat. Angl. & H. Pl. 410. Usu Rad. & Sem. in Agris & Hortis colitur. Gatten Parsnip.

19epo Offic Cucurbita major rotunda flore luteo fol. aspero. C.B. Raij H. Pl. 396. Usu Sem quæ sunt e numero quatuor frigidiorum majorum. The Pumpion, called by the Vulgar, The Pelon.

- A. Paffinasa lati a tenuifolia Ger. Raij Cat. Angl. & H. Pl. 465. Usu Ser. & Rad. quæ Culinariæ sunt. In Agris seritur. The Common Carrot.
- A. Percepier Anglorum Lobelij Ger. Raij Cat. Angl. & H. Pl. 209. Usu Herka integra. Inter Segetes & in solo restibili steriliore passim. Partiy-piett or Partiy breaks Stone.
- A. Duercus Offic. vulg. Ger. Raij Cat. Angl. & H.Pl. 7605.
 Ufu Fol. Glandes eorumque Calyces. Prap. Aq. In Sylvis
 & Sepibus ubique vulgatiffima. The Dat.
- A. Quinquefolium & Pentaphyllum Offic. vulg. Ger. Raij Cat. Angl. & H. Pl. 611. Usu Fol. et Rad per totam æstatem Floret, ad semitas passim. Five-leaved Grass or Cinquesoll.

Raphanusort enfis Offic. volg. Park. Raij H. Pl. 804. Ufu Rad. & Sem. The Garden Radift.

- A. Raphanus Sylvestris seu Russianus Offic. Sylvest. seu Armoracia multis. J. B. Raij H. Pl. 818. & Car. Angl. Usu Rad. Piep. Ag. S. & Comp. Spt. & Syr. Comp. Locis humidis. Dotse-Radosh.
- A. Rapa Offic. fativa rotunda C. B. Raij Cat. Angl. & H Pl. 800. Usu Rad. Prap. Aq. & Syr. In Agris et Hortis passim seritur. The Turnep.
- A. Rhammus Catharticus et Spina Cervina Offic. folutivus seu Spina Insectoria vulg. Park. Rais Cat. Angl. et H.Pl. 1625. Usu-Bacca gux colliguntur in sine Septembric aut initio Octobric. Prxp. Succ. et Syr. In Sylvis & Sepibus Crescit. The Common Purging Chorn or Buckthom.

Rola Alba Offic. & Ger. Raij H. Pl. 1473. Usu Fler. Præp. Aq. Mai) & Jun'o Hortis luxuriat. The Mhite Rose.

Rubia Tintorum Offic. & Ger. Raij H. Pl. 480. Usu Rad. in Hortis colitur. Pauver.

Rolmatinus Offic. Hortensis angustiore Fol. C.B. Raij H. Pl. 515. Usu Fol. Sem. & Flor. qui Anthos vocantur. Prap. Aq. Spt. Conf. et Mel. Aprili et Maia ac cleinceps Floret. Rosemary.

A. Ros Solis Offic. fol. rotundo Ger. Raij Cat. Angl. et H. Pl. 1100. Usu Herba tota. Prap. Aq. in palustribus. Ros Solis or Sun-Dew.

Rives Offic. vulg. fructu rubro Ger. Raij H. Pl. 1485. Usu Fruct. Præp. Rob et Syr. Aprili mense aut serius pro veris Constitutione floret. Junio & Julio Fruct. maturantur. Red Currans.

- A. Rubus vulg. Offic. major fructu nigro J. B. Raij Cat.
 Angl. & H. Pl. 1639. Usu Fol. & Fruct. quod in Autumno
 perficitur. Præp. Syr. & Diamoren. In Sepibus & Dumetis
 frequenter occurrit. The Brandle or Black-berry
 Bull.
- A. Rubus Juaeus Offic. spinosus fructu rubro. C.B. Raij Cat. Angl. & H. Pl. 1640. Usu Fruct. Prap. Aq. & Syr. In Montibus Wallia & Septentrionalibus Anglia Crescic. The Mindberry, Frambolle or Rasherry.
- A. Ruscus & Bruscus Offic. & Ger. Raij Cat. Angl. & H. Pl. 664. Usu Rad. quæ inter quinque Aperientes locum tenet. In Sepibus & Dumetis Killet-Polim or Butchers-haam.

Buta Dotteniis, feu vulg Offic. hort. latifol. C.B. Raij H. Pl. 874. Uiu Fol. & Sem. Præp. Ag. Conf. Ol. Stil. & Inful. Ung. In Hortis Junio floret. The Deth of Grace or Rue.

Salvia Hogt. minor Offic. minor Auriculata J. B. Raij H. Pl. 510. Usu Fol. Pigg Sage, or Sage of Aertue.

- A. Saponatía Offic. vulg. Park. Raij Cat. Angl. & H. Pl. 999. Usu Fol. Floret Junio, Julio &c. in Arenosis & ad Ripas suviorum provenir. Sope mort.
- A. Pillum Offic. Raij H. Pl. 893 & Car. Angl. Ulu Sem. in Agris seritur. Penle.



A. Cotallium Album Offic. Raij H. Pl. 62. Inc. peritur. IAhite Cotal.

Comilium Rubyum Offic. & Ger. Raij H.
Frutex sub aqua Marina generatus. Prap. S
Red Comili.

Cotianorum Offic. vulg. Park. Raij H. Pl. Sem. Hao Planta dum viget halitum gravem pficcata autem suavem acquirat odorem. Cotial.

aij

- A. Coppluse Offic. five Nux Avellana fylvestris Cat. Angl. & H. Pl. 1379. Usu Fruct. & Lign. & Sepibus. The Datell Mut.
- A. Crithmum feu Fæniculum marinum Offic.

 B. Raij Cat. Angl. & H. Pl. 457. Usu Herba
 in Muria condita in acetarijs, &c. Sæpe ulio
 In clivis & Rupibus maritimis frequenter occurre.

 Sampire.
- A. Crocus Offic. verus fativus Autumnalis Pare Cat. Angl. & H. Pl. 1176. Usu stamina Florumet Sp. Syr. Ext. Spec. & Empl. Floret Septembre. ia & Comitatu Cantabrigiæ permultum colitur.

Cucumis Portentis Offic. Sativus vulg. C. m. H. Pl. 645. Usu Fruct. culinis & Sem. Officially, inter quator frigidiora majora enumerantur. Comcumber.

Cucumis Sylvestris seu Asininus Osic. La Raij H. Pl. 647. Facula Succi Fructus hujus Planttur Elaterium. Pructus sert in Autumno. Comecumber.

Cupressus Offic. & C. B. Raij H. Pl. 1406. Usu feu Conos. in Hortis crescit. The Cypress-Cree.

- A. Culcuta Offic. seu Cassutha Ger. major C. Ear. Cat. Angl. & H. Pl. 1903. Usu Herba tota cum sil or Herbis adnascirur passim; Junio, Julio, & Augusto Dodder.
- A. Cyclam Co- Irthanita Offic. Raij H. Pl. A-

Eruct. & Se ticat in Oct

A. Cynogl & H. Pl. 4 Junio Flor

A. Cynosi flore odor 1470. Usu ticat in Se

A. Cyper Angl. & H Cyperus

A. Seran vulg. Par integra. A 2



Frutex sub aqua Marina generatus. Prap. Syr. & Sal. Red Cozall.

Conandrum Offic. vulg. Park. Raij H. Pl. 470 Ufu Sem. Hac Planta dum viget halitum gravem præbet, reficcata autem suavem acquirat odorem. Cogiannet.

- A. Copplets Offic. five Nux Avellana sylvestris Park. Raij Cat. Angl. & H. Pl. 1379. Usu Fruct. & Lign. in Sylvis & Sepibus. The Patell Mut.
- A. Crithmum seu Faniculum marinum Ossic. minus C.
 B. Raij Cat. Angl. & H. Pl. 457. Usu Herba tota. Fol: in Muria condita in acetarijs, &c. Sæpe usurpatur. In clivis & Rupibus maritimis frequenter occurrit. Rock
- A. Crocus Offic. verus fativus Autumnalis Park. Raij Cat. Angl. & H. Pl. 1176. Usu stamina Florum. Prap. Sp. Syr. Ext. Spec. & Empl. Floret Septembre. In Effexia & Comitatu Cantabrigia permultum colitur. Saffron.

Cucumis Dortensis Offic. Sativus vulg. C. B. Raij H. Pl. 645. Usu Fruct. culinis & Sem. Officinis quæ inter quator frigidiora majora enumerantur. Garbett Com cumber.

Cucumis Sylvestris seu Asininus Offic. & I. B. Raij H. Pl. 647. Facala Succi Fructus hujus Plantæ dicitur Claterium. Pructus fert in Autumno. Millo Cow-cumber.

Cupressus Offic. & C. B. Raij H. Pl. 1406. Usu Fruct. feu Conos. in Hortis crescit. The Cypress Tree.

- 1. Cultuta Offic. seu Cassutha Ger. major C. B. Raij Cat. Angl. & H. Pl. 1903. Usu Herba tota cum floribus. Herbis adnascitur passim; Junio, Julio, & Augusto sloret. Dodder.
- . Cyclamen five Arthanita Offic. Raij H. Pl. 1205. Uju Rad, In Curiosorum Hortiscolitur. Som Bread.

Cydonia fen Cotonea malus Raij H. Pl. 1452. Uju Fruct. & Sem. Præp. Succ. Syr. Vin. Rob: Miva, &c. Fru-ticat in Ottobri. The Quince-Till.

Tynoglossum Offic. majus vulg. Ger. Raij Cat. Angl. & H. Pl. 489. Usu Fol. & Rad. Prep. Pill. ad vias ubique Junio Floret. Dounds-Congue.

Tynosbatos & Tynozrhodos Offic. Rofa fylv. vulg. flore odorato incarnato. C. B. Raij Cat. Angl. & H. Pl. 1470. Usu Fruct. & Spong. Prap. Cons. Autumno fructicat in Sepibus. The Dog Rose, Pepp, or Willa Bryar.

Typerus Longus odoratus Offic. & Park. Raij Cat. Angl. & H. Pl. 1294. Usu Rad. In palustribus. The Sweet Epperus, or English Galangal.

Geranium Robertianum & Gratia Dei. Offic. 111g. Park. Raij Cat. Angl. & H. Pl. 1058. Usu Planta megra. Ad sepes ubique. Peth-Robert.

- A. Sperthiza feu Liquititia Offic. vulg. Siliquofa Park. Raij Cat. Angl. & H. Pl. 910. Usu Rad. cum Succo Ejustem. Præp. Syr. Comp. Floret Julio & Semen fert Septembri, varijs locis apud nos colitur. Liquorifi.
- A. Gramen Taninum Offic. arvense seu Gramen Diosc.
 C. B. Raij Cat. Angl. & H. Pl. 1255. Usu Rad. Prap.
 Ag. In agris & Hostis ninis frequens. Tommon Dogs. Grafs, Quick Grafs, or Couch Grafs.
- Groffularia five Ava Crifpa, Offic. Raij H. Pl. 1484 Usu Fruct. Floret Aprili, fructum fert Maio, quem Junio & Julio perficit. The Gosberry.
- Granata vel Punica Offie. & Ger. Raij H.Pl. 1462. Ufu Poma cum Cort. Prap. Syr. The Pomegranate-Tree.
- Dedera Offic. corymbola nigra. Park. Raij Cat. Angl. & H. Pl. 1505. Ulu Fol. Bacc. Lig. & Gummi. Floret Autumno, Baccas fert hyeme, Arboribus passim nascitur.
 Climing or Batten Ivy.

A. Coldlium Album Offic. Raij H. Pl. 62. In Mari reperitur. III hite Cotal.

Coldlium Rubum Offic. & Ger. Raij H. Pl. 60. est

Coldlium Rubum Offic. & Ger. Raij H. Pl. 60. est

Coldlium Rubum Offic. & Ger. Raij H. Pl. 60. est

Coldlium Rubum Offic. & Ger. Raij H. Pl. 60. est

bellebour Albur Offic. & Ger. Raij H. Pl. 168. Ulu Rad. Prap. Vin. Willite Dellebore.

Bellebouts Miger Offic. niger verus Ger. Raij H. Pl. 697. Um Rad. Præp. Ext. Syr. & Oxymel. in Hyemem Floret. The True black Belleboge.

Dozminum Sativum Offic. vulgare seu Sclarea. Park. Raij H. Pl. 543. Usu Fol. & Flor. Præp. Ag. & Sp. Junio & Julio Floret. In Hortis seritur. Garden Clary.

- . Dozminum Spidestre & Deculus Christi Offic. Sylv. Lavendulæ Flore. C. B. Raij Cat. Angl. & H. Pl. 545. Usu Planta integra, in glareosis frequens. English Wild Clary.
- Pl. 1018. Usu Fol. ac Flores. Præp. Aq. Fruet. Ol. Simp. & Comp. Floret Julio in Dumetis & ad Sepes. St. John's Most.

Dyssaphus Offic. vulg. spicatus angustisolius I. B. Raij H. Pl. 516. Usu Fol. ac Flor. Præp. Aq. Syr. & Ol. Still. Floret Julio & Augusto, Crescitque in Hortis. Garden Dyllop.

- Depatica & Lichen vulg. Offic. & Park. Raij Cat. Angl. & H. Pl. 124. Ufu Fol. In uliginosis & umbrosis ad rivulorum ripas. Common Liver-wort.
- Jacobea Offic. vulgaris laciniata. C.B. Raij Cat. Angl. & H. Pl. 284. Ufu Fol. In Pascuis & ad vias passim provenit. Seggrum or Ragwort.

Jasminum Offic. vulgatius fl. albo C. B. Raij H. Pl. 1599. Usu Flores. Præp. Aq. Balf. & Essent. seu Ol. per Infus. per integram serè æstatem Flores. White Jasmine or Jestime.

Imperatoria offic. five Afrantia vulg. Park. Raij H. Pl. 436. Ufu Rad. Præp. Aq. in Hortis nutritur. Dafterwort, and by some erroneously Pellitory of Spain.

Iris Mostras Offic. purpurea seu vulg. Park. Raij H. Pl. 1180. Usu Rad. Prep. Aq. & Succ. floret Maio & Junio, in Hortis frequenter. The Purple flower be

- Juglang Offic. five Regia vulg. C. B. Raij Cat. Angl. A. Musining Offic, two Kegun vang. S. D. Same & Court, & Mel. 1376. Ufu Nuces virides dum teneræ funt & Court, & Mel. Cort. interior Arboris. Præp. Aq. Simp. & Comp. & Mel. Fructum ante initium Septembris apud nos non perficit. The Malinut-Tree.
- A. Juniperus Offic. vulgaris baccis parvis purpureis. I.B. Raij Cat. Angl. & H. Pl. 1411. Usu Bacc. Lign. & Gummj quod Sandaraca dicitur. Præp. Aq. Sp. Conf. & Ol. still. Fructus maturescit Anno secundo, Autumno & tunc cæruleo tingitur colore. In Ericetis crescit. Itt=

Lattuca Offic. sativa non capitata J. B. Raij H. Pl. 220. Usu Fol. & Sem. quæ annumerantur inter Semma quatuor Frigida que minora dicuntur. Prep. Aq. Gat: den Lettice.

- A. Lactuca Agnina Ger. Valeriana campestris inodora major I. B. Raij Cat. Angl. & H. Pl. 392. Folia Verno tempore, cum Aceto Sale & Oleo jucundè commeduntur cum alijs acetarijs Herbis. Inter segetes. Lambs Lettice or Coin Sallet.
- 904. Usu Sem. Seritur in Agris. Lentills, and by some Dills.
- Lamium Album Offic. vulg. album seu Archangelica store albo Park. Raij Cat. Angl. & H. Pl. 559. Usu Flor. Præp. Con/. & Aq. Mense Aprilli & Maio storet, ad Sepes. White Archangel, or Dead Mettle.

Eruca Offic. Latifolia alba fativa Diosc. C. B. Raij H. Pl. 806. Usu Sem. Rockett.

As Lamium Rubum Offic. vulg. folio subrotundo flore rubro, Park. Raij Cat. Angl. & H. Pl. 559. Usu Fol. ac Flor. Primo vere & deinceps per totam Estatem Floret. Small Dead Nettle, or Red Archangel.

Labendula Offic. major seu vulgaris Park. Raij H. Pl. 512. Usu Fol. & Flores. Prap. Conf. Aq. & Sp. Junio 20 Julio mensibus floret, in Hortis. Labender.

Laurus Offic. vulgaris C. B. Raij H.Pl. 1668. Ulu Fol. & Bacc. quæ maturantur sub finem Autumni. Præp. Elect. Empl. Ung. & Ol. Stil. The Bay-Tree.

A. Lens Palustris Offic. seu aquatica vulg. Park. Raij Cat. Angl. & H. Pl. 117 Usu. tota Herba. In aquis stag-nantibus. Ducks-meat.

Levissicum Ofic. vulg. Ger. Ligusticum vulg. folio Apij I. B. Raij H. Pl. 437 Usu Fol. Rad. & Sem. Prap. Aq. & Ol. Stil. Æstate Floret. Louige.

Lillium Album Offic. album fl. erecto & vulgare C. B. Raij H. Pl. 1109. Usu Flor. & Rad. Præp. Ol. Floret Junio. Tulbite Lilly.

Lillium Convallium Offic. fl. albo Park. Raij Cat. Angl. & H. Pl. 667. Ulu Fol. ac Flor. Prap. Aq. & Conf. Majo mense floret, in umbrosis. The Lilly of the Chally or Mar-Lilly.

Limonia mala Offic. Raij H. Pl. 1656. Usu Fruet. cum. Cort. & Sem. Præp. Aq. Syr. Cons. & Spt. Fruet. ex Hispania & Italia ad nos deferuntur. The Lemmon.

- A. Línum fativum Offic. & Ger. Raij Cat. Angl. & H. Pl.
 1072. Usu Sem. Præp. Ol. per Express in Agris seritur. . Flar.
- Lithospermum seu Willium Solis Offic. & F. B. A. Littoupermuni leu sommon.

 Raij Cat. Angl. & H. Pl. 503. Usu Sem. In Agrorum marginibus ficcioribus. Flor. Maio & Junio Stomill or Gromwell.
- A. Lujula & Acetolella Offic. Trifolium acetolum vulg. Park. Raij Cat. Angl. & H. Pl. 1098. Ufu Fol. Floret Aprili ac principio Maij. Locis gaudet nemorofis & Opacis. Mood Sorrel.

Lupinus Offic. vulg semine & flore albo sativus J. B. Raij H. Pl. 906. Usu Sem. Æstate floret, & Autumno Sem. persicit. Lupinus.

A. Lupulus Salictarius Offic. & Raij Cat. Angl. & Hift. Plant. 156. Usu Flor. Augusto in sepibus passim abundat.

Lentiscus vulgaris C. B. Raij H. Pl. 1579. Usu Lignum & Gummi quod è caudicibus hujus Arboris exudat & Baltich vocatur. The Baltich-Tree.

Majorana & Sampfucum Offic. vulg. æstiva. Park. Raij. H. Pl. 538. Usu Fol. ac Flor. Præp. Ag. Ol. Stil. & Conf. Floret Julio & Augusto. Sweet Barjonam.

Mandragora Offic. fructu rotundo C. B. Raij H. Pl. 668. Usu Fol. & Rad. in Hortis Botanicis colitur. The Male. Mandrake.

. Patifium Album Offic. Marrubium album velg. C.B. Raij Cat. Angl. & H. Pl. 555. Usu Fol. Præp. Aq. & Syr Floret Julio, ad vias publicas & in locis ruderatis. Allitte Pozehound.

Datum Offic. Sampsuchus seu Marum Mastichen redo-lens. C.B. Raij H. Pl. 520. Usu Herba tota, in Augusto florer. Herh Pastich or Pastich Cime, and by some Marum,

Marum Syriacum vel Creticum Park. Raij H. Pl. 528. Usu Fol. & Flor. gratissimo & vegeto sunt odore, & sternutatoriis frequenter imponitur. Assyrian Dassich Time.

- A. Datricaria & Parthenium Offic. Vulg. Park. Raij Car.
 Angl. & H. Pl. 355. Usu Herba cum Flor. Præp. Aq. Junio &
 Julio Mensibus stor. ad sepes & locis ruderatis. feuer-sew.
- A. Eryngium Offic. marinum Math. C. B. Raij Cat.
 Angl. & H. Pl. 384. Usu Rad. secat. aut Condit. In Littoribus arenosis nascitur. Sea-Dolly, or Eryngo.





